

DisboPUR 385 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 26.01.2023
4.0	25.03.2024	6002859	Date of first issue: 23.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	DisboPUR 385 Comp. B
1.2 Relevant identified uses of the	ne s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Polyurethane-resin-based coating material, totally solid
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone		+496154710
Telefax	:	+4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Acute toxicity, Category 4	H332: Harmful if inhaled.				
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.				
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024	-	DS Number: 002859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019
Haza	rd pictograms	:		
Signa	al Word	:	Warning	
Haza	rd Statements	:	H317 H332 H335	May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation.
Preca	autionary Statements	:	Prevention P261 P280	: Avoid breathing mist or vapors. Wear protective gloves.
			Response: P304 + P34 P333 + P31 P362 + P36	 0 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. 3 If skin irritation or rash occurs: Get medical advice/ attention.
			Storage: P403 + P23	3 Store in a well-ventilated place. Keep containe tightly closed.

Hazardous ingredients which must be listed on the label:

Hexamethylene diisocyanate, oligomers hexamethylene-di-isocyanate

Additional Labeling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



DisboPUR 385 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 26.01.2023
4.0	25.03.2024	6002859	Date of first issue: 23.10.2019

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Hexamethylene diisocyanate, oligomers	28182-81-2 500-060-2 01-2119485796-17	Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335	>= 90 - <= 100
hexamethylene-di-isocyanate	822-06-0 212-485-8 615-011-00-1 01-2119457571-37	Acute Tox. 4; H302 Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H314 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) 	>= 0,1 - < 0,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	Show this material safety data sh ance. Move out of dangerous area. First aider needs to protect himse Never give anything by mouth to	əlf.
If inhaled	Move to fresh air. If symptoms persist, call a physic	ian.
In case of skin contact	Take off all contaminated clothing In case of contact, immediately flu of water. Do NOT use solvents or thinners.	ush skin with soap and plenty
In case of eye contact	Hold eyelids apart and flush eyes	with plenty of water for at



DisboPUR 385 Comp. B

Versic 4.0	on	Revision Date: 25.03.2024		DS Number: 002859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019	
				least 15 minutes.	Get medical attention.	
If swallowed :		If swallowed, DO	If accidentally swallowed obtain immediate medical attention. If swallowed, DO NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.			
4.2 M	lost im	portant symptoms a	nd e	effects, both acute	e and delayed	
Risks		:	ffects, both acute and delayed May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation.			
4.3 In	ndicati	on of any immediate	me	dical attention and	d special treatment needed	
Т	Treatm	ent	:	No information av	ailable.	
	SECTION 5: Firefighting measures					
	-	ishing media e extinguishing media	: Use extinguishing measures that are appropriate to loca cumstances and the surrounding environment. Carbon dioxide (CO2) Dry powder Foam			
5.2 Sp	pecial	hazards arising from	n the	e substance or mi	xture	
	Specifi ighting	c hazards during fire	 Cool closed containers exposed to fire with water spray. In case of fire hazardous decomposition products may b produced such as: Carbon monoxide, carbon dioxide and unburned hydroc bons (smoke). 		zardous decomposition products may be s:	
5.3 Ao	dvice	for firefighters				
	•	l protective equipment fighters	:		d positive pressure self-contained breathing tion to standard fire fighting gear.	
F	Further	r information	:	be disposed of in Standard procedu	contaminated fire extinguishing water must accordance with local regulations. ure for chemical fires. a and/or explosion do not breathe fumes.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	:	Do not get in eyes, on skin, or on clothing. Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation.		



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024	SDS Number: 6002859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019		
			s are facing concentrations above the exposure st use appropriate certified respirators.		
6.2 Enviro	onmental precautions				
•		If the product respective au	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.		
6.3 Metho	ods and material for co	ontainment and cle	eaning up		
Meth	ods for cleaning up	material, (e.g and transfer t	ge, soak up with non-combustible absorbent . sand, earth, diatomaceous earth, vermiculite) o a container for disposal according to local / lations (see section 13).		
6.4 Refere	ence to other sections				
For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.					

SECTION 7: Handling and storage

7.1 Precautions for safe handling	J	
Advice on safe handling	:	For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Contains isocyanates. Please, attend to producer's advice. Liquid product may irritate and sensitize skin and respiratory tract and may cause allergic reaction. Do not inhale vapours. Take care for sufficient fresh air supply during and after use. Product must not be sprayed. Allergics or persons tending to respiratory tract diseases must not be involved in operations with this product. Polymerization is a highly exothermic reaction and may gen- erate sufficient heat to cause thermal decomposition and/or rupture containers.
		and its application on www.caparol.com must be observed.
Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
Hygiene measures	:	Keep working clothes separately. Remove and wash contami- nated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove con- taminated clothing and protective equipment before entering eating areas.



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024		DS Number: 002859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019		
7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Store in original container. Store between 41 and 77 °F in a						
	and containers		dry, well ventilate and direct sunligh	Ind place away from sources of heat, ignition of the containers which are opened must be and kept upright to prevent leakage.		
Stora	ge class (TRGS 510)	:	10			
	ic end use(s) fic use(s)	:	This information i	s not available.		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
hexamethylene-di- isocyanate	822-06-0	AGW	0,005 ppm 0,035 mg/m3	TRGS 430	
	Peak-limit cat	egory: 1;=2=(I)			
	Further information: In well-founded cases also a momentary value can be established, that never can be exceeded. This substance will be indicated by = = in combination with an exceeding value., airway sensitizing substance				
		AGW (Vapour and aerosols)	0,005 ppm 0,035 mg/m3	DE TRGS 900	
	Peak-limit category: 1;=2=(I)				
	Further information: In well-found cases also a momentary value can be es- tablished, that never can be exceeded. This substance will be indicated by = = in combination with an exceeding value., Substance sensitizing through the respiratory system				

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
hexamethylene-di- isocyanate	822-06-0	hexamethylendia- mine: 15 µg/g cre- atinine (Urine)	Immediately after exposure or after working hours	TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
hexamethylene-di- isocyanate	Workers	Inhalation	Acute systemic ef- fects	0,07 mg/m3
	Workers	Inhalation	Acute local effects	0,07 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,04 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,04 mg/m3



DisboPUR 385 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 26.01.2023
4.0	25.03.2024	6002859	Date of first issue: 23.10.2019

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
hexamethylene-di-isocyanate	Intermittent use/release	0,774 mg/l
	Fresh water	0,0774 mg/l
	Sea sediment	0,001344 mg/kg
		dry weight (d.w.)
	Fresh water sediment	0,01334 mg/kg
		dry weight (d.w.)
	Soil	0,0026 mg/kg dry
		weight (d.w.)
	Sea water	0,00774 mg/l
	Sewage treatment plant	8,42 mg/l

8.2 Exposure controls

Personal protective equipment				
Eye/face protection :	Safety glasses with side-shields DGUV Regulation 112-192 - Use of eye and face protection			
	Goggles			
	Nitrile rubber 0,3 mm Class 3			
Remarks :	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection :	Safety shoes Long sleeved clothing Remove and wash contaminated clothing before re-use. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces.			
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
	Skin should be washed after contact.			
	Remove and wash contaminated clothing before re-use. During spray application: impervious clothing			
Respiratory protection :	When exceeding the WEL substance Limit a respiratory filter Type A is necessary. Class 1 or 2 has to be chosen depend- ing on the workplace concentration. Do not use for spraying.			



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024		S Number: 02859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019
				ication: Do not breathe spray dust. Use n filter for paint spraying.
			DGUV Regulation	112-190 - Use of breathing equipment
SECTION	9: Physical and che	emic	al properties	
	ation on basic physica cal state	al an :	i d chemical prope liquid	erties
Color		:	white	
Odor		:	No data available	9
Odor	Threshold	:	Not relevant	
Meltin	g point/freezing point	:	not determined	
Boiling	g point/boiling range	:	not determined	
	r explosion limit / Upper ability limit	:	not determined	
	r explosion limit / Lower nability limit	:	not determined	
Flash	point	:	> 160 °C	
Autoig	gnition temperature	:	not determined	
Decor	nposition temperature	:	Not applicable	
рН		:	6,95 Concentration: 1	0 %
Visco: Vis	sity scosity, dynamic	:	No data available	9



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024	SDS Number: 6002859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019	
	ility(ies) ater solubility	: partly miscib	le	
	ion coefficient: n- ol/water	: not determin	ed	
Vapo	r pressure	: not determin	ed	
Densi	ity	: 1,13 g/cm3 (25 °C)	
Relati	ive vapor density	: not determin	ed	
9.2 Other Explo	information sives	: Not applicab	le	
Oxidiz	zing properties	: Not applicab	le	
Flamr	mability (liquids)	: The product	is not flammable.	
Evapo	oration rate	: Not applicab	le	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions :	Amines and alcohols cause exothermic reactions. Mixture reacts slowly with water resulting in evolution of CO2.
10.4 Conditions to avoid	
Conditions to avoid :	Exposure to water vapor. Protect from frost, heat and sunlight.
10.5 Incompatible materials	
Materials to avoid :	Amines Incompatible with oxidizing agents.



DisboPUR 385 Comp. B

Version 4.0

Revision Date: 25.03.2024

SDS Number: 6002859

Date of last issue: 26.01.2023 Date of first issue: 23.10.2019

Incompatible with acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11

.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity			
Harmful if inhaled.			
Product:			
Acute inhalation toxicity :	Acute toxicity estimate: 1,49 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method		
Components:			
Hexamethylene diisocyanate, o	ligomers:		
Acute inhalation toxicity :	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Expert judgment		
hexamethylene-di-isocyanate:			
Acute oral toxicity :	LD50 (Rat): 959 mg/kg Method: OECD Test Guideline 401		
Acute dermal toxicity :	LD50 (Rat): > 7.000 mg/kg Method: OECD Test Guideline 402		
Skin corrosion/irritation			
Not classified based on available	information.		
Serious eye damage/eye irritati	on		
Not classified based on available	information.		
Respiratory or skin sensitizatio	n		
Skin sensitization			
May cause an allergic skin reaction	on.		

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.



DisboPUR 385 Comp. B

Version	Revision Da
4.0	25.03.2024

Date: SDS 4 600

SDS Number: 6002859

Date of last issue: 26.01.2023 Date of first issue: 23.10.2019

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



DisboPUR 385 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 26.01.2023
4.0	25.03.2024	6002859	Date of first issue: 23.10.2019

12.6 Endocrine disrupting properties

Product:

ered to have endocrine disrupting properties according t REACH Article 57(f) or Commission Delegated regulatio	Assessment	: The substance/mixture does not contain components consi ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 levels of 0.1% or higher.
---	------------	--

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		· · · · · · · · · · · · · · · · · · ·

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Waste should not be disposed of via wastewater.
	Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste.
Contaminated packaging	 Only completely emptied containers should be given for recycling. Packaging that is not properly emptied must be disposed of as the unused product.
Waste Code	 used product 080112, waste paint and varnish other than those mentioned in 08 01 11*
	unused product 080111*, waste paint and varnish containing organic solvents or other dangerous substances
	packagings not completely emptied 15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024	-	DS Number: 02859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019
RID		:	0	a dangerous good
IMD	-	:	-	a dangerous good
IAT		:	UN 3334	
14.2 UN	proper shipping name			
ADI	N	:	Not regulated as	a dangerous good
ADI	२	:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMD	G	:	Not regulated as	a dangerous good
IAT	A	:	Aviation regulate (Hexamethylene	d liquid, n.o.s. diisocyanate, oligomers)
14.3 Tra	nsport hazard class(es)			
ADI	N	:	Not regulated as	a dangerous good
AD	र	:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMD	G	:	Not regulated as	a dangerous good
			Class	Subsidiary risks
IAT	Α	:	9	
14.4 Pac	king group			
AD	N	:	Not regulated as	a dangerous good
AD	र	:	Not regulated as	a dangerous good
RID	1	:	Not regulated as a dangerous good	
IMD	G	:	Not regulated as	a dangerous good
Pac	A (Cargo) king instruction (cargo	:	964	
	raft) king instruction (LQ)	:	Y964	
Pac Lab	king group	:	III Miscellaneous	
	A (Passenger)	•	Miscellaneous	
	king instruction (passen- aircraft)	:	964	
Pac	king instruction (LQ)	:	Y964	
Pac Lab	king group els	:	III Miscellaneous	
	vironmental hazards	•		
ADI	N		Not regulated as	a dangerous good
ADI			-	a dangerous good
	-	•	. tot rogulatod do	



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024	SDS Number: 6002859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019
RID		: Not regulate	d as a dangerous good
IMDG	ì	: Not regulate	d as a dangerous good

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
	If you intend to use this product as tattoo ink, please contact your ven- dor.
	hexamethylene-di-isocyanate (Number on list 74)
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: None
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: None
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	Not applicable
Water hazard class (Germa- : WGK 1 slightly water ny) Classification accordin	endangering ng to AwSV, Annex 1 (5.2)
Product code for laquers and : PU40ALT PU syst paints / Giscode	ems, solvent-free, harmful, sensitising



DisboPUR 385 Comp. B

Version 4.0	Revision Date: 25.03.2024	SDS Number: 6002859	Date of last issue: 26.01.2023 Date of first issue: 23.10.2019
		: PU10 PU sys tent: total solid	tems, harmful to health, total solid; solvent con- d
Vol	atile organic compounds		0/75/EU of 24 November 2010 on industrial tegrated pollution prevention and control) e
Vol	atile organic compounds	: Directive 2004 < 0.1 % < 1 g/l	4/42/EC
		Directive 2004 < 0.1 % < 1 g/l	4/42/EC

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H302 H315 H317 H319 H331 H332 H334 H335	:	Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic if inhaled. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation.
Full text of other abbreviatio	ns	
Acute Tox. Eye Irrit. Resp. Sens. Skin Irrit. Skin Sens. STOT SE DE TRGS 900 TRGS 430 TRGS 903 DE TRGS 900 / AGW		Acute toxicity Eye irritation Respiratory sensitization Skin irritation Skin sensitization Specific target organ toxicity - single exposure Germany. TRGS 900 - Occupational exposure limit values. Germany. TRGS 430 - Isocyanates TRGS 903 - Biological limit values Time Weighted Average

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPUR 385 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 26.01.2023
4.0	25.03.2024	6002859	Date of first issue: 23.10.2019

TRGS 430 / AGW

Occupational Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory CCB - Lethaica and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning th

Further information

Other information	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the	mixture:	Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not



DisboPUR 385 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 26.01.2023
4.0	25.03.2024	6002859	Date of first issue: 23.10.2019

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN