

Capatect-Mineralputz K 20



technical data

| | |
|-----------------|--|
| Specific use(s) | Plaster |
| consumption | 2,7 - 5 kg/m ² |
| gloss level | matt (in accordance with DIN EN 13300) |

Components

| | |
|---|---------------|
| product code/GISCODE | ZP1 |
| preservatives | not contained |
| VOC content in accordance with Directive 2004/42/EC | < 0.1 % |
| VOC-indhold LEED [less water] | < 1 g/l |
| solvent and plasticiser-free in accordance with VdL- RL 01 | yes |
| water-dilutable in accordance with 2004/42/EC (Decopaint) | yes |
| lead, cadmium, chromium VI * (* not contained in the formulation) | not contained |

environmental labels

building certifications

suitability for DGNB criteria ENV 1.2 (2012) "Risks for the Local Environment"

| No. | application site | product type | QS 1 | QS 2 | QS 3 | QS 4 |
|-----|--|-------------------|------|------|------|------|
| 3 | liquid coating materials for outdoor mineral surfaces. E.g. concrete, masonry, mineral mortar and filler, plaster, ETICS | decorative paints | yes | yes | yes | yes |

| | | |
|---|---|---------------|
| Suitability for use in accordance with LEED | category (IEQ4.2 - 2009) | flat topcoat |
| | VOC limit below limit | 50 g/l yes |
| recycling share | not contained | |
| production location | DAW SE Roßdörfer Straße 50 DE-64372 Ober-Ramstadt | |

Sustainability Data Sheet Update: 17.02.2017

This data sheet has been compiled based on state-of-the-art technology and our experience. However, in light of the wide range of requirements regarding buildings certifications, the buyer/user remains personally responsible for checking that our assessment is suitable for the intended certification system and its respective requirements. This data sheet is only valid in its latest version and in combination with the current Technical Information and the Material Safety Data Sheet. Please refer to our website to check the up-to-dateness of this version, if necessary.