



Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sylitol Minera

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Coating material

Recommended restrictions on use :

1.3 Details of the supplier of the safety data sheet

Company : Caparol Farben Lacke Bautenschutz GmbH
Roßdörfer Straße 50
64372 Ober-Ramstadt
Telephone : +496154710
Telefax : +49615471222
E-mail address : sds@daw.de
Responsible/issuing person

1.4 Emergency telephone number

Emergency telephone number/ E-mail address : 0049(0)6154/71-202
sds@daw.de

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

Labelling according to EC Directives (1999/45/EC)

Further information : The product does not need to be labelled in accordance with EC directives or respective national laws.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

2.3 Other hazards

Keep out of reach from children. Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Due to its potassium silicate content, the reaction of silicate based coatings is highly alkaline. Hence protect skin and eyes from paint.

The areas adjoining the surface to be coated must be carefully masked, in particular glass, ceramics, enamel/varnish coating, clinkers, natural stones, wood and metals. Wash splashes immediately and completely with plenty of clean water.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
WEL substance :				
silicon dioxide	7631-86-9 231-545-4 01- 2119379499- 16-0000			>= 25 - < 50

4. First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
No hazards which require special first aid measures.
- If inhaled : No information available.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash skin thoroughly with soap and water or use recognized skin cleanser.
Do NOT use solvents or thinners.
- In case of eye contact : Remove contact lenses.
Immediately flush eyes for at least 15 minutes. Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
If accidentally swallowed obtain immediate medical attention.
Clean mouth with water and drink afterwards plenty of water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.
Cool closed containers exposed to fire with water spray.
Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self contained breathing apparatus for fire fighting if necessary.

Further information : The product itself does not burn.
Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not let product enter drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Suitable cleaning agents

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

This information is not available.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.
not required under normal use

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
To maintain product quality, do not store in heat or direct sunlight.
Observe label precautions.

Advice on common storage : Keep away from oxidising agents and strongly acid or alkaline materials.

7.3 Specific end uses

: This information is not available.

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type	Control parameters	Update	Basis
silicon dioxide	7631-86-9	AGW	4 mg/m ³	2006-01-01	DE TRGS 900
Further information:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). Colloidal amorphous silica, including pyrogenic silica and in wet processes manufactured silica (precipitated silica, silicagel). When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				

8.2 Exposure controls

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection : For prolonged or repeated contact use protective gloves.
German trade association leaflet: Carry gloves (ZH 1/706)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

German trade association leaflet: A 023 Hand and skin protection

- Eye protection : Safety glasses
German trade association rules - BGR 192 Eye protection
- Skin and body protection : Protective suit
- Hygiene measures : Ensure adequate ventilation, especially in confined areas.
Avoid contact with the skin and the eyes.
Wash hands before eating, drinking, or smoking.
- Protective measures : No special protective equipment required.

Environmental exposure controls

- General advice : Do not let product enter drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : pigmented
- Odour : characteristic
- Odour Threshold : not applicable
- pH : 11,0
- Melting point/range : not determined
- Boiling point/boiling range : 100 °C
- Flash point : not applicable
- Evaporation rate : not applicable
- Flammability (solid, gas) : not determined
- Lower explosion limit : not applicable
- Upper explosion limit : not applicable
- Vapour pressure : not determined
- Relative vapour density : not applicable
- Relative density : not applicable
- Density : 1,7300 g/cm³
- Water solubility : soluble
- Partition coefficient: n-octanol/water : not determined
- Autoignition temperature : not determined
- Thermal decomposition : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

Explosive properties : not applicable
Oxidizing properties : no data available

9.2 Other information

Flow time : not determined

10. Stability and reactivity

10.1 Reactivity

This information is not available.

10.2 Chemical stability

This information is not available.

10.3 Possibility of hazardous reactions

Hazardous reactions : Further information: No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with oxidizing agents.
Incompatible with acids and bases.

10.6 Hazardous decomposition products

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity : no data available
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.
Respiratory or skin sensitization : no data available
Further information : There is no data available for this product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

Components:

silicon dioxide :

Acute oral toxicity : LD50 Oral: 10.000 mg/kg, rat

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

12. Ecological information

12.1 Toxicity

Product:

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

12.2 Persistence and degradability

Product:

Biodegradability : no data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : no data available

12.4 Mobility in soil

Product:

Mobility : no data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : no data available

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

13. Disposal considerations

13.1 Waste treatment methods

Product : Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local authorities.
In Germany: Dispose containers with residues of liquid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

product via waste collection point accepting old paints and enamels. Dispose dried/hardened product residues as construction site/demolition/municipal or domestic waste.

Contaminated packaging : Only completely emptied containers should be given for recycling.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : This information is not available.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : 1: slightly water endangering
(Germany)

Product code for laquers and : M-SK01 1K-Silicate paints (Germany)
paints / Giscode

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

16. Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH and GHS/CLP Information

According to our legal obligations we will implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and GHS respectively the Regulation (EC) No 1272/2008. REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practise depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

The amendment of safety data sheets of mixtures or preparations in accordance with GHS /CLP regulation will be carried out during a transitional period until June 1, 2015. We will conduct the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Sylitol Minera

Version 2.0

Revision Date 21.11.2012

Print Date 21.11.2012

adjustment of our safety data sheets during the time frame of the transitional period as soon as new information is available from our suppliers.