DE / EN

Capadur DecorLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
4.0	09.01.2023	6000251	Date of first issue: 23.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Capadur DecorLasur Walnuss
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50
		64372 Ober-Ramstadt
Telephone		+496154710
Telefax	:	+4961547170222
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		
• • •		40612284462 CBK CmbH
Emergency telephone 1	•	+49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements		P101 If medical advice is needed, have product container or
	· lab	label at hand.
		P102 Keep out of reach of children.

Additional Labeling



Capadur DecorLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
4.0	09.01.2023	6000251	Date of first issue: 23.10.2019

EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-
	isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an aller-
	gic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

.

Chemical nature

: Emulsion paint, aqueous

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit	>= 0,025 - < 0,05



Capadur DecorLasur Walnuss

Version 4.0		SDS Number: 6000251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019	
			Skin Sens. 1; H317 >= 0,05 %	
methy	on mass of 5-chloro-2- /l-2H-isothiazol-3-one and /l-2H-isothiazol-3-one (3:			>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.



Capadur DecorLasur Walnuss

Version 4.0	Revision Date: 09.01.2023		DS Number:)00251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019
In cas	e of skin contact	:	Do NOT use solv In case of contact of water.	ents or thinners. , immediately flush skin with soap and plenty
In case of eye contact		:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
If swa	llowed	:		vice. water and drink afterwards plenty of water. NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire	:	In case of fire hazardous decomposition products may be
fighting		produced such as:
		Carbon monoxide, carbon dioxide and unburned hydrocar-
		bons (smoke).

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.





Capadur DecorLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
4.0	09.01.2023	6000251	Date of first issue: 23.10.2019

SECTION 6: Accidental release measures

•	ve equipment and emergency procedures Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.				
6.2 Environmental precautions					
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.				
6.3 Methods and material for containment and cleaning up					

Methods for cleaning up	: Keep in suitable, closed containers for Soak up with inert absorbent material (•
	acid binder, universal binder, sawdust)	

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline materials.



Capadur DecorLasur Walnuss

Version 4.0	Revision Date: 09.01.2023	SDS Number: 6000251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019
Storaç	ge class (TRGS 510)	: 12	
•	ic end use(s) fic use(s)	: This informati	on is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
propane-1,2-diol	Consumers	Inhalation	Long-term systemic effects	50,00 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	168,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	168,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50,00 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Sea sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
	Sea water	26 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Fresh water	260 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection



Capadur DecorLasur Walnuss

Version 4.0	Revision Date: 09.01.2023	SDS 1 60002	Number: 51	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019
		Go	oggles	
Ma Gl	protection aterial ove thickness otective index	: 0,2	trile rubber 2 mm ass 3	
Re	emarks	W	ear suitable glo	gloves clean them with soap and water. ves tested to EN374. n 112-195 - Use of protective gloves
Skin a	and body protection		ifety shoes ng sleeved clo	hing
				tection according to the amount and con- dangerous substance at the work place.
		Sk	in should be w	ashed after contact.
Respi	ratory protection		personal resp ired.	iratory protective equipment normally re-
		D	GUV Regulation	n 112-190 - Use of breathing equipment
				lication: Do not breathe spray dust. Use on filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined



Capadur DecorLasur Walnuss

Ver 4.0	sion	Revision Date: 09.01.2023		S Number: 00251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019
	Flash p	point	:	Not applicable	
	Autoig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8 - 9 Concentration: 1	00 %
	Viscos Vise	ity cosity, dynamic	:	No data available	e
	Solubil Wa	ity(ies) ter solubility	:	completely misci	ble
	Partitic octano	n coefficient: n- I/water	:	Not applicable	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Relativ	e density	:	not determined	
	Densit	y	:	1,0500 g/cm3	
	Relativ	e vapor density	:	Not applicable	
9.2	Other in	nformation			
	Explos	ives	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.



Capadur DecorLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
4.0	09.01.2023	6000251	Date of first issue: 23.10.2019

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:						
1,2-benzisothiazol-3(2H)-one: Acute oral toxicity :	LD50 (Rat): 532 mg/kg					
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist					
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg					
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):						
Acute oral toxicity :	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401					
Acute inhalation toxicity :	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403					
Acute dermal toxicity :	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402					

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.



Capadur DecorLasur Walnuss

VersionRevision Date:SDS Number:Date of last issue: 16.11.20204.009.01.20236000251Date of first issue: 23.10.2019	
---	--

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--------------	---

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202



Capadur DecorLasur Walnuss

Version 4.0	Revision Date: 09.01.2023		DS Number: 000251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019
Toxi plan	city to algae/aquatic ts	:	Exposure time: 7	um capricornutum (green algae)): 0,11 mg/l /2 h Fest Guideline 201
M-Faicity)	actor (Acute aquatic tox-	:	1	
M-Fa toxic	actor (Chronic aquatic ity)	:	1	
reac (3:1)		2-me	ethyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one
M-Faicity)	actor (Acute aquatic tox-	:	100	
M-Fa toxic	actor (Chronic aquatic ity)	:	100	
	sistence and degradabi lata available	lity		
12.3 Bioa	accumulative potential			
<u>Con</u>	ponents:			
reac (3:1)		2-me	ethyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one
	tion coefficient: n- nol/water	:	log Pow: <= 0,71 Method: OECD 7	Test Guideline 117
	ility in soil lata available			
12.5 Res	ults of PBT and vPvB a	sse	ssment	
	luct: essment	:	to be either persi	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 End	ocrine disrupting prope	ertie	es	
	luct:			

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation



Capadur DecorLasur Walnuss

Version 4.0	Revision Date: 09.01.2023	SDS Number: 6000251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019
		(EU) 2017/2100 levels of 0.1% (0 or Commission Regulation (EU) 2018/605 at or higher.
12.7 Othe	r adverse effects		

Product:

5	environmental hazard cannot be excluded in the event of professional handling or disposal.
---	--

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADN ADR	:	Not regulated as a dangerous good Not regulated as a dangerous good
	::	v v v
ADR	: : :	Not regulated as a dangerous good
ADR RID	: : : :	Not regulated as a dangerous good Not regulated as a dangerous good

ADN

: Not regulated as a dangerous good



Capadur DecorLasur Walnuss

4.0	Revision Date: 09.01.2023	SDS Number: 6000251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019
ADR		: Not regulated as	s a dangerous good
RID		-	s a dangerous good
IMDO	3	-	s a dangerous good
ΙΑΤΑ	L .	-	s a dangerous good
14.4 Pack	king group	-	
ADN		: Not regulated as	s a dangerous good
ADR		-	a dangerous good
RID		-	a dangerous good
IMDO	3	-	a dangerous good
ΙΑΤΑ	(Cargo)	-	s a dangerous good
	(Passenger)	-	s a dangerous good
14.5 Envi	ronmental hazards egulated as a dangero	us good	
Not r		Jus goou	
	-	ISAr	
14.6 Spec Rem	cial precautions for u arks	: Not classified as lations.	a dangerous in the meaning of transport regu-
14.6 Spec Rem 14.7 Mari Not a	cial precautions for u arks time transport in bul applicable for product a	: Not classified as lations. k according to IMO ins as supplied.	
14.6 Spec Rem 14.7 Mari Not a SECTIOI 15.1 Safe ture REA the n	time transport in bul arks time transport in bul applicable for product a N 15: Regulatory in ty, health and enviro CH - Restrictions on th	: Not classified as lations. k according to IMO ins as supplied. formation mental regulations/le me manufacture, placing ain dangerous substanc	egislation specific for the substance or mix-
14.6 Spec Rem 14.7 Mari Not a SECTION 15.1 Safe ture REA the n mixtu	time transport in bul applicable for product a N 15: Regulatory in ty, health and enviro CH - Restrictions on th harket and use of certa ures and articles (Anne	: Not classified as lations. k according to IMO ins as supplied. formation mental regulations/le me manufacture, placing ain dangerous substanc ex XVII)	egislation specific for the substance or mix- on : Conditions of restriction for the fol- es, lowing entries should be considered formaldehyde (Number on list 72, 28)



Capadu	Capadur DecorLasur Walnuss				
Version 4.0	Revision Date: 09.01.2023	SDS Number: 6000251	Date of last issue: 16.11.2020 Date of first issue: 23.10.2019		
-	ation (EU) 2019/1021 or recast)	n persistent orga	anic pollu- : Not applicable		
REAC (Anne:	H - List of substances s x XIV)	ubject to author	risation : None		
pean F contro	o III: Directive 2012/18/ Parliament and of the Co I of major-accident haza rous substances.	ouncil on the	Not applicable		
Water ny)	hazard class (Germa-		viously hazardous to water ion according to AwSV, Annex 1 (5.2)		
	ct code for laquers and / Giscode	: M-KH01 W	ater-based varnishes/wood glazes		
		: BSW20 Co	pating materials, water-based		
Volatil	e organic compounds	: Directive 2 < 3 % < 30 g/l	2004/42/EC		

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 : H302 : H310 : H314 :	Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.
EUH071 :	Corrosive to the respiratory tract.



Capadur DecorLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
4.0	09.01.2023	6000251	Date of first issue: 23.10.2019

Full text of other abbreviations

Acute Tox. :	Acute toxicity	
Aquatic Acute :	Short-term (acute) aquatic hazard	
Aquatic Chronic :	Long-term (chronic) aquatic hazard	
Eye Dam. :	Serious eye damage	
Skin Corr. :	Skin corrosion	
Skin Irrit. :	Skin irritation	
Skin Sens. :	Skin sensitization	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IBCS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safeof a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Covention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; GECD - Organization; IECS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-



Capadur DecorLasur Walnuss

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
4.0	09.01.2023	6000251	Date of first issue: 23.10.2019

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN