# **CapaGrund Universal**



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000786	Date of first issue: 10.12.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	CapaGrund Universal
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		

#### 1.4 Emergency telephone

Emergency telephone 1	: +49613284463 GBK GmbH
-----------------------	-------------------------

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### **Additional Labeling**

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

**SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# **CapaGrund Universal**



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000786	Date of first issue: 10.12.2019

breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature	:	Dispersion-based primer, aqueous
-----------------	---	----------------------------------

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# CapaGrund Universal



ersion )	Revision Date: 26.04.2024		8 Number: 0786	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019
reaction methy	on mass of 5-chloro-2 /I-2H-isothiazol-3-one /I-2H-isothiazol-3-one	2- and 2-	55965-84-9 613-167-00-5 01-2120764691-	Acute Tox. 3; H301 >= 0,0002 - Acute Tox. 2; H330 0,0015 Acute Tox. 2; H310
				M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
				specific concentration limit Skin Corr. 1C; H314 >= $0,6\%$ Skin Irrit. 2; H315 0,06 - < 0,6% Eye Irrit. 2; H319 0,06 - < 0,6% Skin Sens. 1A; H317 >= $0.0015\%$
				Eye Irrit. 2; H319 0,06 - < 0,6 %

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

4.1 Description of first-aid measures				
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		

# **CapaGrund Universal**



Version 6.0	Revision Date: 26.04.2024	SDS Number: 6000786	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019	
In cas	e of eye contact	IF IN EYES: Rins	ersists: Get medical advice/ attention. se cautiously with water for several minutes. lenses, if present and easy to do. Continue	
If swallowed		Clean mouth with	Seek medical advice. Clean mouth with water and drink afterwards plenty of water If swallowed, DO NOT induce vomiting.	

# 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

-	- J		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
E 2	Adviss for firstighters		

## 5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Commission Regulation (EU) 2020/878

DE / EN

# **CapaGrund Universal**



Version 6.0	Revision Date: 26.04.2024	SDS Number: 6000786	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019				
		Do not get in ey	yes, on skin, or on clothing.				
6.2 Envii	onmental precautions						
Envi	ronmental precautions	If the product co respective auth	leakage or spillage if safe to do so. ontaminates rivers and lakes or drains inform orities. o surface water or sanitary sewer system.				
6.3 Meth	6.3 Methods and material for containment and cleaning up						
Meth	nods for cleaning up	Soak up with in	e, closed containers for disposal. ert absorbent material (e.g. sand, silica gel, versal binder, sawdust).				

## 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling :		For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care fully resealed and kept upright to prevent leakage.	
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.	
Storage class (TRGS 510)	:	12	
7.3 Specific end use(s) Specific use(s)	:	This information is not available.	

# CapaGrund Universal



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000786	Date of first issue: 10.12.2019

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK		
	that are consid	ation: Substances the dered to be carcinog d., Damage to the er AT value is observe	ch a MAK value			
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit cat	limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate 1,25 mg/m3 fraction) (Titanium dioxide)		DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter $\leq$ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
1-(2-butoxy-1- methylethoxy)propan-	Consumers	Inhalation	Long-term systemic effects	1,20 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# CapaGrund Universal



Ver 6.0	sion	Revision Date: 26.04.2024	SDS Num 6000786		Date of last issue: 02.10.2023 Date of first issue: 10.12.2019		
	2-ol						
			Consumers	Ingestion	Long-term systemic effects	7,50 mg/kg bw/day	
			Consumers	Skin contact	Long-term systemic effects	1,10 mg/kg bw/day	
			Workers	Inhalation	Long-term systemic effects	10,00 mg/m3	
			Workers	Skin contact	Long-term systemic effects	3,00 mg/kg bw/day	

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
1-(2-butoxy-1- methylethoxy)propan-2-ol	Sewage treatment plant	100 mg/l
	Fresh water	0,519 mg/l
	Soil	0,287 mg/kg dry weight (d.w.)
	Intermittent use/release	5,19 mg/l
	Fresh water sediment	2,96 mg/kg dry weight (d.w.)
	Sea water	0,0519 mg/l
	Sea sediment	0,296 mg/kg dry weight (d.w.)

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face p	orotection
------------	------------

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection		
Material	:	Nitrile rubber
Glove thickness	:	0,2 mm
Protective index	:	Class 3

# CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024		DS Number: 000786	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019		
Remarks		:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection		:	Safety shoes Long sleeved clothing			
				tection according to the amount and con- dangerous substance at the work place.		
			Skin should be w	ashed after contact.		
Respiratory protection		:	No personal respiratory protective equipment normally r quired.			
			• • • • • •	lication: Do not breathe spray dust. Use on filter for paint spraying.		
			DGUV Regulatior	112-190 - Use of breathing equipment		

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# CapaGrund Universal



Vers 6.0	ion Revision Dat 26.04.2024		S Number: 0786	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019
	Autoignition temperat	ure :	not determined	
	Decomposition tempe	erature :	Not applicable	
	рН	:	8,5 (20 °C) Concentration: > Method: DIN EN (as a dispersion)	ISO 19396-1:2020-05
	Viscosity		. 0.000 mBa a (f	20.00
	Viscosity, dynamic	; :	> 0,000 mPa.s (2 Method: ISO 321	
	Viscosity, kinemat	ic :	not determined	
	Flow time	:	not determined	
	Solubility(ies) Water solubility	:	completely misci	ble
	Partition coefficient: r octanol/water	)- :	Not applicable	
	Vapor pressure	:	ca. 23,4 hPa (20	°C)
	Relative density	:	not determined	
	Density	:	1,4 g/cm3 (20 °C Method: DIN EN	
	Bulk density	:	Not applicable	
	Relative vapor densit	у :	Not applicable	
9.2 (	<b>Other information</b> Explosives	:	Not applicable	
	Oxidizing properties	:	Not applicable	

# **CapaGrund Universal**



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000786	Date of first issue: 10.12.2019

Flammability (liquids)

: The product is not flammable.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

#### 10.4 Conditions to avoid

Conditions to avoid

: Protect from frost, heat and sunlight.

### 10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids and bases.
		Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

## Components:

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one				
(3:1):				
Acute oral toxicity	: LD50 (Rat): 66 mg/kg			

### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# **CapaGrund Universal**



Version 6.0	Revision Date: 26.04.2024	SDS Number 6000786	: Date of last issue: 02.10.2023 Date of first issue: 10.12.2019
Acute inhalation toxicity Acute dermal toxicity		Exposure Test atmo	t): 0,17 mg/l time: 4 h osphere: dust/mist DECD Test Guideline 403
			t): > 141 mg/kg DECD Test Guideline 402
	corrosion/irritation		
Not c	lassified based on ava	ilable informatior	L
	ous eye damage/eye i		
Not c	lassified based on ava	ilable information	h.
Resp	iratory or skin sensi	tization	
Skin	sensitization		
Not c	lassified based on ava	ilable informatior	h.
Resp	iratory sensitization		
Not c	lassified based on ava	ilable informatior	h.
Germ	n cell mutagenicity		
Not c	lassified based on ava	ilable information	h.
Carc	inogenicity		
Not c	lassified based on ava	ilable information	h.
Repr	oductive toxicity		
Not c	lassified based on ava	ilable information	L
STO	Γ-single exposure		
Not c	lassified based on ava	ilable information	<b>.</b> .
STO	<b>F</b> -repeated exposure		
Not c	lassified based on ava	ilable information	<b>).</b>
Aspi	ration toxicity		
Not c	lassified based on ava	ilable information	l
11.2 Infor	mation on other haza	ards	
Endo	ocrine disrupting pro	perties	
Not c	lassified based on ava	ilable information	I.
Prod	uct:		
_	ssment		ance/mixture does not contain components consid-

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# CapaGrund Universal



Version Revision Date: 6.0 26.04.2024 SDS Number: 6000786

Date of last issue: 02.10.2023 Date of first issue: 10.12.2019

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Components:					
1,2-benzisothiazol-3(2H)-on	1,2-benzisothiazol-3(2H)-one:				
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201			
M-Factor (Acute aquatic tox- icity)	:	1			
M-Factor (Chronic aquatic toxicity)	:	1			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-or (3:1):					
M-Factor (Acute aquatic tox- icity)	:	100			
M-Factor (Chronic aquatic toxicity)	:	100			
<b>12.2 Persistence and degradabil</b> No data available	lity				
12.3 Bioaccumulative potential					
Components:					
1,2-benzisothiazol-3(2H)-on	e:				
Partition coefficient: n- octanol/water	:	log Pow: 0,63 - 0,76 pH: 7			
reaction mass of 5-chloro-2 (3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one			
Partition coefficient: n- octanol/water	:	log Pow: <= 0,75 Method: OECD Test Guideline 117			

### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# **CapaGrund Universal**



Version	Revision Date: 26.04.2024	SDS Number:	Date of last issue: 02.10.2023
6.0		6000786	Date of first issue: 10.12.2019

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

<u>Pr</u>	oduct:	

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 levels of 0.1% or higher.
---

#### 12.7 Other adverse effects

#### Product:

i i oddoti.		
Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

-	Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# **CapaGrund Universal**



Version 6.0	Revision Date: 26.04.2024	SDS Number:Date of last issue: 02.10.20236000786Date of first issue: 10.12.2019	
IMDO		: Not regulated as a dangerous good	
IATA	-	: Not regulated as a dangerous good	
	broper shipping name		
-			
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(es	1	
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.4 Pack	king group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
Not re	egulated as a dangero	s good	
14.6 Spec	cial precautions for us	er	
Rema	arks	: Not classified as dangerous in the meaning of trans lations.	port regu-

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Conditions of restriction for the following entries should be considered:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **CapaGrund Universal**



Versi 6.0	ion	Revision Date: 26.04.2024		S Number: 00786			last issue: 02.10.2023 first issue: 10.12.2019
I	mixture	s and articles (Annex )	<vii)< td=""><td>)</td><td></td><td></td><td>Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.</td></vii)<>	)			Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
	REACH - Candidate List of Substances of Very High : None Concern for Authorization (Article 59).						None
	Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer						Not applicable
	Regulat tants (re	tion (EU) 2019/1021 or ecast)	n pe	rsistent organic po	llu-	:	Not applicable
	REACH - List of substances subject to authorisation : None (Annex XIV)						None
	pean Pa control	III: Directive 2012/18/I arliament and of the Co of major-accident haza bus substances.	ound	cil on the		Not	applicable
	Water h ny)	azard class (Germa-	:	WGK 1 slightly wa Classification acco			ngering AwSV, Annex 1 (5.2)
		code for laquers and Giscode	:	M-GP01 Water-ba	ased	prim	ers, pigmented
			:	BSW20 Coating m	natei	ials,	water-based
,	Volatile	organic compounds	:	emissions (integra	ated	pollu	November 2010 on industrial tion prevention and control) s (VOC) content: 0,03 %
,	Volatile	organic compounds	:	Directive 2004/42/ < 2 % < 30 g/l	/EC		

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

### Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

.....

DE / EN

# CapaGrund Universal

. .

-



~~ ~~ ~~~~

Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023	
6.0	26.04.2024	6000786	Date of first issue: 10.12.2019	
H314 H315 H317 H318 H330 H351 H400 H410 H411		: Causes sk May cause Causes se Fatal if inh Suspected Very toxic	Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.	
EUH07	71		to the respiratory tract.	
Full te	ext of other abbreviat	ions		
Aquati Carc. Eye Da Skin C Skin Ir Skin S DE DF DE TR DE TR DE DF DE TR	c Acute c Chronic am. orr. rit.	<ul> <li>Long-term</li> <li>Carcinoger</li> <li>Serious ey</li> <li>Skin corros</li> <li>Skin irritati</li> <li>Skin sensit</li> <li>Germany.</li> <li>Germany.</li> <li>MAK value</li> <li>Assessme</li> </ul>	(acute) aquatic hazard (chronic) aquatic hazard nicity e damage sion on ization MAK BAT Annex IIa TRGS 527 - Activities with nanomaterials TRGS 900 - Occupational exposure limit values.	

. .

. .

**-**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQ) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GIS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restr

#### Further information

Other information	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# CapaGrund Universal



Version	Revision Date: 26.04.2024	SDS Number:	Date of last issue: 02.10.2023
6.0		6000786	Date of first issue: 10.12.2019
		2014 ACGIH, NIOSH - Regis ECDIN - Envir work - Joint Re Communities SAX'S - Dang GESTIS - Dats Arbeitsschutz (IFA, Institute man Social Ac	ces (BEIs) with Seventh Edition documentation. Cincinnati OH stry of toxic effects of chemical substances onmental Chemicals Data and Information Net- esearch Centre, Commission of the European erous properties of industrial materials abase on hazardous substances - Institut für der Deutschen Gesetzlichen Unfallversicherung for Occupational Safety and Health of the Ger- ccident Insurance) cology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN