## Sonderton CapaGrund Universal



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000793	Date of first issue: 10.12.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Sonderton CapaGrund Universal
1.2 Relevant identified uses of the	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com

### 1.4 Emergency telephone

Emergency telephone 1	: +49613284463 GBK GmbH
-----------------------	-------------------------

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### **Additional Labeling**

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

## Sonderton CapaGrund Universal



Version	Revision Date:	SDS Number:
6.0	26.04.2024	6000793

Date of last issue: 02.10.2023 Date of first issue: 10.12.2019

breathe spray or mist.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature	:	Dispersion-based primer, aqueous
-----------------	---	----------------------------------

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number	0 0 1/07/	
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 1 - < 10
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17	A suite Teur 4: LIOOO	0.005
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
	220-120-9 613-088-00-6	Skin Irrit. 2; H315	0,05
	01-2120761540-60	Eye Dam. 1; H318 Skin Sens. 1; H317	
	01-2120701540-00	Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	
		Acute Tox. 2; H330	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	
		specific concentration	
		limit	
		Skin Sens. 1; H317	
		>= 0,05 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

# Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024		S Number: 0793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019
meth	ion mass of 5-chloro-2 yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5 01-2120764691-	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 >= 0,0002 - 0,0015   -48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 >= 0,0002 - 0,0015   M-Factor (Acute 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100   specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % 

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

4.1 Description of first-aid measures					
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.			
If inhaled	:	Move to fresh air.			
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.			

## Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024	SDS Number: 6000793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019	
In cas	e of eye contact	IF IN EYES: R	n persists: Get medical advice/ attention. Rinse cautiously with water for several minutes. act lenses, if present and easy to do. Continue	
If swallowed		Clean mouth v	Seek medical advice. Clean mouth with water and drink afterwards plenty of water If swallowed, DO NOT induce vomiting.	

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

5 5		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	n the	substance or mixture
Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use protective shoes or boots with rough rubber sole. Material can create slippery conditions.

## Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024	SDS Number: 6000793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019				
		Do not get in eye	s, on skin, or on clothing.				
6.2 Enviro	nmental precautions						
Enviro	onmental precautions	If the product cor respective author	eakage or spillage if safe to do so. ntaminates rivers and lakes or drains inform rities. surface water or sanitary sewer system.				
6.3 Methods and material for containment and cleaning up							
Metho	ds for cleaning up	Soak up with ine	closed containers for disposal. rt absorbent material (e.g. sand, silica gel, ersal binder, sawdust).				

## 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be car fully resealed and kept upright to prevent leakage.	
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.	
Storage class (TRGS 510)	:	12	
7.3 Specific end use(s) Specific use(s)	:	This information is not available.	

## Sonderton CapaGrund Universal



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000793	Date of first issue: 10.12.2019

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK	
	that are consideration that are considerated at the constant of the constant o	information: Substances that cause cancer in humans or animals or considered to be carcinogenic for humans and for which a MAK val derived., Damage to the embryo or foetus is unlikely when the MAK r the BAT value is observed			
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit cat	nit category: 2;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter $\leq$ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
1-(2-butoxy-1- methylethoxy)propan-	Consumers	Inhalation	Long-term systemic effects	1,20 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

## Sonderton CapaGrund Universal



bw/day

Ver 6.0	sion	Revision Date: 26.04.2024	SDS Num 6000793		ate of last issue: 02.10.2023 ate of first issue: 10.12.2019	
1	2-ol					
			Consumers	Ingestion	Long-term systemic effects	7,50 mg/kg bw/day
			Consumers	Skin contact	Long-term systemic effects	1,10 mg/kg bw/day
			Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
			Workers	Skin contact	Long-term systemic	3,00 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

effects

Substance name	Environmental Compartment	Value
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
1-(2-butoxy-1- methylethoxy)propan-2-ol	Sewage treatment plant	100 mg/l
	Fresh water	0,519 mg/l
	Soil	0,287 mg/kg dry weight (d.w.)
	Intermittent use/release	5,19 mg/l
	Fresh water sediment	2,96 mg/kg dry weight (d.w.)
	Sea water	0,0519 mg/l
	Sea sediment	0,296 mg/kg dry weight (d.w.)

#### 8.2 Exposure controls

#### Personal protective equipment

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection		
Material	:	Nitrile rubber
Glove thickness	:	0,2 mm
Protective index	:	Class 3

## Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024		DS Number: 000793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019
Re	emarks	:	Wear suitable glo	gloves clean them with soap and water. oves tested to EN374. n 112-195 - Use of protective gloves
Skin a	and body protection	:	Safety shoes Long sleeved clo	thing
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be w	ashed after contact.
Respi	iratory protection	:	No personal resp quired.	iratory protective equipment normally re-
				lication: Do not breathe spray dust. Use on filter for paint spraying.
			DGUV Regulation	n 112-190 - Use of breathing equipment

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable

# Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024		S Number: )0793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019
Auto	bignition temperature	:	not determined	
Dec	omposition temperature	:	Not applicable	
рН		:	8,5 (20 °C) Concentration: > Method: DIN EN (as a dispersion)	ISO 19396-1:2020-05
	osity /iscosity, dynamic	:	> 0,000 mPa.s (2 Method: ISO 321	
V	/iscosity, kinematic	:	not determined	
Flow	v time	:	not determined	
	ıbility(ies) Vater solubility	:	completely misci	ble
	ition coefficient: n- nol/water	:	Not applicable	
Vap	or pressure	:	ca. 23,4 hPa (20	°C)
Rela	ative density	:	not determined	
Den	sity	:	1,4 g/cm3 (20 °C Method: DIN EN	C) ISO 2811-1
Bulk	density	:	Not applicable	
Rela	ative vapor density	:	Not applicable	
	r information losives	:	Not applicable	
Oxic	lizing properties	:	Not applicable	

## Sonderton CapaGrund Universal



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000793	Date of first issue: 10.12.2019

Flammability (liquids)

: The product is not flammable.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

#### 10.4 Conditions to avoid

Conditions to avoid

: Protect from frost, heat and sunlight.

#### 10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids and bases.
		Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

### Components:

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

	o-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1):	
Acute oral toxicity	: LD50 (Rat): 66 mg/kg

## Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024	SDS Number: 6000793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019
Acute	inhalation toxicity	: LC50 (Rat): 0, Exposure time Test atmosphe Method: OECI	e: 4 h
Acute	dermal toxicity	: LD50 (Rat): > Method: OECI	141 mg/kg D Test Guideline 402
Skin	corrosion/irritation		
Not cl	assified based on ava	ilable information.	
Serio	us eye damage/eye i	rritation	
Not cl	assified based on ava	ilable information.	
Resp	iratory or skin sensi	tization	
Skin	sensitization		
Not cl	assified based on ava	ilable information.	
Resp	iratory sensitization		
Not cl	assified based on ava	ilable information.	
Germ	cell mutagenicity		
Not cl	assified based on ava	ilable information.	
Carci	nogenicity		
Not cl	assified based on ava	ilable information.	
Repro	oductive toxicity		
Not cl	assified based on ava	ilable information.	
	-single exposure		
Not cl	assified based on ava	ilable information.	
	-repeated exposure		
Not cl	assified based on ava	ilable information.	
-	ation toxicity		
	assified based on ava		
11.2 Infor	mation on other haza	ards	
	crine disrupting pro	•	
Not cl	assified based on ava	ilable information.	
Produ	uct:		

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Sonderton CapaGrund Universal



Version	Revision Date:	SDS Number:
6.0	26.04.2024	6000793

Date of last issue: 02.10.2023 Date of first issue: 10.12.2019

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Components:		
<b>1,2-benzisothiazol-3(2H)-one</b> Toxicity to fish	<b>e:</b> :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
reaction mass of 5-chloro-2- (3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic toxicity)	:	100
<b>12.2 Persistence and degradabili</b> No data available	ity	
12.3 Bioaccumulative potential		
Components:		
<b>1,2-benzisothiazol-3(2H)-one</b> Partition coefficient: n- octanol/water		log Pow: 0,63 - 0,76 pH: 7
reaction mass of 5-chloro-2- (3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
Partition coefficient: n- octanol/water	:	log Pow: <= 0,75 Method: OECD Test Guideline 117

## Sonderton CapaGrund Universal



Version	Revision Date:	SDS Number:	Date of last issue: 02.10.2023
6.0	26.04.2024	6000793	Date of first issue: 10.12.2019

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

|--|

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

-	Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

## Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024	SDS Number: 6000793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019			
IMDO	3	· Not regulated a	is a dangerous good			
IATA	-	0	is a dangerous good			
	oroper shipping name	0				
ADN						
		-	is a dangerous good			
ADR		-	is a dangerous good			
RID	_	-	is a dangerous good			
IMDO	-	-	is a dangerous good			
ΙΑΤΑ	-	-	is a dangerous good			
14.3 Transport hazard class(es)						
ADN		: Not regulated a	is a dangerous good			
ADR		: Not regulated a	is a dangerous good			
RID		: Not regulated a	is a dangerous good			
IMDO	3	: Not regulated a	as a dangerous good			
ΙΑΤΑ		: Not regulated a	is a dangerous good			
14.4 Pack	king group					
ADN		: Not regulated a	is a dangerous good			
ADR		: Not regulated a	is a dangerous good			
RID		: Not regulated a	is a dangerous good			
IMDO	3	: Not regulated a	is a dangerous good			
ΙΑΤΑ	(Cargo)	: Not regulated a	is a dangerous good			
ΙΑΤΑ	(Passenger)	: Not regulated a	is a dangerous good			
14.5 Envi	ronmental hazards	_				
Not r	egulated as a dangero	us good				
14.6 Spec	cial precautions for us	ser				
Rem	arks	: Not classified a	s dangerous in the meaning of transport regu-			

#### 14.7 Maritime transport in bulk according to IMO instruments

lations.

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Conditions of restriction for the following entries should be considered: according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

## Sonderton CapaGrund Universal

Version 6.0	Revision Date: 26.04.2024	-	9S Number: 00793			last issue: 02.10.2023 first issue: 10.12.2019
mi	ktures and articles (Annex )	×∨II	)			Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
	ACH - Candidate List of Suncern for Authorization (Art				:	None
	gulation (EC) No 1005/200 te the ozone layer	9 or	n substances that d	e-	:	Not applicable
	gulation (EU) 2019/1021 or ts (recast)	n pe	rsistent organic po	llu-	:	Not applicable
	ACH - List of substances s nnex XIV)	ubje	ect to authorisation		:	None
pe: coi	veso III: Directive 2012/18/ an Parliament and of the Co ntrol of major-accident haza ngerous substances.	oun	cil on the		Not	applicable
Wa ny)	ater hazard class (Germa-	:	WGK 1 slightly wa Classification acco			ngering AwSV, Annex 1 (5.2)
	oduct code for laquers and nts / Giscode	:	M-GP01 Water-ba	ased	prim	ners, pigmented
		:	BSW20 Coating m	nater	ials,	water-based
Vo	latile organic compounds	:	emissions (integra	ated	pollu	4 November 2010 on industrial ution prevention and control) Is (VOC) content: 0,03 %
Vo	latile organic compounds	:	Directive 2004/42/ < 2 % < 30 g/l	/EC		

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

## **SECTION 16: Other information**

### Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

## Sonderton CapaGrund Universal



Version 6.0	Revision Date: 26.04.2024		0S Number: 00793	Date of last issue: 02.10.2023 Date of first issue: 10.12.2019			
H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH07	H315 H317 H318 H330 H351 H400 H410		Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.				
Full te	xt of other abbreviat	ions					
Aquati Aquati Carc. Eye Da Skin C Skin S DE DF DE TR DE TR DE DF DE TR	Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. DE DFG MAK DE TRGS 527 DE TRGS 900 DE DFG MAK / MAK DE TRGS 527 / BM DE TRGS 900 / AGW			age AT Annex IIa 527 - Activities with nanomaterials 900 - Occupational exposure limit values.			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQ) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GIS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restr

#### **Further information**

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological

### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

## Sonderton CapaGrund Universal



Version	Revision Date: 26.04.2024	SDS Number:	Date of last issue: 02.10.2023		
6.0		6000793	Date of first issue: 10.12.2019		
		2014 ACGIH, Cir NIOSH - Registry ECDIN - Environ work - Joint Rese Communities SAX'S - Dangero GESTIS - Databa Arbeitsschutz de (IFA, Institute for man Social Accio	y of toxic effects of chemical substances mental Chemicals Data and Information Net- earch Centre, Commission of the European ous properties of industrial materials ase on hazardous substances - Institut für r Deutschen Gesetzlichen Unfallversicherung Occupational Safety and Health of the Ger-		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN