

CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	CapaGreen UniversalLasur Aqua Ebenholz			
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against			
	Use of the Sub- stance/Mixture	:	Water-borne coatings			
	Recommended restrictions on use	:	within adequate application - none			
1.3	Details of the supplier of the	saf	ety data sheet			
	Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt			
	Telephone	:	+496154710			
	Telefax	:	+4961547170222			
	E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com			
1.4	1.4 Emergency telephone					
	Emergency telephone 1	:	+49613284463 GBK GmbH			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements		P101 If medical advice is needed, have product container or
		label at hand.
		P102 Keep out of reach of children.

Additional Labeling



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
3-iodo-2-propynyl butylcarbamate	55406-53-6 259-627-5 616-212-00-7 01-2120762115-60	Acute Tox. 4; H302 Acute Tox. 3; H331 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 1; H372 (larynx) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 0,025 - < 0,05



CapaGreen UniversalLasur Aqua Ebenholz

ersion	Revision Date: 12.12.2022	SDS Number:	Date of last issue: 04.02.2022
)		6000322	Date of first issue: 12.12.2022
reacti		6000322	Date of first issue: 12.12.2022 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1; H317 >= 0,05 % Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310



CapaGreen UniversalLasur Aqua Ebenholz

Version 4.0	Revision Date: 12.12.2022	SDS Number: 6000322	Date of last issue: 04.02.2022 Date of first issue: 12.12.2022	=
(2-me	ethoxymethylethoxy)p	ropanol 34590-94-8		>= 1 - < 10

01-2119450011-60

252-104-2

For explanation of abbreviations see section 16.

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
------------------------------	---	--



CapaGreen UniversalLasur Aqua Ebenholz

	Date of last issue: 04.02.2022 Date of first issue: 12.12.2022
--	---

Unsuitable extinguishing	:	None known.
media		

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Use water spray to cool unopened containers. Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 			
6.2 Environmental precautions				
Environmental precautions :	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system. 			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up	 Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). 			

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Use only with adequate ventilation.



CapaGreen UniversalLasur Aqua Ebenholz

Version 4.0	Revision Date: 12.12.2022		DS Number: 000322	Date of last issue: 04.02.2022 Date of first issue: 12.12.2022
Hyg	iene measures	:	No special techni In addition, the cu and its application Wash hands befor drink or smoke w	ection see section 8. cal protective measures required. urrent technical information for this product n on www.caparol.com must be observed. are eating, drinking, or smoking. Do not eat, hen using this product. Remove contaminat- rotective equipment before entering eating
7.2 Cond	litions for safe storage,	inc	luding any incom	patibilities
	uirements for storage as and containers	:	in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the . Containers which are opened must be care- d kept upright to prevent leakage.
Adv	ice on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Stor	age class (TRGS 510)	:	12	
-	i fic end use(s) cific use(s)	:	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
(2- methoxymeth- ylethoxy)propanol	34590-94-8	TWA	50 ppm 308 mg/m3	2000/39/EC		
	Further inform skin, Indicativ		possibility of significant up	take through the		
		AGW (Vapour	50 ppm	DE TRGS		
		and aerosols)	310 mg/m3	900		
	Peak-limit cat	egory: 1;(I)				
3-iodo-2-propynyl	55406-53-6	AGW (Vapour	0,005 ppm	DE TRGS		
butylcarbamate		and aerosols)	0,058 mg/m3	900		
	Peak-limit cat	Peak-limit category: 2;(I)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child, Substance sensitizing through the skin					



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

2011104 110 211001 21		i allig to Regulation		
Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
(2- methoxymethyleth- oxy)propanol	Consumers	Ingestion	Long-term systemic effects	0,33 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	475,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	202,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	36,00 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	121,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	37,20 mg/m3
	Workers	Inhalation	Long-term systemic effects	308,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	404,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	283,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	950,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
(2-	Soil	2,2 mg/kg dry
methoxymethylethoxy)propanol		weight (d.w.)
	Intermittent use/release	192 mg/l
	Fresh water	19,2 mg/l
	Sewage treatment plant	4168 mg/l
	Sea water	1,92 mg/l
	Intermittent use/release	190 mg/l
	Fresh water sediment	70,2 mg/kg dry
		weight (d.w.)
	Sea water	1,9 mg/l
	Soil	2,74 mg/kg dry
		weight (d.w.)
	Sea sediment	7,02 mg/kg dry
		weight (d.w.)
	Fresh water	19 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles



CapaGreen UniversalLasur Aqua Ebenholz

Version 4.0	Revision Date: 12.12.2022	SDS Number: 6000322	Date of last issue: 04.02.2022 Date of first issue: 12.12.2022

Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
		DGUV Regulation 112-190 - Use of breathing equipment
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable



CapaGreen UniversalLasur Aqua Ebenholz

Ver 4.0	sion	Revision Date: 12.12.2022		S Number: 00322	Date of last issue: 04.02.2022 Date of first issue: 12.12.2022
	Autoig	nition temperature	:	205 °C	
	Decom	position temperature	:	Not applicable	
	рН		:	7,5 Concentration: 1	00 %
	Viscos Visc	ity cosity, dynamic	:	No data available	9
	Solubil Wa	ity(ies) ter solubility	:	completely misci	ble
	Partitio octano	n coefficient: n- I/water	:	not determined	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Density	ý	:	1,0150 g/cm3	
	Relativ	e vapor density	:	not determined	
9.2	Other in	nformation			
	Explos	ives	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	•	The product is no	ot flammable.
	Evapoi	ration rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date: 12.12.2022	SDS Number:	Date of last issue: 04.02.2022
4.0		6000322	Date of first issue: 12.12.2022
Mater	ials to avoid		with acids and bases. with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

	Pr	od	uc	t:	
--	----	----	----	----	--

Acute inhalation toxicity	: Acute toxicity estimate: > 5 mg/l Exposure time: 4 h	
	Test atmosphere: dust/mist	
	Method: Calculation method	

Components:

3-iodo-2-propynyl butylcarban						
Acute oral toxicity :	LD50 (Rat): 500 mg/kg					
Acute inhalation toxicity :	LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist					
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg					
1,2-benzisothiazol-3(2H)-one:						
	LD50 (Rat): 532 mg/kg					
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist					
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg					
reaction mass of 5-chloro-2-m (3:1):	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one					
Acute oral toxicity :	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401					
Acute inhalation toxicity :	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist					



CapaGreen UniversalLasur Aqua Ebenholz

-						
Version 4.0	Revision Date: 12.12.2022	SDS Number: 6000322	Date of last issue: 04.02.2022 Date of first issue: 12.12.2022			
		Method: OECI	D Test Guideline 403			
A						
Acute	e dermal toxicity	: LD50 (Rat): > Method: OECI	141 mg/kg D Test Guideline 402			
Skin	corrosion/irritation					
Not c	lassified based on ava	ilable information.				
Serio	us eye damage/eye i	rritation				
	lassified based on ava					
	iratory or skin sensit					
-	-					
	sensitization					
Not c	lassified based on ava	ilable information.				
Resp	iratory sensitization					
Not c	Not classified based on available information.					
Germ	cell mutagenicity					
Not c	lassified based on ava	ilable information.				
Carci	nogenicity					
	lassified based on ava	ilable information.				
Reproductive toxicity						
Not classified based on available information.						
STOT	-single exposure					
Not c	lassified based on ava	ilable information.				
STOT	-repeated exposure					
Not c	lassified based on ava	ilable information.				
Aspir	ation toxicity					
	lassified based on ava	ilable information.				
	mation on other haza					

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

SECTION 12: Ecological information

12.1 Toxicity		
Components:		
3-iodo-2-propynyl but	ylcarbama	ate:
M-Factor (Acute aquation icity)	c tox- :	10
M-Factor (Chronic aqua toxicity)	itic :	1
1,2-benzisothiazol-3(2	H)-one:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and aquatic invertebrates	other :	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquation plants	c :	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquation icity)	c tox- :	1
M-Factor (Chronic aqua toxicity)	itic :	1
reaction mass of 5-chl (3:1):	loro-2-me	thyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
M-Factor (Acute aquation icity)	c tox- :	100
M-Factor (Chronic aqua toxicity)	itic :	100
12.2 Persistence and degra	adability	

No data available



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

12.3 Bioaccumulative potential

Components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

(2-methoxymethylethoxy)propanol:

Partition coefficient: n- : Pow: 1,01 (25 °C) octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste should not be disposed of via wastewater.

: .





CapaGreen UniversalLasur Aqua Ebenholz

Version 4.0	Revision Date: 12.12.2022	SDS Number: 6000322	Date of last issue: 04.02.2022 Date of first issue: 12.12.2022
Conta	aminated packaging	: Only completely cling.	emptied containers should be given for recy-
Waste Code		: used product 080112, waste p in 08 01 11*	paint and varnish other than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Restrictions on the manufacture the market and use of certain dangerou mixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: formaldehyde (Number on list 72, 28)
REACH - Candidate List of Substances Concern for Authorization (Article 59).	s of Very High :	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on subs plete the ozone layer	stances that de- :	Not applicable
Regulation (EU) 2019/1021 on persiste tants (recast)	nt organic pollu- :	Not applicable
REACH - List of substances subject to (Annex XIV)	authorisation :	None
Seveso III: Directive 2012/18/EU of the pean Parliament and of the Council on control of major-accident hazards involve dangerous substances.	the	applicable
	K 1 slightly water enda sification according to	angering AwSV, Annex 1 (5.2)
Product code for laquers and : M-KI paints / Giscode ager		rnishes / wood glazes, active



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date: 12.12.2022	SDS Number:	Date of last issue: 04.02.2022
4.0		6000322	Date of first issue: 12.12.2022
Volatil	e organic compounds	 BSW50 Coating film-protected Directive 2004/42 < 5 % < 50 g/l 	materials, water-based, containing solvents, 2/EC

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements			
H301	:	Toxic if swallowed.	
H302	:	Harmful if swallowed.	
H310	:	Fatal in contact with skin.	
H314	:	Causes severe skin burns and eye damage.	
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H318	:	Causes serious eye damage.	
H330	:	Fatal if inhaled.	
H331	:	Toxic if inhaled.	
H372	:	Causes damage to organs through prolonged or repeated	
		exposure if inhaled.	
H400	:	Very toxic to aquatic life.	
H410	:	Very toxic to aquatic life with long lasting effects.	
H411	:	Toxic to aquatic life with long lasting effects.	
EUH071	:	Corrosive to the respiratory tract.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Aquatic Acute	:	Short-term (acute) aquatic hazard	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Eye Dam.	:	Serious eye damage	
Skin Corr.	:	Skin corrosion	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitization	
STOT RE	:	Specific target organ toxicity - repeated exposure	
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first	
		list of indicative occupational exposure limit values	
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.	
2000/39/EC / TWA	:	Limit Value - eight hours	
		16 / 18	



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity R

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



CapaGreen UniversalLasur Aqua Ebenholz

Version	Revision Date:	SDS Number:	Date of last issue: 04.02.2022
4.0	12.12.2022	6000322	Date of first issue: 12.12.2022

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN