

Capadecor VarioFinish Matt						
Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020			
2.0	08.11.2023	6004898	Date of first issue: 16.08.2019			
SECTION 1: Identification of the substance/mixture and of the company/undertaking						

1.1 Product identifier		
Trade name	:	Capadecor VarioFinish Matt
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone Telefax	64372 Ober-Ramstadt : +496154710 : +4961547170222
Website E-mail address Responsi- ble/issuing person	: : msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 :	:	+49613284463	GBK	GmbH
-------------------------	---	--------------	-----	------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.			

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Capad	ecor VarioFinis	h N	latt	
Version 2.0	Revision Date: 08.11.2023	-	DS Number: 004898	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019
Haza	ard pictograms	:		
Signa	al Word	:	Warning	
Hazard Statements		:	H317 May caus	se an allergic skin reaction.
Precautionary Statements		:	label at hand.	I advice is needed, have product container or of reach of children.
				eathing mist or vapors. tective gloves.
			Response: P302 + P352 II	F ON SKIN: Wash with plenty of water.
			Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature



Capadecor VarioFinish Matt

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
2.0	08.11.2023	6004898	Date of first issue: 16.08.2019

Components

Components Chomical name	CAS No	Classification	Concontration
Chemical name	CAS-No. EC-No. Index-No. Registration number		Concentration (% w/w)
Alcohols, C16-18, ethoxylated	68439-49-6 500-212-8	Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0,1 - < 0,25
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 - < 0,025
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

sion Revision Date: SDS Number: Date of last issue: 16.11.2020					
	08.11.2023	6004898	Dat	e of first issue: 16.08.2019)
				aquatic toxicity): 1	
				specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
methy	on mass of 5-chloro-2 /l-2H-isothiazol-3-one /l-2H-isothiazol-3-one	and 2- (3:1) 613-167		Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 0,0015
				M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
				specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	
	ances with a workplac	e exposure limit 7631-80			>= 1 - < 10
511001		231-545 01-2119			2-1-110

For explanation of abbreviations see section 16.



Capadecor VarioFinish Matt					
Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020		
2.0	08.11.2023	6004898	Date of first issue: 16.08.2019		

SECTION 4: First aid measures

4.1 Description of first-aid measures						
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.				
If inhaled	:	Move to fresh air.				
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.				
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.				
4.2 Most important symptoms a	nd e	effects, both acute and delayed				
Risks	:	May cause an allergic skin reaction.				
4.3 Indication of any immediate	me	dical attention and special treatment needed				
Treatment	:	No information available.				
SECTION 5: Firefighting measures						
5.1 Extinguishing media						
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.				

Do not use a solid water stream as it may scatter and spread fire.

Unsuitable extinguishing	:	None known.
media		



Cap	adecor VarioFinish	Μ	att		
Versio	n Revision Date:	S	OS Number:	Date of last issue: 16.11.2020	
2.0	08.11.2023	60	04898	Date of first issue: 16.08.2019	
5.2 Sp	pecial hazards arising from	the	e substance or mi	xture	
Specific hazards during fire : In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar bons (smoke).					
5.3 Ac	vice for firefighters				
	pecial protective equipment or fire-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-	
F	urther information	:	Standard procedu The product itself	ure for chemical fires. does not burn.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.



Capa	Capadecor VarioFinish Matt							
Versio 2.0	n	Revision Date: 08.11.2023		DS Number: 004898	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019			
Н	lygien	e measures	:	drink or smoke w	bre eating, drinking, or smoking. Do not eat, hen using this product. Remove contaminat- rotective equipment before entering eating			
7.2 Co	7.2 Conditions for safe storage, including any incompatibilities							
Requirements for storage areas and containers		:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care fully resealed and kept upright to prevent leakage.					
A	Advice	on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline			
S	Storage	e class (TRGS 510)	:	12				
•		e nd use(s) c use(s)	:	This information i	s not available.			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
silicon dioxide	7631-86-9	AGW (Inhalable fraction)	4 mg/m3 (Silica)	DE TRGS 900		
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

8.2 Exposure controls

Personal protective equipment						
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection					
	Goggles					
Glove thickness :	Nitrile rubber 0,2 mm Class 3					
Remarks :	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves					



Capadecor VarioFinish Matt							
Version 2.0	Revision Date: 08.11.2023		DS Number:)04898	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019			
2.0	06.11.2023	0	104696				
Skin a	and body protection	:	Safety shoes Long sleeved clot	thing			
				tection according to the amount and con- dangerous substance at the work place.			
			Skin should be w	ashed after contact.			
				h contaminated clothing before re-use. lication: impervious clothing			
Respi	ratory protection	:	No personal resp quired.	iratory protective equipment normally re-			
			DGUV Regulatior	n 112-190 - Use of breathing equipment			
			• • • • • •	lication: Do not breathe spray dust. Use on filter for paint spraying.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		liquid
Color	:	transparent
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable



rsion	Revision Date: 08.11.2023		S Number: 04898	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019
Autoig	gnition temperature	:	not determined	1
Decor	nposition temperature	:	Not applicable	
рН		:	> 9,5 (20 °C) Concentration: Method: DIN E	100 % N ISO 19396-1:2020-05
Viscos Vis	sity scosity, dynamic	:	> 100 mPa.s (; Method: ISO 3	
Vis	scosity, kinematic	:	not determined	1
Flow t	ime	:	Not applicable	
	ility(ies) ater solubility	:	completely mis	scible
	on coefficient: n- ol/water	:	Not applicable	
Vapor	· pressure	:	ca. 23,4 hPa (2	20 °C)
Relati	ve density	:	not determined	3
Densi	ty	:	1,03 g/cm3 (20 Method: DIN E	
Bulk c	lensity	:	Not applicable	
Relati	ve vapor density	:	Not applicable	
Other	information			



Cap	adeo	cor VarioFinisl	h M	att					
Versio		Revision Date:		S Number:	Date of last issue: 16.11.2020				
2.0		08.11.2023	60	04898	Date of first issue: 16.08.2019				
0	Dxidizir	ng properties	:	Not applicable					
F	lamma	ability (liquids)	:	The product is	a not flammable.				
SECT		10: Stability and re	eacti	vity					
10.1 R	Reacti	vity							
N	lo dec	omposition if stored a	and ap	oplied as directe	d.				
10.2 C	Chemi	cal stability							
Ν	lo dec	omposition if stored a	and ap	oplied as directe	d.				
10.3 P	Possib	oility of hazardous re	eactio	ons					
Н	lazard	ous reactions	:	No decompos	ition if stored and applied as directed.				
10.4 C	Condit	ions to avoid							
С	Conditi	ons to avoid	:	Protect from f	rost, heat and sunlight.				
10.5 lr	ncom	patible materials							
Μ	lateria	Is to avoid	:		with acids and bases. with oxidizing agents.				
10.6 H	lazaro	lous decomposition	proc	lucts					
Ν	No decomposition if stored and applied as directed.								
SECT		11: Toxicological i	infor	mation					
11.1 lr	nform	ation on hazard clas	sses	as defined in R	egulation (EC) No 1272/2008				
		toxicity							
N	lot cla	ssified based on avai	lable	information.					
<u>C</u>	compo	onents:							
Α	lcoho	ols, C16-18, ethoxyla	ated:						
A	cute c	oral toxicity	:	LD50 (Rat): 2.0	000 mg/kg				
1,	,2-ber	nzisothiazol-3(2H)-o	ne:						
A	cute c	oral toxicity	:	LD50 (Rat): 53	2 mg/kg				
A	cute ii	nhalation toxicity	:	LC50 (Rat): 0,4 Exposure time	: 4 h				

Test atmosphere: dust/mist



Capadecor VarioFinish Matt							
Version Revision Date: 2.0 08.11.2023	SDS Number: 6004898	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019					
Acute dermal toxicity	: LD50 (Rat): > 2	2.000 mg/kg					
2-methylisothiazol-3(2H)-	one:						
Acute oral toxicity	: LD50 (Rat): 12	0 mg/kg					
Acute inhalation toxicity	: LC50 (Rat): 0,1 Exposure time: Test atmosphe	: 4 h					
reaction mass of 5-chlorc (3:1):	o-2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one					
Acute oral toxicity	: LD50 (Rat): 66 Method: OECD	mg/kg) Test Guideline 401					
Acute inhalation toxicity	: LC50 (Rat): 0,1 Exposure time: Test atmosphe Method: OECD	: 4 h					
Acute dermal toxicity	: LD50 (Rat): > 1 Method: OECD	141 mg/kg) Test Guideline 402					
silicon dioxide:							
Acute oral toxicity	: LD50 Oral (Rat	t): 10.000 mg/kg					
Skin corrosion/irritation							
Not classified based on ava	ailable information.						
Serious eye damage/eye							
Not classified based on ava							
Respiratory or skin sensi	tization						
Skin sensitization							
May cause an allergic skin							
Respiratory sensitization Not classified based on available							
Germ cell mutagenicity							
Not classified based on available	ailable information.						
Carcinogenicity							
Not classified based on ava	ailable information.						
Reproductive toxicity Not classified based on ava	ailable information.						



Capadecor VarioFinish Matt

Version	Revision Date:	SDS Number:
2.0	08.11.2023	6004898

Date of last issue: 16.11.2020 Date of first issue: 16.08.2019

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:		
Toxicity to fish :	Exp	50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l oosure time: 96 h thod: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	Exp	50 (Daphnia): 3,27 mg/l posure time: 48 h thod: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	Exp	50 (Selenastrum capricornutum (green algae)): 0,11 mg/l posure time: 72 h thod: OECD Test Guideline 201
M-Factor (Acute aquatic tox- : icity)	1	
M-Factor (Chronic aquatic : toxicity)	1	
2-methylisothiazol-3(2H)-one:		
M-Factor (Acute aquatic tox- : icity)	10	



Capade	ecor VarioFinish	n M	latt	
Version 2.0	Revision Date: 08.11.2023		DS Number: 004898	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019
M-Factoric toxicit	ctor (Chronic aquatic y)	:	1	
react (3:1):	ion mass of 5-chloro-2	2-me	ethyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
M-Fac icity)	ctor (Acute aquatic tox-	:	100	
M-Factoricit	ctor (Chronic aquatic y)	:	100	
	stence and degradabi	lity		
12.3 Bioad	ccumulative potential			
<u>Com</u>	oonents:			
1,2-b	enzisothiazol-3(2H)-on	e:		
	on coefficient: n- ol/water	:	log Pow: 0,63 - 0 pH: 7	76
2-met	thylisothiazol-3(2H)-or	ne:		
Partiti	on coefficient: n- ol/water	:	log Pow: -0,486 (pH: 7	25 °C)
react (3:1):	ion mass of 5-chloro-2	2-me	ethyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
	on coefficient: n- ol/water	:	log Pow: <= 0,75 Method: OECD T	est Guideline 117
12.4 Mobi No da	lity in soil Ita available			
	Its of PBT and vPvB a	sse	ssment	
Produ	uct:			
	ssment	:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of



Capade	Capadecor VarioFinish Matt						
Version 2.0	Revision Date: 08.11.2023	SDS Number: 6004898	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019				
12.6 Endo	ocrine disrupting prop	perties					
Prod	uct:						
Asse	ssment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
12.7 Othe	r adverse effects						
Prod	uct:						
Additi matio	ional ecological infor- n		ental hazard cannot be excluded in the event of al handling or disposal.				

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	•
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good



Version 2.0	Revision Date: 08.11.2023	SDS 6004	Number:	Date of last issue: 16.11.2020 Date of first issue: 16.08.2019
2.0	00.11.2023	0004	090	
RID		: N	ot regulated a	as a dangerous good
IMDO	6		-	as a dangerous good
ΙΑΤΑ		: N	ot regulated a	as a dangerous good
14.3 Tran	sport hazard class(es)		
ADN		: N	ot regulated a	as a dangerous good
ADR		: N	ot regulated a	as a dangerous good
RID		: N	ot regulated a	as a dangerous good
IMDO	6	: N	ot regulated a	as a dangerous good
ΙΑΤΑ		: N	ot regulated a	as a dangerous good
14.4 Pack	ing group			
ADN		: N	ot regulated a	as a dangerous good
ADR		: N	ot regulated a	as a dangerous good
RID		: N	ot regulated a	as a dangerous good
IMDO	6	: N	ot regulated a	as a dangerous good
ΙΑΤΑ	(Cargo)	: N	ot regulated a	as a dangerous good
ΙΑΤΑ	(Passenger)	: N	ot regulated a	as a dangerous good
14.5 Envi	ronmental hazards			
Not re	egulated as a dange	ous good		
14.6 Spec	ial precautions for	user		
Rema	arks		ot classified a tions.	as dangerous in the meaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the fol-
the market and use of certain dangerous substances,		lowing entries should be considered:
mixtures and articles (Annex XVII)		Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.



Capade Version 2.0	Revision Date: 08.11.2023	SDS	tt S Number: 4898			last issue: 16.11.2020 first issue: 16.08.2019
	CH - Candidate List of Su ern for Authorization (Art				:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	lation (EC) No 1005/200 the ozone layer	9 on :	substances that d	e-	:	Not applicable
	lation (EU) 2019/1021 or (recast)	n pers	sistent organic pol	llu-	:	Not applicable
	CH - List of substances s ex XIV)	ubjec	t to authorisation		:	None
pean contro	so III: Directive 2012/18/ Parliament and of the Co ol of major-accident haza erous substances.	ounci	l on the		Not	applicable
Wate ny)	r hazard class (Germa-		WGK 1 slightly wa			angering AwSV, Annex 1 (5.2)
	uct code for laquers and s / Giscode	: 1	M-DF01 Water-ba	sed	pain	nts, solvent-free
		: 6	3SW20 Coating m	nate	rials,	water-based
Volati	le organic compounds	(emissions (integra	ated	pollu	4 November 2010 on industrial ution prevention and control) Is (VOC) content: 0,04 %
Volati	le organic compounds		Directive 2004/42/ < 1 % < 1 g/l	/EC		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

6004898



DE / EN

Capadecor VarioFinish Matt

Version 2.0 08.11.2023

Revision Date:

SDS Number: Date of last issue: 16.11.2020 Date of first issue: 16.08.2019

SECTION 16: Other information

Full text of H-Statements		
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye dama	age.
H315	Causes skin irritation.	-
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting	j effects.
H411	Toxic to aquatic life with long lasting effe	cts.
H412	Harmful to aquatic life with long lasting e	ffects.
EUH071	Corrosive to the respiratory tract.	
Full toys of other obbrouses	•	

Full text of other abbreviations

Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Dam.	:	Serious eye damage			
Eye Irrit.	:	Eye irritation			
Skin Corr.	:	Skin corrosion			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitization			
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.			
DE TRGS 900 / AGW	:	Time Weighted Average			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Car-riage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community num-ber; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ETCX - Concentration associated with x% growth rate response; GIS - Globally Harmonized System; GLP - Good Laboratory Prac-tice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Gode for the Construction and Equip-ment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inven-try of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Of-fice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemi-cal Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation

Further information Other information:



Capadecor VarioFinish Matt

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
2.0	08.11.2023	6004898	Date of first issue: 16.08.2019

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

H317

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:

Classification procedure:

Skin Sens. 1

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.