

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Capalac Hochglanz-Buntlack Basis Transpa

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Solvent-borne coatings

Recommended restrictions : within adequate application - none  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : Caparol Farben Lacke GmbH  
Roßdörfer Straße 50  
64372 Ober-Ramstadt

Telephone : +496154710  
Telefax : +4961547170222

Website :  
E-mail address Responsible/issuing person : msds@dr-rmi.com

#### 1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapor.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary Statements : P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.

**Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labeling

EUH208 Contains neodecanoic acid, cobalt salt, phthalic anhydride, maleic anhydride.  
May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Alkyd-resin-based lacquer, solvent-containing

#### Components

| Chemical name | CAS-No.<br>EC-No.<br>Index-No. | Classification | Concentration<br>(% w/w) |
|---------------|--------------------------------|----------------|--------------------------|
|               |                                |                |                          |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

Version 2.1      Revision Date: 01.08.2024      SDS Number: 6007097      Date of last issue: 06.09.2023  
Date of first issue: 10.12.2019

|   | Registration number   |  |                   |
|---|---|--|-------------------|
| Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha | 64742-48-9<br>265-150-3<br>649-327-00-6<br>01-2119457273-39,<br>01-2119463258-33,<br>01-2119486659-16 | Asp. Tox. 1; H304<br>EUH066  | $\geq 20 - < 30$  |
| Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha | 64742-48-9<br>265-150-3<br>649-327-00-6<br>01-2119457273-39,<br>01-2119463258-33                      | Flam. Liq. 3; H226<br>STOT SE 3; H336<br>Asp. Tox. 1; H304<br>EUH066   | $\geq 1 - < 10$   |
| neodecanoic acid, cobalt salt   | 27253-31-2<br>248-373-0<br>01-2119970733-31   | Acute Tox. 4; H302<br>Skin Sens. 1; H317<br>STOT RE 1; H372<br>(Other)<br>Aquatic Chronic 3;<br>H412   | $\geq 0,25 - < 1$ |
| phthalic anhydride  | 85-44-9<br>201-607-5<br>607-009-00-4<br>01-2119457017-41  | Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Resp. Sens. 1; H334<br>Skin Sens. 1; H317<br>STOT SE 3; H335  | $\geq 0,1 - < 1$  |
| maleic anhydride  | 108-31-6<br>203-571-6<br>607-096-00-9<br>01-2119472428-31,<br>01-2120759691-45                        | Acute Tox. 4; H302<br>Skin Corr. 1B; H314<br>Eye Dam. 1; H318<br>Resp. Sens. 1; H334<br>Skin Sens. 1A; H317<br>STOT RE 1; H372<br>(Respiratory system,<br>Inhalation)<br>EUH071<br><br>specific concentration<br>limit<br>Skin Sens. 1A; H317<br>$\geq 0,001 \%$ | $< 0,001$         |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.  
If you feel unwell, seek medical advice (show the label where possible).  
Move out of dangerous area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

First aider needs to protect himself.

- |                         |   |   |
|-------------------------|---|---|
| If inhaled              | : | If symptoms persist, call a physician.<br>Move to fresh air.  |
| In case of skin contact | : | Do NOT use solvents or thinners.<br>In case of contact, immediately flush skin with soap and plenty of water.<br>Take off all contaminated clothing immediately.                                  |
| In case of eye contact  | : | If eye irritation persists: Get medical advice/ attention.<br>IF IN EYES: Rinse cautiously with water for several minutes.<br>Remove contact lenses, if present and easy to do. Continue rinsing. |
| If swallowed            | : | Seek medical advice.<br>Clean mouth with water and drink afterwards plenty of water.<br>If swallowed, DO NOT induce vomiting.   |

### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |   |
|-------|---|---|
| Risks | : | Repeated exposure may cause skin dryness or cracking. |
|-------|---|---|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                           |
|-----------|---|---------------------------|
| Treatment | : | No information available. |
|-----------|---|---------------------------|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |   |   |
|--------------------------------|---|---|
| Suitable extinguishing media   | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Do not use a solid water stream as it may scatter and spread fire. |
| Unsuitable extinguishing media | : | None known.   |

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |   |
|---------------------------------------|---|---|
| Specific hazards during fire fighting | : | Cool closed containers exposed to fire with water spray.<br>In case of fire hazardous decomposition products may be produced such as:<br>Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |
|---------------------------------------|---|---|

### 5.3 Advice for firefighters

- |                              |   |  |
|------------------------------|---|--|
| Special protective equipment | : | In the event of fire, wear self-contained breathing apparatus. |
|------------------------------|---|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

for fire-fighters

Further information : Standard procedure for chemical fires.  
In the event of fire and/or explosion do not breathe fumes.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not get in eyes, on skin, or on clothing.  
Ensure adequate ventilation.  
Remove all sources of ignition.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.  
Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.  
Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.  
, For personal protection see section 8., For disposal considerations see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Non-sparking tools should be used.  
For personal protection see section 8.  
Avoid exceeding the given occupational exposure limits (see  
section 8).  
Provide sufficient air exchange and/or exhaust in work rooms.

In addition, the current technical information for this product  
and its application on [www.caparol.com](http://www.caparol.com) must be observed.

Advice on protection against fire and explosion : Keep away from heat, hot surfaces, sparks, open flames and  
other ignition sources. No smoking.

Hygiene measures : Avoid contact with the skin and the eyes. Wash hands before  
eating, drinking, or smoking. Do not eat, drink or smoke when  
using this product. Remove contaminated clothing and protec-  
tive equipment before entering eating areas.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

Version 2.1      Revision Date: 01.08.2024      SDS Number: 6007097      Date of last issue: 06.09.2023  
Date of first issue: 10.12.2019

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510) : 3

### 7.3 Specific end use(s)

Specific use(s) : This information is not available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components   | CAS-No.   | Value type (Form of exposure) | Control parameters      | Basis       |
|--|---|-------------------------------|-------------------------|-------------|
| Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha | 64742-48-9  | AGW                           | 300 mg/m3               | DE TRGS 900 |
|  | Peak-limit category: 2;(II)   |                               |                         |             |
|  | Further information: Group exposure limit for hydrocarbon solvent mixtures  |                               |                         |             |
| Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha | 64742-48-9  | AGW                           | 300 mg/m3               | DE TRGS 900 |
|  | Peak-limit category: 2;(II)   |                               |                         |             |
|  | Further information: Group exposure limit for hydrocarbon solvent mixtures  |                               |                         |             |
| maleic anhydride   | 108-31-6  | AGW (Vapour and aerosols)     | 0,02 ppm<br>0,081 mg/m3 | DE TRGS 900 |
|  | Peak-limit category: 1; =2.5=(I)  |                               |                         |             |
|  | Further information: In well-found cases also a momentary value can be established, that never can be exceeded. This substance will be indicated by = = in combination with an exceeding value., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child, Substance sensitizing through the skin and respiratory system |                               |                         |             |
|  |   | Mow                           | 0,05 ppm<br>0,2 mg/m3   | DE DFG MAK  |
|  | Further information: Danger of sensitization of the airways and the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed  |                               |                         |             |
|  |   | MAK                           | 0,02 ppm<br>0,081 mg/m3 | DE DFG MAK  |
|  | Further information: Danger of sensitization of the airways and the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value  |                               |                         |             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN

## Capalac Hochglanz-Buntlack Basis Transpa



Version 2.1      Revision Date: 01.08.2024      SDS Number: 6007097      Date of last issue: 06.09.2023  
Date of first issue: 10.12.2019

is observed

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                | End Use   | Routes of exposure | Potential health effects   | Value              |
|-------------------------------|-----------|--------------------|----------------------------|--------------------|
| neodecanoic acid, cobalt salt | Consumers | Ingestion          | Long-term systemic effects | 64,90 µg/kg bw/day |
|                               | Consumers | Inhalation         | Long-term local effects    | 43,00 µg/m3        |
|                               | Workers   | Inhalation         | Long-term local effects    | 273,20 µg/m3       |
| phthalic anhydride            | Consumers | Inhalation         | Long-term systemic effects | 8,60 mg/m3         |
|                               | Consumers | Ingestion          | Long-term systemic effects | 5,00 mg/kg bw/day  |
|                               | Consumers | Skin contact       | Long-term systemic effects | 5,00 mg/kg bw/day  |
|                               | Workers   | Inhalation         | Long-term systemic effects | 32,20 mg/m3        |
|                               | Workers   | Skin contact       | Long-term systemic effects | 10,00 mg/kg bw/day |
| maleic anhydride              | Consumers | Inhalation         | Long-term systemic effects | 0,05 mg/m3         |
|                               | Consumers | Ingestion          | Long-term systemic effects | 0,06 mg/kg bw/day  |
|                               | Consumers | Ingestion          | Acute systemic effects     | 0,10 mg/kg bw/day  |
|                               | Consumers | Skin contact       | Acute systemic effects     | 0,10 mg/kg bw/day  |
|                               | Consumers | Inhalation         | Long-term local effects    | 0,08 mg/m3         |
|                               | Consumers | Skin contact       | Long-term systemic effects | 0,10 mg/kg bw/day  |
|                               | Workers   | Inhalation         | Acute systemic effects     | 0,80 mg/m3         |
|                               | Workers   | Inhalation         | Acute systemic effects     | 0,95 mg/m3         |
|                               | Workers   | Inhalation         | Acute local effects        | 0,80 mg/m3         |
|                               | Workers   | Inhalation         | Long-term systemic effects | 0,40 mg/m3         |
|                               | Workers   | Inhalation         | Long-term systemic effects | 0,19 mg/m3         |
|                               | Workers   | Inhalation         | Long-term local effects    | 0,40 mg/m3         |
|                               | Workers   | Inhalation         | Long-term local effects    | 0,32 mg/m3         |
|                               | Workers   | Skin contact       | Acute systemic effects     | 0,20 mg/kg bw/day  |
|                               | Workers   | Skin contact       | Long-term systemic effects | 0,20 mg/kg bw/day  |
|                               | Consumers | Inhalation         | Acute systemic ef-         |                    |



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN

## Capalac Hochglanz-Buntlack Basis Transpa



Version 2.1      Revision Date: 01.08.2024      SDS Number: 6007097      Date of last issue: 06.09.2023  
Date of first issue: 10.12.2019

|  |  |  |       |  |
|--|--|--|-------|--|
|  |  |  | fects |  |
|--|--|--|-------|--|

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                | Environmental Compartment | Value                          |
|-------------------------------|---------------------------|--------------------------------|
| neodecanoic acid, cobalt salt | Soil                      | 10,9 mg/kg dry weight (d.w.)   |
|                               | Sea water                 | 2,36 µg/l                      |
|                               | Sea sediment              | 9,5 mg/kg dry weight (d.w.)    |
|                               | Fresh water sediment      | 9,5 mg/kg dry weight (d.w.)    |
|                               | Fresh water               | 0,6 µg/l                       |
| phthalic anhydride            | Sewage treatment plant    | 0,37 mg/l                      |
|                               | Soil                      | 0,173 mg/kg dry weight (d.w.)  |
|                               | Fresh water sediment      | 3,8 mg/kg dry weight (d.w.)    |
|                               | Sewage treatment plant    | 10 mg/l                        |
|                               | Intermittent use/release  | 5,6 mg/l                       |
| maleic anhydride              | Sea sediment              | 0,38 mg/kg dry weight (d.w.)   |
|                               | Sea water                 | 0,1 mg/l                       |
|                               | Fresh water               | 1 mg/l                         |
|                               | Fresh water               | 0,075 mg/l                     |
|                               | Fresh water sediment      | 0,334 mg/kg dry weight (d.w.)  |
|                               | Soil                      | 0,0415 mg/kg dry weight (d.w.) |
|                               | Sea water                 | 0,01 mg/l                      |
|                               | Intermittent use/release  | 0,4281 mg/l                    |
|                               | Sewage treatment plant    | 44,6 mg/l                      |
|                               | Soil                      | 0,01 mg/kg dry weight (d.w.)   |
|                               | Sea water                 | 0,0075 mg/l                    |
|                               | Secondary Poisoning       | 6,67 mg/kg food                |
|                               | Fresh water               | 0,1 mg/l                       |
|                               | Sewage treatment plant    | 4,46 mg/l                      |
|                               | Sea sediment              | 0,006 mg/kg dry weight (d.w.)  |
|                               | Fresh water sediment      | 0,06 mg/kg dry weight (d.w.)   |
|                               | Intermittent use/release  | 0,75 mg/l                      |
|                               | Sea sediment              | 0,0334 mg/kg dry weight (d.w.) |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection

Goggles



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

### Hand protection

|                  |                  |
|------------------|------------------|
| Material         | : Nitrile rubber |
| Glove thickness  | : 0,2 mm         |
| Protective index | : Class 3        |

### Remarks

: Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374.  
DGUV Regulation 112-195 - Use of protective gloves

### Skin and body protection

: Safety shoes  
Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

During spray application: impervious clothing

### Respiratory protection

: No personal respiratory protective equipment normally required.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

DGUV Regulation 112-190 - Use of breathing equipment

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : colorless

Odor : characteristic

Odor Threshold : Not relevant

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Flash point : 56 °C  
Method: ISO 1523

Autoignition temperature : not determined

Decomposition temperature : Not applicable

pH : substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, dynamic : 304 mPa.s (40 °C)  
Method: ISO 3219

Viscosity, kinematic :  $\geq 21,000 \text{ mm}^2/\text{s}$  (40 °C)

Flow time : Not applicable

Solubility(ies)  
Water solubility : partly miscible

Partition coefficient: n-octanol/water : not determined

Vapor pressure : not determined

Relative density : not determined

Density : 0,95 g/cm<sup>3</sup> (20 °C)  
Method: DIN EN ISO 2811-1

Bulk density : Not applicable

Relative vapor density : Heavier than air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

### 9.2 Other information

|                        |   |                     |
|------------------------|---|---------------------|
| Explosives             | : | Not applicable      |
| Oxidizing properties   | : | Not applicable      |
| Flammability (liquids) | : | Sustains combustion |
| Evaporation rate       | : | Not applicable      |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

|                     |   |   |
|---------------------|---|---|
| Hazardous reactions | : | Vapors may form explosive mixture with air.<br>Hazardous decomposition products formed under fire conditions. |
|---------------------|---|---|

### 10.4 Conditions to avoid

|                     |   |  |
|---------------------|---|--|
| Conditions to avoid | : | Protect from frost, heat and sunlight. |
|---------------------|---|--|

### 10.5 Incompatible materials

|                    |   |   |
|--------------------|---|---|
| Materials to avoid | : | Incompatible with acids and bases.<br>Incompatible with oxidizing agents. |
|--------------------|---|---|

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

#### phthalic anhydride:

|                     |   |                         |
|---------------------|---|-------------------------|
| Acute oral toxicity | : | LD50 (Rat): 1.530 mg/kg |
|---------------------|---|-------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

### maleic anhydride:

Acute oral toxicity : LD50 (Rat, male and female): 1.090 mg/kg  
Method: OECD Test Guideline 401

### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

### Components:

#### maleic anhydride:

Species : Rabbit  
Assessment : Causes burns.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### maleic anhydride:

Species : Rabbit  
Assessment : Causes burns.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### maleic anhydride:

Species : Rat  
Result : Causes sensitization.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

Not classified based on available information.

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

#### Components:

##### **Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:**

Partition coefficient: n-octanol/water : log Pow: 1,99 - 18,02 (20 °C)  
pH: 7

##### **Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:**

Partition coefficient: n-octanol/water : log Pow: 1,99 - 18,02 (20 °C)  
pH: 7

##### **maleic anhydride:**

Partition coefficient: n-octanol/water : log Pow: -2,61 (19,8 °C)  
pH: 4 - 9

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recycling.

Waste Code : used product  
080112, waste paint and varnish other than those mentioned in 08 01 11\*

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 1263

ADR : UN 1263

RID : UN 1263

IMDG : UN 1263

IATA : UN 1263

### 14.2 UN proper shipping name

ADN : PAINT

ADR : PAINT

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



**CAPAROL**

## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

**RID** : PAINT  
**IMDG** : PAINT  
**IATA** : Paint

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 3   |                  |
| <b>ADR</b>  | : 3   |                  |
| <b>RID</b>  | : 3   |                  |
| <b>IMDG</b> | : 3   |                  |
| <b>IATA</b> | : 3   |                  |

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : F1  
Hazard Identification Number : 30  
Labels : 3

**ADR**  
Packing group : III  
Classification Code : F1  
Hazard Identification Number : 30  
Labels : 3  
Tunnel restriction code : (D/E)

**RID**  
Packing group : III  
Classification Code : F1  
Hazard Identification Number : 30  
Labels : 3

**IMDG**  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 366  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 355  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : no

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : None

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : None

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Water hazard class (Germany) : WGK 2 obviously hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

. : BSL20 Coating materials, solvent-based, aromatic-free, classified

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 31,27 %

Volatile organic compounds : Directive 2004/42/EC  
< 32 %  
< 300 g/l

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

## SECTION 16: Other information

### Full text of H-Statements

|      |  |
|------|--|
| H226 | : Flammable liquid and vapor.  |
| H302 | : Harmful if swallowed.  |
| H304 | : May be fatal if swallowed and enters airways.                              |
| H314 | : Causes severe skin burns and eye damage.                                   |
| H315 | : Causes skin irritation.  |
| H317 | : May cause an allergic skin reaction.                                       |
| H318 | : Causes serious eye damage.   |
| H334 | : May cause allergy or asthma symptoms or breathing difficulties if inhaled. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

|        |  |
|--------|--|
| H335   | : May cause respiratory irritation.  |
| H336   | : May cause drowsiness or dizziness.   |
| H372   | : Causes damage to organs through prolonged or repeated exposure.              |
| H372   | : Causes damage to organs through prolonged or repeated exposure if swallowed. |
| H412   | : Harmful to aquatic life with long lasting effects.                           |
| EUH066 | : Repeated exposure may cause skin dryness or cracking.                        |
| EUH071 | : Corrosive to the respiratory tract.  |

### Full text of other abbreviations

|                   |   |
|-------------------|---|
| Acute Tox.        | : Acute toxicity  |
| Aquatic Chronic   | : Long-term (chronic) aquatic hazard                      |
| Asp. Tox.         | : Aspiration hazard                                       |
| Eye Dam.          | : Serious eye damage                                      |
| Flam. Liq.        | : Flammable liquids                                       |
| Resp. Sens.       | : Respiratory sensitization                               |
| Skin Corr.        | : Skin corrosion  |
| Skin Irrit.       | : Skin irritation   |
| Skin Sens.        | : Skin sensitization                                      |
| STOT RE           | : Specific target organ toxicity - repeated exposure      |
| STOT SE           | : Specific target organ toxicity - single exposure        |
| DE DFG MAK        | : Germany. MAK BAT Annex IIa                              |
| DE TRGS 900       | : Germany. TRGS 900 - Occupational exposure limit values. |
| DE DFG MAK / Mow  | : Momentary value   |
| DE DFG MAK / MAK  | : MAK value   |
| DE TRGS 900 / AGW | : Time Weighted Average                                   |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

|                   |  |
|-------------------|--|
| Other information | : No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC. |
|-------------------|--|

|  |  |
|--|--|
| Sources of key data used to compile the Material Safety Data Sheet | : ECHA WebSite<br>ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) |
|--|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

DE / EN



## Capalac Hochglanz-Buntlack Basis Transpa

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06.09.2023  |
| 2.1     | 01.08.2024     | 6007097     | Date of first issue: 10.12.2019 |

for chemical substances and physical agents and Biological  
Exposure Indices (BEIs) with Seventh Edition documentation.  
2014 ACGIH, Cincinnati OH  
NIOSH - Registry of toxic effects of chemical substances  
ECDIN - Environmental Chemicals Data and Information Net-  
work - Joint Research Centre, Commission of the European  
Communities  
SAX'S - Dangerous properties of industrial materials  
GESTIS - Database on hazardous substances - Institut für  
Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung  
(IFA, Institute for Occupational Safety and Health of the Ger-  
man Social Accident Insurance)  
Toxnet - Toxicology Data Network

### Classification of the mixture:

Flam. Liq. 3

H226

### Classification procedure:

Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our up-stream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN