

Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: Capalac Aqua Metallschutz weiß
1.2 Relevant identified uses of	the substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Water-borne coatings
Recommended restrictions on use	: within adequate application - none
1.3 Details of the supplier of th	e safety data sheet
Company	: Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	: +496154710
Telefax	: +4961547170222
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com
1.4 Emergency telephone	
Emergency telephone 1	: +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.				
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.				

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		DS Number: 007255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019
Hazard pictograms		:		
Sign	al Word	:	Warning	
Haza	ard Statements	:	-	e an allergic skin reaction. Iquatic life with long lasting effects.
Prec	autionary Statements	:	label at hand.	advice is needed, have product container or of reach of children.
			Prevention:	
			P273 Avoid rele	et in eyes, on skin, or on clothing. ease to the environment. tective gloves/ eye protection.
			Response: P302 + P352 IF water.	ON SKIN: Wash with plenty of soap and

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Polyacrylate-based lacquer, aqueous

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
trizinc bis(orthophosphate)	7779-90-0 231-944-3 030-011-00-6 01-2119485044-40	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10
2-butoxyethanol	111-76-2 203-905-0 603-014-00-0 01-2119475108-36	Acute Tox. 4; H302 Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity: 1.200 mg/kg Acute inhalation tox- icity (vapor): 3 mg/l	>= 1 - < 10
zinc oxide	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32, 01-2120089607-43, 01-2120767291-53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
zinc 5-nitroisophthalate	60580-61-2 262-309-9 01-2120768444-47	Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,25 - < 1
ammonia	1336-21-6 215-647-6 007-001-01-2 01-2119488876-14	Skin Corr. 1B; H314 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,1 - < 0,25
		specific concentration	



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		Date of last issue: 16.02.2022 Date of first issue: 11.11.2019	
			limit STOT SE 3; H335 >= 5 %	
1,2-b	enzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-6	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317	>= 0,025 - < 0,05
2-me	thylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-5	>= 0,05 % Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 - < 0,025
react	ion mass of 5-chloro-2-	55965-84-9	Acute Tox. 3; H301	>= 0,0002 - <



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023	SDS N 600725	lumber: 55		of last issue: 16.02.2022 of first issue: 11.11.2019	
	yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	(3:1) 6	13-167-00-5 1-2120764691-	48	Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	0,0015

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures				
General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. 			
If inhaled	: Move to fresh air.			
In case of skin contact	 Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. 			



Capalac Aqua Metallschutz weiß

Versio 3.0	on	Revision Date: 04.01.2023		OS Number: 07255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019
I	In case of eye contact		:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
ľ	lf swall	owed	:		<i>r</i> ice. water and drink afterwards plenty of water. NOT induce vomiting.
		portant symptoms a	nd e	effects, both acute	e and delayed
F	Risks		:	May cause an all	ergic skin reaction.
4.3 In	ndicati	on of any immediate	me	dical attention and	d special treatment needed
Г	Treatm	ent	:	No information av	vailable.
5.1 E ຂ ຮ	xtingu Suitabl Unsuita	5: Firefighting measing measing media extinguishing media	sur :	Use water spray, bon dioxide. Use extinguishing cumstances and	alcohol-resistant foam, dry chemical or car- g measures that are appropriate to local cir- the surrounding environment. d water stream as it may scatter and spread
r	media				
	-	hazards arising from	the		
	Specific	c hazards during fire	:	produced such as	zardous decomposition products may be s: e, carbon dioxide and unburned hydrocar-
5.3 A	dvice	for firefighters			
		l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
F	Further	information	:	Standard procedu The product itself	ure for chemical fires. does not burn.



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.			
6.2 Environmental precautions				
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.			
6.3 Methods and material for containment and cleaning up				

Methods for cleaning up	: Keep in suitable, closed containers for Soak up with inert absorbent material (•
	acid binder, universal binder, sawdust)	

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling :	For personal protection see section 8.
·	No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline materials.



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023	SDS Number: 6007255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019
Stora	ge class (TRGS 510)	: 12	
-	f ic end use(s) ific use(s)	: This informati	on is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS	
powder form con-		fraction)	(Titanium dioxide)	900	
taining 1 % or					
more of particles					
with aerodynamic					
diameter ≤ 10 µm]		- (II)			
	Peak-limit cat				
			compliance with the OEL ar	nd biological	
	tolerance valu		f harming the unborn child		
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit cate				
			compliance with the OEL ar	nd biological	
	tolerance valu		f harming the unborn child		
		BM (Alveolar	0,5 mg/m3	DE TRGS	
		dust fraction)		527	
2-butoxyethanol	111-76-2	TWA	20 ppm	2000/39/EC	
			98 mg/m3		
	Further inform skin, Indicative		possibility of significant uptal	ke through the	
		STEL	50 ppm	2000/39/EC	
		UTLL .	246 mg/m3	2000/00/20	
	Further inform	ation: Identifies the	possibility of significant uptal	ke through the	
	skin, Indicative			J -	
		AGW	10 ppm	DE TRGS	
			49 mg/m3	900	
	Peak-limit cat	egory: 2;(I)	· 2		
	Further information: Skin absorption, When there is compliance with the OEL				
	and biological tolerance values, there is no risk of harming the unborn child				

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
2-butoxyethanol	111-76-2	butoxy acetic acid: 150 mg/g Creati- nine	In case of long- term exposure: after more than	TRGS 903



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022	
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019	
		(Urine)	one shift, Immedi- ately after expo- sure or after work- ing hours	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
trizinc bis(orthophosphate)	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
2-butoxyethanol	Consumers	Inhalation	Long-term systemic effects	59,00 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	26,70 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	75,00 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	89,00 mg/kg bw/day
	Consumers	Inhalation	Acute local effects	147,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	6,30 mg/kg bw/day
	Consumers	Inhalation	Acute systemic ef- fects	426,00 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	1091,00 mg/m3
	Workers	Inhalation	Acute local effects	246,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	98,00 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	89,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	125,00 mg/kg bw/day
isobutyric acid, mo-	Consumers	Inhalation	Long-term systemic	14,50 mg/m3



Capalac Aqua Metallschutz weiß

/ersion 8.0	Revision Date: 04.01.2023	SDS Nur 6007255		of last issue: 16.02.2022 of first issue: 11.11.2019	
	er with 2,2,4- thylpentane-1,3-			effects	
		Consumers	Ingestion	Long-term systemic effects	8,33 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	8,33 mg/kg bw/day
		Workers	Inhalation	Long-term systemic effects	49,00 mg/m3
		Workers	Skin contact	Long-term systemic effects	13,90 mg/kg bw/day
zinc c	oxide	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
		Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
		Workers	Inhalation	Long-term local ef- fects	0,50 mg/m3
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
glass, oxide, chemicals	Fresh water sediment	174 mg/kg dry weight (d.w.)
	Secondary Poisoning	10,9 mg/kg food
	Sea water	3,4 µg/l
	Sewage treatment plant	100 μg/l
	Sea sediment	164 mg/kg dry weight (d.w.)
	Soil	147 mg/kg dry weight (d.w.)
	Fresh water	6,5 µg/l



Capalac Aqua Metallschutz weiß

rsion			st issue: 16.02.2022 st issue: 11.11.2019
trizino	bis(orthophosphate)	Sea sediment	56,5 mg/kg dr weight (d.w.)
		Fresh water	20,6 µg/l
		Soil	35,6 mg/kg dr weight (d.w.)
		Sewage treatment plant	100 µg/l
		Fresh water sediment	117,8 mg/kg d weight (d.w.)
		Sea water	6,1 μg/l
2-but	oxyethanol	Sea sediment	3,46 mg/kg dr weight (d.w.)
		Intermittent use/release	9,1 mg/l
		Secondary Poisoning	0,02 g/kg food
		Sewage treatment plant	463 mg/l
		Sea water	0,88 mg/l
		Fresh water sediment	34,6 mg/kg dr weight (d.w.)
		Soil	2,33 mg/kg dr weight (d.w.)
		Fresh water	8,8 mg/l
	tyric acid, monoester with trimethylpentane-1,3-diol	Fresh water sediment	0,78 mg/kg dr weight (d.w.)
	· · · · · · · · · · · · · · · · · · ·	Sea water	0,0015 mg/l
		Sea sediment	0,078 mg/kg d weight (d.w.)
		Soil	0,147 mg/kg d weight (d.w.)
		Sewage treatment plant	7,5 mg/l
		Secondary Poisoning	66,7 mg/kg for
		Intermittent use/release	0,15 mg/l
		Fresh water	0,015 mg/l
zinc c	oxide	Fresh water sediment	117,8 mg/kg d weight (d.w.)
		Sea water	6,1 µg/l
		Fresh water	20,6 µg/l
		Sea sediment	56,5 mg/kg dr weight (d.w.)
		Sewage treatment plant	100 µg/l
		Soil	35,6 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		DS Number: 007255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019		
G	aterial ove thickness otective index		Nitrile rubber 0,2 mm Class 3			
Re	emarks	:	: Before removing gloves clean them with soap and wat Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin	and body protection	:	: Safety shoes Long sleeved clothing			
				tection according to the amount and con- dangerous substance at the work place.		
			Skin should be w	ashed after contact.		
				h contaminated clothing before re-use. lication: impervious clothing		
Resp	iratory protection	:	No personal resp quired.	iratory protective equipment normally re-		
			DGUV Regulation	n 112-190 - Use of breathing equipment		
				lication: Do not breathe spray dust. Use on filter for paint spraying.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		S Number: 07255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019
Autoi	gnition temperature	:	not determined	
Deco	mposition temperature	:	Not applicable	
рН		:	8 - 9 Concentration: 1	00 %
Visco Vis	sity scosity, dynamic	:	No data available	e
Vi	scosity, kinematic	:	> 20,5 mm2/s (4	0 °C)
Flow	time	:	> 60 s at 23 °C Cross section: 6 Method: ISO 243	
	ility(ies) ater solubility	:	completely misci	ble
	ion coefficient: n- ol/water	:	Not applicable	
Vapo	r pressure	:	ca. 23,4 hPa (20	°C)
Relat	ive density	:	not determined	
Densi	ity	:	1,2900 g/cm3	
Relat	ive vapor density	:	Not applicable	
9.2 Other information				
Explo	sives	:	Not applicable	
Oxidi	zing properties	:	Not applicable	
Flam	mability (liquids)	:	The product is no	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		S Number:)7255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019
Hazaro	dous reactions	:	No decompositio	n if stored and applied as directed.
	tions to avoid ions to avoid	:	Protect from fros	t, heat and sunlight.
	patible materials als to avoid	:	•	n acids and bases. n oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Components:		
2-butoxyethanol:		
Acute oral toxicity	:	Acute toxicity estimate: 1.200 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 3 mg/l Test atmosphere: vapor Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
1,2-benzisothiazol-3(2H)-one:		
Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h

Test atmosphere: dust/mist



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		S Number: 07255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019
Acute	e dermal toxicity	:	LD50 (Rat): >	2 000 mg/kg
Acut		•	LD00 (Nai). >	2.000 mg/kg
2-me	thylisothiazol-3(2H)-o	one:		
Acute	e oral toxicity	:	LD50 (Rat): 12	20 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 0, Exposure time Test atmosphe	:: 4 h
react (3:1):		-2-me	thyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one
• •	e oral toxicity	:	LD50 (Rat): 66 Method: OECI	6 mg/kg D Test Guideline 401
Acute	e inhalation toxicity	:	LC50 (Rat): 0, Exposure time Test atmosphe Method: OECI	e: 4 h
Acute	e dermal toxicity	:	LD50 (Rat): > Method: OECI	141 mg/kg D Test Guideline 402
-	corrosion/irritation	ilabla	information	
Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information.				
Resp	iratory or skin sensit	tizatio	n	
Skin	sensitization			
Mayo	cause an allergic skin	reactic	on.	
•	iratory sensitization			
Not classified based on available information.				
	Germ cell mutagenicity			
	lassified based on ava	llable	information.	
	inogenicity lassified based on ava	ilable	information.	
	oductive toxicity			
Not classified based on available information.				
STO	Г-single exposure			
Not c	lassified based on ava	ilable	information	

Not classified based on available information.



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:						
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203				
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202				
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201				
M-Factor (Acute aquatic tox- icity)	:	1				
M-Factor (Chronic aquatic toxicity)	:	1				
2-methylisothiazol-3(2H)-one	:					
M-Factor (Acute aquatic tox- icity)		10				
M-Factor (Chronic aquatic toxicity)	:	1				



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential

Components:

toxicity)

2-butoxyethanol:

Partition coefficient: n-	:	log Pow: 0,81 (25 °C)
octanol/water		pH: 7

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:





Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019
Addit	ional ecological infor-	•	c organisms, may cause long-term adverse
matic	m		quatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate), zinc oxide)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate), zinc oxide)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate), zinc oxide)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate), zinc oxide)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (trizinc bis(orthophosphate), zinc oxide)



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		9S Number: 07255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019
14.3 Trans	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	9	,
ADR		:	9	
RID		:	9	
IMDG	ì	:	9	
ΙΑΤΑ		:	9	
14.4 Pack	ing group			
ADN				
Packi Class	ng group ification Code rd Identification Number s	:	III M6 90 9	
Class Haza Label	ng group ification Code rd Identification Number s el restriction code	:	III M6 90 9 (-)	
Class	ng group ification Code rd Identification Number s	:	III M6 90 9	
IMDG Packi Label EmS	ng group s	:	III 9 F-A, S-F	
	(Cargo) ng instruction (cargo ft)	:	964	
Packi	ng instruction (LQ) ng group	::	Y964 III Miscellaneous	
Packi ger ai	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ)	:	964 Y964	
	ng group	:	III Miscellaneous	

14.5 Environmental hazards



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

ADN

Environmentally hazardous	:	yes
ADR Environmentally hazardous	:	yes
RID Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

Seveso III: Directive 2012/18/E pean Parliament and of the Co control of major-accident hazar dangerous substances.	uncil on the
Water hazard class (Germa- ny)	: WGK 2 obviously hazardous to water Classification according to AwSV, Annex 1 (5.2)
Product code for laquers and paints / Giscode	: M-LW01 Water-based varnishes
	: BSW20 Coating materials, water-based
Volatile organic compounds	: Directive 2004/42/EC < 3 % < 40 g/l

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H331 :	Toxic if inhaled.
H351 :	Suspected of causing cancer if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.



Capalac Aqua Metallschutz weiß

Version 3.0	Revision Date: 04.01.2023		8 Number: 7255	Date of last issue: 16.02.2022 Date of first issue: 11.11.2019	
EUH07	71	: (Corrosive to the respiratory tract.		
Full te	xt of other abbreviati	ons			
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. 2000/39/EC			Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Europe. Commission Directive 2000/39/EC establishing a first		
DE TRGS 527 DE TRGS 900 TRGS 903 2000/39/EC / TWA 2000/39/EC / STEL DE TRGS 527 / BM DE TRGS 900 / AGW		: (: (: -	list of indicative occupational exposure limit values Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. TRGS 903 - Biological limit values Limit Value - eight hours Short term exposure limit Assessment scale Time Weighted Average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50 % of a test population; LD50 - Lethal Dose to 50% of a test population; NC40 - International Convention for the Prevention of Pollution from Observed IAdverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Of fice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1097/2006 of the European Pariiament and of the Council concerning the Registration, Evaluation

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH



Capalac Aqua Metallschutz weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2022
3.0	04.01.2023	6007255	Date of first issue: 11.11.2019

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the m	ixture:	Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN