

Version	Revision Date:	Print Date	Date of last issue: 22.09.2020
1.2	26.11.2020	01.12.2020	Date of first issue: 20.11.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	: DisboCRE	Т 714						
1.2 Relevant identified uses of the substance or mixture and uses advised against								
Use of the Sub- stance/Mixture	: Cement							
Recommended restrictions on use	: within ade	quate application - none						
1.3 Details of the supplier of the	safety data sh	eet						
Company		nbH Straße 50 er-Ramstadt						
Telephone	: +4961547							
Telefax	: +4961547							
E-mail address Responsi- ble/issuing person	: msds@dr	rmi.com						
1.4 Emergency telephone numbe	r							
Emergency telephone num- ber 1		4463 GBK GmbH						
SECTION 2: Hazards identification	ation							
2.1 Classification of the substant	ce or mixture							
Classification (REGULATION	N (EC) No 127	2/2008)						
Skin irritation, Category 2		H315: Causes skin irritation.						
Serious eye damage, Categor	y 1	H318: Causes serious eye damage.						
2.2 Label elements	2.2 Label elements							
Labelling (REGULATION (EC	) No 1272/200	8)						
Hazard pictograms		- <b>,</b>						
Signal word	Danger							



Version 1.2	Revision Date: 26.11.2020	Print Da 01.12.20	
Hazard statements		: H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements			
		P302 water P305 with v sent a POIS	+ P351 + P338 + P310 IF IN EYES: Rinse cautiously vater for several minutes. Remove contact lenses, if pre- and easy to do. Continue rinsing. Immediately call a ON CENTER/ doctor. + P313 If skin irritation occurs: Get medical advice/

### Hazardous components which must be listed on the label:

Cement, portland, chemicals Flue dust, portland cement

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The product contains chromate reducers, as a result of which the water-soluble chromium (VI) content is less than 0,0002%. In the event of incorrect storage (ingress of moisture) or overlong storage, the chromate reducers contained in the product can lose their efficacy and a sensitising effect of the cement / binding agent may occur in the event of contact with the skin (H317 or EUH203).

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

# Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Sens. 1; H317	>= 10 - < 20
	266-043-4	Skin Irrit. 2; H315	
		Eye Dam. 1; H318	
		STOT SE 3; H335	
Flue dust, portland cement	68475-76-3	Skin Sens. 1; H317	>= 1 - < 3
	270-659-9	Skin Irrit. 2; H315	
	01-2119486767-17	Eye Dam. 1; H318	



DisboCRET 714					
Version 1.2	Revision Date: 26.11.2020	Print Date 01.12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019		
		I	STOT SE 3; H335		

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

4.1 Description of first aid measured	ure	S			
General advice	:	Move out of dangerous area. First aider needs to protect himself. Never give anything by mouth to an unconscious person.			
If inhaled	:	If symptoms persist, call a physician. If breathed in, move person into fresh air.			
In case of skin contact	:	If symptoms persist, call a physician. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.			
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.			
4.2 Most important symptoms ar	nd e	effects, both acute and delayed			
Risks	:	Eye contact with the powder (dry or wet) may cause serious and potentially irreversible injuries. The powder (combined with perspiration) can form an alkaline solution. That may cause skin irritation.			
	me	dical attention and special treatment needed			
Treatment	:	Show this safety data sheet to the doctor in attendance.			
SECTION 5: Firefighting measures					
5.1 Extinguishing media					
Suitable extinguishing media	:	Not combustible.			
Unsuitable extinguishing	:	Not applicable			



DisboC	RET 714						
Version 1.2	Revision Date: 26.11.2020	Print Date 01.12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019				
media							
5.2 Special	hazards arising from	the substa	nce or mixture				
Specific hazards during fire- fighting : Even diluted mixed products containing cement can cause irritation. Aqueous cement suspensions have an alkaline effect.							
5.3 Advice	for firefighters						
Furthe	r information	be disp	sidues and contaminated fire extinguishing water must osed of in accordance with local regulations. oduct itself does not burn.				
6.1 Person	SECTION 6: Accidental release measures   6.1 Personal precautions, protective equipment and emergency procedures   Personal precautions : Ensure adequate ventilation. Avoid dust formation.						
6.2 Enviror	nmental precautions						
Enviro	nmental precautions	respect	roduct contaminates rivers and lakes or drains inform ive authorities. flush into surface water or sanitary sewer system.				
6.3 Method	ls and material for co	ntainment a	nd cleaning up				
Metho	ds for cleaning up		spilled product while avoiding dust formation and dis- it as described in Section 13.				
		Preven	t dust from forming and collect any dust mechanically.				
<b>6.4 Reference to other sections</b> For personal protection see section 8.,For further information see Section 7 of the safety data sheet. ,For disposal considerations see section 13.							

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8.
	Even diluted mixed products containing cement can cause
	irritation.
	Avoid contact with skin and eyes.
	Avoid creating dust.



Vers 1.2	sion	Revision Date: 26.11.2020		int Date .12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019	
				-	nrent technical information for this product	
Advice on protection against fire and explosion				The product is not flammable.		
Hygiene measures		:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.			
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities	
		ements for storage and containers	:	Observe label precautions. Keep in a dry, cool place.		
	Advice	on common storage	:	age.	uct to get in contact with water during stor- ther with acids and ammonium salts.	
	Storag	e class (TRGS 510)	:	13, Non Combus	tible Solids	
	Further age sta	r information on stor- ability	:	Aqueous cement	suspensions have an alkaline effect.	
7.3	Specifie	c end use(s)				
	Specifi	c use(s)	:	This information i	s not available.	

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Flue dust, portland cement	Consumers	Inhalation	Acute local effects	4,00 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1,00 mg/m3
	Workers	Inhalation	Acute local effects	4,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	1,00 mg/m3

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Flue dust, portland cement	Marine water	3 µg/l
	Fresh water sediment	875
	Marine sediment	88



ersion .2	Revision Date: 26.11.2020		int Date .12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019	
			Intermittent us Soil	e/release	282 μg/l 5 mg/kg dry weight (d.w.)
			Fresh water		28 µg/l
			Sewage treatm	nent plant	6 mg/l
.2 Expos	ure controls			•	
Perso	onal protective equip	ment			
Еуе р	rotection	:		or there is a danger of sp h side protection.	lashing, use protec-
			German trade a	ssociation rules - BGR 19	2 Eye protection
			Goggles		
Ma Bro Glo	protection aterial eak through time ove thickness otective index	:	nitrile coated co > 480 min 0,8 mm Class 6	tton gloves	
Re	emarks	:		air of gloves handy. If the o to the skin, the gloves mu	
Skin a	Skin and body protection :		Remove and wash contaminated clothing before re-use. Choose body protection according to the amount and con- centration of the dangerous substance at the work place. Safety shoes Long sleeved clothing		
			Skin should be	washed after contact.	
Respi	ratory protection	:	Do not breathe Breathing appar	dust. atus only if aerosol or dus	t is formed.
Filter	type	:	Half mask with a	a particle filter P2 (EN 143	)
			German trade a tion	ssociation rules - BGR 19	0 Breathing protec-

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	No data available



Versior 1.2	n Revision Date: 26.11.2020		nt Date 12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019
O	dour	:	cement-like	
	dour Threshold	:	Not relevant	
pH		:	ca. 11 - 13,5 Concentration: 10 in contact with wa	
M	elting point/freezing point	:	Not applicable	
Bo	biling point/boiling range	:	Not applicable	
Fla	ash point	:	Not applicable	
E٧	aporation rate	:	Not applicable	
Fla	ammability (solid, gas)	:	The product is no	ot flammable.
	oper explosion limit / Upper Immability limit	:	not determined	
	ower explosion limit / Lower Immability limit	:	not determined	
Va	apour pressure	:	not determined	
Re	elative vapour density	:	not determined	
Re	elative density	:	not determined	
So	blubility(ies) Water solubility	:	insoluble	
	artition coefficient: n- stanol/water	:	not determined	
Αι	uto-ignition temperature	:	not determined	
De	ecomposition temperature	:	Not applicable	
Vi	scosity Viscosity, dynamic	:	Not applicable	
Ex	plosive properties	:	Not applicable	
O	xidizing properties	:	Not applicable	

### 9.2 Other information



Version 1.2	Revision Date: 26.11.2020	Print Date 01.12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019
Self-ig	nition	: Not applica	ble
SECTION	10: Stability and	reactivity	
10.1 React	tivity		
	nical stability a under recommende	d storage conditions	Э.
10.3 Possi	bility of hazardous	reactions	
Hazar	dous reactions	: No dangero	ous reaction known under conditions of normal use.
10.4 Cond	itions to avoid		
Condi	tions to avoid	: Exposure to	o air or moisture over prolonged periods.
10.5 Incom	npatible materials		
Materi	ials to avoid	: humid air a Aluminium Acids Ammonium	
10.6 Hazar	dous decompositio	on products	
No hazardous decomposition products are known.			

# Acute toxicity

Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Skin corrosion/irritation		
Product:		
Remarks	:	May cause skin irritation and/or dermatitis.



Version 1.2	Revision Date: 26.11.2020	Print Date 01.12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019	
	us eye damage/eye ii	ritation		
<u>Produ</u> Rema		· May cause ir	reversible eye damage.	
		. may cauco ii		
Resp	iratory or skin sensit	isation		
Produ				
Rema	arks	: No data avail	able	
SECTION	I 12: Ecological info	ormation		
12.1 Toxic	-			
Produ		Deve de Nie		
IOXIC	ity to fish	: Remarks: No	data is available on the product itself.	
12.2 Persi	stence and degradab	oility		
No da	ita available			
	ccumulative potential ata available			
12.4 Mobi	lity in soil	soil		
	ita available			
12.5 Resu	Its of PBT and vPvB	assessment		
<u>Produ</u>		<b>—</b>		
Asses	ssment	to be either p	ce/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er	
12.6 Othe	r adverse effects			
Produ	<u>uct:</u>			
	onal ecological infor-		ental hazard cannot be excluded in the event of al handling or disposal.	

### 13.1 Waste treatment methods

Product

Can be landfilled after concentration, when in compliance with local regulations.

:



Version 1.2	Revision Date: 26.11.2020	Print Date 01.12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019	
		Waste should	I not be disposed of via wastewater.	
Conta	minated packaging		ners should be taken to an approved waste han- recycling or disposal.	
Waste Code		170904, mixe	used product 170904, mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03	
			uct er construction and demolition wastes (including s) containing dangerous substances	

# **SECTION 14: Transport information**

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

# 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on	: Not applicable
the market and use of certain dangerous substances,	
preparations and articles (Annex XVII)	

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). This product is a mixture and does not contain Substances of Very High



DisboCRET 714						
Version 1.2	Revision Date: 26.11.2020	Print Date 01.12.2020	Date of last issue: 22.09.2020 Date of first issue: 20.11.2019			
			Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be generated.			
	REACH - List of substances subject to authorisation : None (Annex XIV)					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable						
Water (Germ	contaminating class	: 1 slightly w	vater endangering			
Produ		: ZP1 Products co	ontaining cement, low in chromate			
		: ZP1 Products co	ontaining cement, low in chromate			
Volatil	e organic compounds	: < 0.1 % < 1 g/l				

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

### **SECTION 16: Other information**

Full text of H-Stateme	ents	
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abb	reviations	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the Interna-ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the Interna-tional Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Stand-ard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Com-munity number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Exist-ing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concen-



Version	Revision Date:	Print Date	Date of last issue: 22.09.2020
1.2	26.11.2020	01.12.2020	Date of first issue: 20.11.2019

tration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; NOEAL - Status and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; NDE - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Stehnical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixtur	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version	Revision Date:	Print Date	Date of last issue: 22.09.2020
1.2	26.11.2020	01.12.2020	Date of first issue: 20.11.2019

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN