according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DisboXID 467 Comp. B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Epoxide-resin-based coating material, totally solid

stance/Mixture

Recommended restrictions

on use

within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Disbon GmbH

Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone : +496154710 Telefax : +4961547170222

Website

E-mail address Responsi-

ble/issuing person

: msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 28.02.2023 6008550 Date of first issue: 28.02.2023 3.0

#### 2.2 Label elements

Hazard pictograms

#### Labeling (REGULATION (EC) No 1272/2008)







Signal Word Danger

Hazard Statements H314 Causes severe skin burns and eye damage.

> May cause an allergic skin reaction. H317

H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

**EUH071** Corrosive to the respiratory tract.

**Prevention:** Precautionary Statements

> P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-

sent and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

#### Hazardous ingredients which must be listed on the label:

Phenol, methylstyrenated 3-aminomethyl-3,5,5-trimethylcyclohexylamine m-phenylenebis(methylamine) Phenol, styrenated

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Phenol, methylstyrenated	68512-30-1 270-966-8 01-2119555274-38	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 10 - < 20
3-aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2 220-666-8 612-067-00-9 01-2119514687-32	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 ————————————————————————————————————	>= 5 - < 10
1-methoxy-2-propanol	107-98-2 203-539-1 603-064-00-3 01-2119457435-35	Flam. Liq. 3; H226 STOT SE 3; H336	>= 1 - < 10
m-phenylenebis(methylamine)	1477-55-0 216-032-5 01-2119480150-50	Acute Tox. 4; H332 Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Eye Dam. 1; H318 EUH071	>= 5 - < 10
Phenol, styrenated	61788-44-1 262-975-0 01-2119980970-27, 01-2119979575-18, 01-2119557886-19	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 2,5 - < 10
Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction	68609-08-5 614-657-1	Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 5 - < 10

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

products with bisphenol A diglycidyl ether homopolymer	01-2120106013-80		
dodecan-1-ol	112-53-8 203-982-0 01-2119485976-15, 01-2119787279-18	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Eye Irrit. 2; H319	>= 1 - < 2,5
amines, coco alkyl	61788-46-3 262-977-1 612-285-00-4 01-2119473798-17	STOT RE 2; H373 Asp. Tox. 1; H304 Aquatic Chronic 1; H410 Skin Corr. 1B; H314 Acute Tox. 4; H302 STOT SE 3; H335 Aquatic Acute 1; H400  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 1 - < 2,5
Substances with a workplace expo	sure limit :		l
silicon carbide	409-21-2 206-991-8 01-2119402892-42		>= 30 - < 50

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.

If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area. First aider needs to protect himself.

If inhaled : Move to fresh air.

In case of skin contact : Do NOT use solvents or thinners.

In case of contact, immediately flush skin with soap and plenty

of water.

Take off all contaminated clothing immediately.

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy-

according to Regulation (EC) No. 1907/2006



DE / EN

DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

sician.

If swallowed : Call a physician.

Clean mouth with water and drink afterwards plenty of water.

If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

Causes serious eye damage. Corrosive to the respiratory tract.

Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

Cool closed containers exposed to fire with water spray.

Hazardous decomposition products formed under fire condi-

tions.

5.3 Advice for firefighters

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

In the event of fire and/or explosion do not breathe fumes.

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not get in eyes, on skin, or on clothing.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Ensure adequate ventilation. Remove all sources of ignition.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Avoid exceeding the given occupational exposure limits (see

section 8).

Provide sufficient air exchange and/or exhaust in work rooms.

In addition, the current technical information for this product and its application on www.caparol.com must be observed.

Advice on protection against

fire and explosion

The product is flammable but not readily ignited.

Hygiene measures : Avoid contact with the skin and the eyes. Wash hands before

eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec-

tive equipment before entering eating areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Store in original container. Store between 41 and 77 °F in a

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

areas and containers dry, well ventilated place away from sources of heat, ignition

and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510) : 8A

7.3 Specific end use(s)

Specific use(s) : This information is not available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
silicon carbide	409-21-2	AGW (Inhalable	10 mg/m3	DE TRGS
		fraction)		900
	Peak-limit cat	egory: 2;(II)		
	Further inform	nation: When there is	compliance with the OEL ar	nd biological
	tolerance valu	ies, there is no risk o	of harming the unborn child	
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)		900
	Peak-limit cat	egory: 2;(II)		
			s compliance with the OEL ar	nd biological
	tolerance valu		of harming the unborn child	
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)		527
1-methoxy-2-	107-98-2	STEL	150 ppm	2000/39/EC
propanol			568 mg/m3	
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	100 ppm	2000/39/EC
			375 mg/m3	
	Further information: Identifies the possibility of significant uptake through the			
	skin, Indicative			
		AGW	100 ppm	DE TRGS
			370 mg/m3	900
	Peak-limit category: 2;(I)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			

#### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
1-methoxy-2-propanol	107-98-2	1-Methoxypropan- 2-ol: 15 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health effects	Value
silicon carbide	Consumers	Skin contact	Acute systemic effects	200,00 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	13,00 mg/kg bw/day
	Consumers	Inhalation	Acute systemic effects	23,00 mg/m3
	Workers	Inhalation	Acute systemic effects	94,00 mg/m3
3-aminomethyl-3,5,5- trimethylcyclohexyla- mine	Consumers	Ingestion	Long-term systemic effects	0,53 mg/kg bw/day
	Workers	Inhalation	Acute local effects	0,07 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,07 mg/m3
1-methoxy-2-propanol	Consumers	Inhalation	Long-term systemic effects	43,90 mg/m3
	Consumers	Skin contact	Long-term systemic effects	78,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	33,00 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	553,50 mg/m3
	Workers	Inhalation	Acute local effects	553,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	369,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	183,00 mg/kg bw/day
m- phe- nylenebis(methylamin e)	Workers	Inhalation	Long-term systemic effects	1,20 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,20 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,33 mg/kg bw/day
Phenol, styrenated	Consumers	Ingestion	Long-term systemic effects	1,56 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	3,13 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	1,46 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,29 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,01 mg/m3
	Consumers	Inhalation	Long-term systemic	2,72 mg/m3

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

			effects	
	Workers	Inhalation	Long-term systemic effects	11,02 mg/m3
	Workers	Inhalation	Long-term systemic effects	4,11 mg/m3
	Workers	Skin contact	Long-term systemic effects	6,25 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	2,92 mg/kg bw/day
dodecan-1-ol	Consumers	Inhalation	Acute systemic effects	65,00 mg/m3
	Consumers	Inhalation	Long-term systemic effects	65,00 mg/m3
	Consumers	Skin contact	Long-term systemic effects	75,00 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	75,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	75,00 mg/kg bw/day
	Workers	Inhalation	Acute systemic ef- fects	220,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	220,00 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	125,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	125,00 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
3-aminomethyl-3,5,5-	Sea sediment	0,578 mg/kg dry
trimethylcyclohexylamine		weight (d.w.)
	Fresh water sediment	5,784 mg/kg dry
		weight (d.w.)
	Fresh water	0,06 mg/l
	Sewage treatment plant	3,18 mg/l
	Sea water	0,006 mg/l
	Soil	1,121 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,23 mg/l
1-methoxy-2-propanol	Fresh water sediment	52,3 mg/kg dry
		weight (d.w.)
	Intermittent use/release	100 mg/l
	Fresh water	10 mg/l
	Sea water	1 mg/l
	Sewage treatment plant	100 mg/l
	Sea sediment	5,2 mg/kg dry
		weight (d.w.)
	Soil	4,59 mg/kg dry

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

		weight (d.w.)
m-phenylenebis(methylamine)	Soil	0,045 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	10 mg/l
	Sea sediment	0,043 mg/kg dry
		weight (d.w.)
	Fresh water sediment	0,43 mg/kg dry
		weight (d.w.)
	Fresh water	0,094 mg/l
	Intermittent use/release	0,152 mg/l
	Sea water	0,0094 mg/l
Phenol, styrenated	Soil	305,2 μg/kg dry
•		weight (d.w.)
	Intermittent use/release	13,5 µg/l
	Sewage treatment plant	10 mg/l
	Sea water	1,15 µg/l
	Fresh water sediment	1,564 mg/kg dry
		weight (d.w.)
	Fresh water	0,00144 mg/l
	Soil	31524,73056
		mg/kg dry weight
		(d.w.)
	Sea sediment	156,4
	Sea water	0,000144 mg/l
	Sewage treatment plant	0,17 mg/l
	Fresh water sediment	65778,16752
		mg/kg dry weight
		(d.w.)
	Sea sediment	65778,16752
		mg/kg dry weight
		(d.w.)
	Intermittent use/release	0,0144 mg/l
	Fresh water	11,5 µg/l
dodecan-1-ol	Sea sediment	0,11 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	0,0207 mg/l
	Sea water	0,00028 mg/l
	Soil	0,888 mg/kg dry
		weight (d.w.)
	Fresh water sediment	1,1 mg/kg dry
		weight (d.w.)
	Fresh water	0,0028 mg/l

### 8.2 Exposure controls

## Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection

Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

Hand protection

Material : Nitrile rubber
Glove thickness : 0,2 mm
Protective index : Class 3

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Wear suita-

ble gloves tested to EN374.

DGUV Regulation 112-195 - Use of protective gloves

Skin and body protection : Safety shoes

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

Respiratory protection : Roller application or brushing: This product should not be

used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to

standard EN 14387) is used.

DGUV Regulation 112-190 - Use of breathing equipment

During spray application: Do not breathe spray dust. Use

A2/P2 combination filter for paint spraying.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : white

Odor : No data available

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

according to Regulation (EC) No. 1907/2006



DE / EN

DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower :

flammability limit

not determined

Flash point : 64 °C

Autoignition temperature : not determined

Decomposition temperature : Not applicable

Viscosity

Viscosity, dynamic : No data available

Solubility(ies)

Water solubility : partly miscible

Partition coefficient: n-

octanol/water

not determined

Vapor pressure : not determined

Density : 1,3400 g/cm3

Relative vapor density : not determined

9.2 Other information

Oxidizing properties : Not applicable

Flammability (liquids) : The product is not flammable.

Evaporation rate : Not applicable

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous decomposition products formed under fire condi-

tions.

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids.

Incompatible with oxidizing agents.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

### Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

#### **Components:**

#### 3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Acute oral toxicity : LD50 (Rat, male): 1.030 mg/kg

Method: OECD Test Guideline 401

#### m-phenylenebis(methylamine):

Acute oral toxicity : LD50 (Rat): 930 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 1,01 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 3.100 mg/kg

amines, coco alkyl:

Acute oral toxicity : LD50 (Rat): 1.300 mg/kg

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

#### Skin corrosion/irritation

### Causes severe burns.

#### **Components:**

#### Phenol, styrenated:

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

#### Serious eye damage/eye irritation

## Causes serious eye damage.

## Respiratory or skin sensitization

#### Skin sensitization

#### May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

## STOT-single exposure

Corrosive to the respiratory tract.

#### STOT-repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

10

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### amines, coco alkyl:

M-Factor (Acute aquatic tox- : 10

icity)

M-Factor (Chronic aquatic :

toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Uncured product residues and unpurified packaging should be

disposed of as hazardous waste.

Material residues: Allow the basic substance to harden with

hardener and dispose of as paint waste.

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recy-

cling.

Waste Code : used product

080111\*, waste paint and varnish containing organic solvents

or other dangerous substances

#### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN : UN 2735
ADR : UN 2735
RID : UN 2735
IMDG : UN 2735
IATA : UN 2735

#### 14.2 UN proper shipping name

ADN : AMINES, LIQUID, CORROSIVE, N.O.S.

(3-aminomethyl-3,5,5-trimethylcyclohexylamine, m-

phenylenebis(methylamine))

ADR : AMINES, LIQUID, CORROSIVE, N.O.S.

(3-aminomethyl-3,5,5-trimethylcyclohexylamine, m-

phenylenebis(methylamine))

RID : AMINES, LIQUID, CORROSIVE, N.O.S.

(3-aminomethyl-3,5,5-trimethylcyclohexylamine, m-

phenylenebis(methylamine))

**IMDG** : AMINES, LIQUID, CORROSIVE, N.O.S.

(3-aminomethyl-3,5,5-trimethylcyclohexylamine, m-phenylenebis(methylamine), amines, coco alkyl, Phenol,

styrenated)

IATA : Amines, liquid, corrosive, n.o.s.

(3-aminomethyl-3,5,5-trimethylcyclohexylamine, m-

phenylenebis(methylamine))

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

### 14.3 Transport hazard class(es)

Class Subsidiary risks

**ADN** 8 **ADR** 8 **RID** 8 **IMDG** 8 IATA 8

## 14.4 Packing group

#### ADN

Packing group Ш Classification Code C7 Hazard Identification Number : 80 Labels 8

#### **ADR**

Packing group Ш Classification Code C7 Hazard Identification Number 80 Labels 8 Tunnel restriction code (E)

#### **RID**

Packing group Ш Classification Code C7 Hazard Identification Number : 80 Labels 8

#### **IMDG**

Packing group Ш Labels 8 **EmS Code** F-A, S-B

## IATA (Cargo)

Packing instruction (cargo 855

aircraft)

Packing instruction (LQ) Y840 Packing group Ш

Labels Corrosive

#### IATA (Passenger)

Packing instruction (passen-851

ger aircraft)

Packing instruction (LQ) Y840 Packing group Ш

Labels Corrosive

### 14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

**ADN** 

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).

: Conditions of restriction for the following entries should be considered: Number on list 3

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener-

ated.

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: None

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

E2 ENVIRONMENTAL HAZARDS

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 28.02.2023 6008550 Date of first issue: 28.02.2023 3.0

dangerous substances.

Water hazard class (Germa-

WGK 3 highly water endangering

Classification according to AwSV, Annex 1 (5.2)

paints / Giscode

Product code for laquers and : RE1 Epoxy resin products, solvent-free, sensitising

: RE30 Epoxy resin products, sensitising, totally solid

Directive 2004/42/EC Volatile organic compounds

> < 7 % < 90 g/l

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H226 Flammable liquid and vapor. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

May cause an allergic skin reaction. H317 H318 Causes serious eye damage. Causes serious eye irritation. H319

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated

exposure if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412

**EUH071** Corrosive to the respiratory tract.

#### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitization

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

DE TRGS 527 : Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

TRGS 903 : TRGS 903 - Biological limit values

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

DE TRGS 527 / BM : Assessment scale

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Covil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECSC - Inventory of Existing Chemicals Deserved (Adverse) Effect Concentration; ICAO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Acti

#### **Further information**

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH

according to Regulation (EC) No. 1907/2006



DE / EN

## DisboXID 467 Comp. B

Version Revision Date: SDS Number: Date of last issue: 25.11.2020 3.0 28.02.2023 6008550 Date of first issue: 28.02.2023

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

#### Classification of the mixture:

#### Classification procedure:

Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN