according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DisboPOX W 443 Comp. B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Epoxide-resin-based coating material, aqueous

stance/Mixture

Recommended restrictions

on use

within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Disbon GmbH

Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone : +496154710 Telefax : +4961547170222

E-mail address Responsi-

ble/issuing person

: msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P262 Do not get in eyes, on skin, or on clothing.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous ingredients which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane bisphenol-F epoxy resin MW <700 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Epoxy resin solution

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 50 - < 70
		specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	
bisphenol-F epoxy resin MW <700	9003-36-5 500-006-8 01-2119454392-40	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 20 - < 25
p-tert-butylphenyl 1-(2,3- epoxy)propyl ether	3101-60-8 221-453-2 01-2119959496-20	Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 20 - < 25
1-methoxy-2-propanol	107-98-2 203-539-1 603-064-00-3 01-2119457435-35	Flam. Liq. 3; H226 STOT SE 3; H336	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.

If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area. First aider needs to protect himself.

If inhaled : Move to fresh air.

In case of skin contact : Do NOT use solvents or thinners.

In case of contact, immediately flush skin with soap and plenty

of water.

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

Take off all contaminated clothing immediately.

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy-

sician.

If swallowed : Call a physician.

Clean mouth with water and drink afterwards plenty of water.

If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

Cool closed containers exposed to fire with water spray.

Hazardous decomposition products formed under fire condi-

tions.

5.3 Advice for firefighters

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

In the event of fire and/or explosion do not breathe fumes.

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not get in eyes, on skin, or on clothing.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Ensure adequate ventilation. Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Avoid exceeding the given occupational exposure limits (see

section 8).

Provide sufficient air exchange and/or exhaust in work rooms.

In addition, the current technical information for this product and its application on www.caparol.com must be observed.

Advice on protection against

fire and explosion

The product is flammable but not readily ignited.

Hygiene measures : Remove and wash contaminated clothing before re-use. Avoid

contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective

equipment before entering eating areas.

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510) : 10

7.3 Specific end use(s)

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
1-methoxy-2-	107-98-2	STEL	150 ppm	2000/39/EC
propanol			568 mg/m3	
	Further inform	nation: Identifies the	possibility of significant uptak	ce through the
	skin, Indicative	e	·	_
		TWA	100 ppm	2000/39/EC
			375 mg/m3	
	Further information: Identifies the possibility of significant uptake through the			
	skin, Indicative			
		AGW	100 ppm	DE TRGS
			370 mg/m3	900
	Peak-limit category: 2;(I)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
1-methoxy-2-propanol	107-98-2	1-Methoxypropan-	Immediately after	TRGS 903
		2-ol: 15 mg/l	exposure or after	
		(Urine)	working hours	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	,	•	` '	
Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
bisphenol-F epoxy	Consumers	Skin contact	Long-term systemic	62,50 mg/kg
resin MW <700			effects	bw/day
	Consumers	Ingestion	Long-term systemic	6,25 mg/kg
			effects	bw/day
	Consumers	Inhalation	Long-term systemic	8,70 mg/m3
			effects	

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

	Workers	Skin contact	Acute local effects	8,30 µg/cm2
	Workers	Skin contact	Long-term systemic effects	104,15 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	29,39 mg/m3
p-tert-butylphenyl 1- (2,3-epoxy)propyl ether	Consumers	Skin contact	Acute local effects	0,95 μg/cm2
	Consumers	Inhalation	Long-term local ef- fects	11,70 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3,30 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0,95 μg/cm2
	Consumers	Skin contact	Acute systemic ef- fects	3,30 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	11,70 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	19,60 mg/m3
	Workers	Inhalation	Acute local effects	19,60 mg/m3
	Workers	Inhalation	Long-term systemic effects	19,60 mg/m3
	Workers	Inhalation	Long-term local ef- fects	19,60 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	5,60 mg/kg bw/day
	Workers	Skin contact	Acute local effects	1,60 µg/cm2
	Workers	Skin contact	Long-term systemic effects	5,60 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	1,60 µg/cm2
1-methoxy-2-propanol	Consumers	Inhalation	Long-term systemic effects	43,90 mg/m3
	Consumers	Skin contact	Long-term systemic effects	78,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	33,00 mg/kg bw/day
	Workers	Inhalation	Acute systemic ef- fects	553,50 mg/m3
	Workers	Inhalation	Acute local effects	553,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	369,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	183,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bisphenol-F epoxy resin MW	Fresh water	0,003 mg/l

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

<700		
	Fresh water sediment	0,294 mg/kg dry weight (d.w.)
	Intermittent use/release	0,0254 mg/l
	Sea sediment	0,0294 mg/kg dry weight (d.w.)
	Sea water	0,0003 mg/l
	Sewage treatment plant	10 mg/l
	Soil	0,237 mg/kg dry weight (d.w.)
p-tert-butylphenyl 1-(2,3- epoxy)propyl ether	Fresh water	7,5 μg/l
	Soil	11,4 mg/kg dry weight (d.w.)
	Fresh water sediment	33,54 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Sea water	0,75 μg/l
	Sea sediment	3,354 mg/kg dry weight (d.w.)
	Intermittent use/release	75 μg/l
1-methoxy-2-propanol	Fresh water sediment	52,3 mg/kg dry weight (d.w.)
	Intermittent use/release	100 mg/l
	Fresh water	10 mg/l
	Sea water	1 mg/l
	Sewage treatment plant	100 mg/l
	Sea sediment	5,2 mg/kg dry weight (d.w.)
	Soil	4,59 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection

Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Wear suita-

ble gloves tested to EN374.

DGUV Regulation 112-195 - Use of protective gloves

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

Skin and body protection : Safety shoes

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

Respiratory protection : Roller application or brushing: This product should not be

used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to

standard EN 14387) is used.

DGUV Regulation 112-190 - Use of breathing equipment

During spray application: Do not breathe spray dust. Use

A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Flash point : 74,5 °C

Density : 1,1300 g/cm3

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous decomposition products formed under fire condi-

tions.

10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids.

Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Although the product only contains epoxy resins with high

molecular weight, follow good industrial hygiene practice and

avoid prolonged skin contact.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Uncured product residues and unpurified packaging should be

disposed of as hazardous waste.

Material residues: Allow the basic substance to harden with

hardener and dispose of as paint waste.

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recy-

cling.

Waste Code : used product

080111*, waste paint and varnish containing organic solvents

or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy

resin MW <700)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy

resin MW <700)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

N.O.S.

(bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy

resin MW <700)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy

resin MW <700)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy

resin MW <700)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo

aircraft)

964

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

lowing entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses

Conditions of restriction for the fol-

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

have to be defined and no chemical safety assessment has to be gener-

ated.

None

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation :

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro- E2 ENVIRONMENTAL HAZARDS

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Water hazard class (Germa- : WGK 2 obviously hazardous to water

ny) Classification according to AwSV, Annex 1 (5.2)

Product code for laquers and

paints / Giscode

: RE2 Epoxy resin products, low in solvents, sensitising

: RE10 Epoxy resin dispersions, not sensitising, hardener H

317

Volatile organic compounds : Directive 2004/42/EC

< 3 % < 30 g/l

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapor. H315 : Causes skin irritation.

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitization

STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

TRGS 903 : TRGS 903 - Biological limit values

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQD, No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Covil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECSC - Inventy and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observad (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

according to Regulation (EC) No. 1907/2006



DE / EN

DisboPOX W 443 Comp. B

Version Revision Date: SDS Number: Date of last issue: 06.04.2022 1.3 19.01.2023 6008482 Date of first issue: 10.12.2019

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture: Classification procedure:

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN