

DisboADD 905				
Version 2.0	Revision Date: 04.01.2023	SDS Numbe 6009437	er: Date of last issue: 25.11.2020 Date of first issue: 15.11.2019	
SECTION	I 1: Identification of	the substan	ce/mixture and of the company/undertaking	
1.1 Produ	ct identifier			
Trade	name	: DisboAD	DD 905	
1.2 Releva	ant identified uses of t	he substance	e or mixture and uses advised against	
Use o	f the Sub- e/Mixture		borne coatings	
Recor on use	mmended restrictions e	: within ac	dequate application - none	
1.3 Details	s of the supplier of the	e safety data s	sheet	
Comp		: Disbon (Roßdörf		
Telep Telefa		: +496154		
	il address Responsi- suing person	: msds@c	dr-rmi.com	
1.4 Emerg	jency telephone			
Emerg	gency telephone 1	: +496132	284463 GBK GmbH	
SECTION	I 2: Hazards identifi	cation		
2.1 Classi	fication of the substa	nce or mixtur	e	
	ification (REGULATIC sensitization, Category	• •	7 2/2008) H317: May cause an allergic skin reaction.	
Germ	cell mutagenicity, Cate	gory 2	H341: Suspected of causing genetic defects.	
Repro	Reproductive toxicity, Category 1B		H360FD: May damage fertility. May damage the unborn child.	
	fic target organ toxicity e, Category 2	- single ex-	H371: May cause damage to organs.	
	fic target organ toxicity sure, Category 2	- repeated	H373: May cause damage to organs through pro- longed or repeated exposure.	



DisboADD 905

Version	Revision Date: 04.01.2023	SDS Number:	Date of last issue: 25.11.2020
2.0		6009437	Date of first issue: 15.11.2019

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H360FD May damage fertility. May damage the unborn child. H371 May cause damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Precautionary Statements	:	Prevention:P201Obtain special instructions before use.P202Do not handle until all safety precautions have been read and understood.P260Do not breathe vapours/ spray.P262Do not get in eyes, on skin, or on clothing.P273Avoid release to the environment.P280Wear protective gloves/ protective clothing/ eye protection/ face protection.Response:P308 + P311IF exposed or concerned: Call a POISON CENTER/ doctor.

Hazardous ingredients which must be listed on the label:

dibutyltin dilaurate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



DisboADD 905

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2020
2.0	04.01.2023	6009437	Date of first issue: 15.11.2019

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

.

Chemical nature : Mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
dibutyltin dilaurate	77-58-7 201-039-8 050-030-00-3 01-2119496068-27, 01-2119557828-21	Muta. 2; H341 Repr. 1B; H360FD STOT SE 1; H370 (thymus) STOT RE 1; H372 (thymus) Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317	>= 2,5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	 Call a physician. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.





lorgion	Povicion Doto:	٥r	S Number	Data of last issue: 25 11 2020	
ersion .0	Revision Date: 04.01.2023		0S Number: 09437	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019	
			Move to fresh air.		
In cas	se of skin contact	:	of water.	ents or thinners. , immediately flush skin with soap and pler minated clothing immediately.	
In cas	se of eye contact	:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes enses, if present and easy to do. Continue	
If swallowed :		:		rice. water and drink afterwards plenty of water NOT induce vomiting.	
4.2 Most i	mportant symptoms a	nd e	effects, both acute	and delayed	
Risks		:	May cause an allergic skin reaction. Suspected of causing genetic defects. May damage fertility. May damage the unborn child. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure.		
			•		
4.3 Indica	tion of any immediate	med	exposure.	ge to organs through prolonged or repeated	
4.3 Indica Treat	-	meo :	exposure.	ge to organs through prolonged or repeated	
Treat	-	:	exposure. dical attention and No information av	ge to organs through prolonged or repeated	
Treat	ment	:	exposure. dical attention and No information av	ge to organs through prolonged or repeated	
Treat	ment N 5: Firefighting mea	:	exposure. dical attention and No information av es Use extinguishing cumstances and t Use water spray, bon dioxide.	ge to organs through prolonged or repeated a special treatment needed railable. I measures that are appropriate to local cir- the surrounding environment. alcohol-resistant foam, dry chemical or car	
Treat SECTION 5.1 Exting Suital	ment N 5: Firefighting meas guishing media ble extinguishing media itable extinguishing	: sur	exposure. dical attention and No information av es Use extinguishing cumstances and f Use water spray, bon dioxide. Do not use a solic	ge to organs through prolonged or repeated a special treatment needed ailable.	
Treat SECTION 5.1 Exting Suital Unsui media	ment N 5: Firefighting meas guishing media ble extinguishing media itable extinguishing	: sur :	exposure. dical attention and No information av es Use extinguishing cumstances and f Use water spray, bon dioxide. Do not use a solid fire. None known.	ge to organs through prolonged or repeated a special treatment needed railable. I measures that are appropriate to local cir- he surrounding environment. alcohol-resistant foam, dry chemical or car d water stream as it may scatter and spread	



DisboADD 905						
Vers 2.0	Version Revision Date: 2.0 04.01.2023		SDS Number: 6009437		Date of last issue: 25.11.2020 Date of first issue: 15.11.2019	
5.3	Specia	for firefighters I protective equipment fighters	:	In the event of fire	e, wear self-contained breathing apparatus.	
Further information		:	-	re for chemical fires. and/or explosion do not breathe fumes.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
----------------------	---	--

6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.



DisboA	DD 905				
Version 2.0	Revision Date: 04.01.2023		DS Number: 009437	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019	
	Advice on protection against fire and explosion		Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
Hygiene measures		:	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec- tive equipment before entering eating areas.		
7.2 Condi	tions for safe storage,	inc	luding any incom	patibilities	
Requirements for storage areas and containers		:	dry, well ventilate and direct sunligh	ontainer. Store between 41 and 77 °F in a d place away from sources of heat, ignition it. Containers which are opened must be and kept upright to prevent leakage.	
Stora	ge class (TRGS 510)	:	6.1C		
7.3 Specific end use(s) Specific use(s)		:	This information i	s not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis				
dibutyltin dilaurate	77-58-7	AGW (Vapour and aerosols)	0,0018 ppm 0,009 mg/m3 (Tin)	DE TRGS 900				
	Peak-limit cat	Peak-limit category: 1;(I)						
	Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, harm to the unborn child can not be excluded							

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
dibutyltin dilaurate	Consumers	Ingestion	Acute systemic ef- fects	0,02 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,00 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,16 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,01 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	0,04 mg/m3



DisboADD 905

Version 2.0			nber:	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019		
		Consumers	Skin conta	Acute systemic ef- fects	1,00 mg/kg bw/day	
		Workers	Inhalation	Long-term systemic effects	0,02 mg/m3	
		Workers	Skin conta	Acute systemic ef- fects	2,08 mg/kg bw/day	
		Workers	Skin conta	act Long-term systemic effects	0,42 mg/kg bw/day	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
C14-17 alkanes, sec-mono- and	Soil	27,1 mg/kg dry
disulfonic acids, phenyl esters		weight (d.w.)
dibutyltin dilaurate	Sewage treatment plant	100 mg/l
	Fresh water	0,000463 mg/l
	Intermittent use/release	0,00463 mg/l
	Sea water	0,000046 mg/l
	Secondary Poisoning	0,2 mg/kg food

8.2 Exposure controls

Personal protective equipment						
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection				
		Goggles				
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3				
Remarks	:	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves				
Skin and body protection	:	Safety shoes Long sleeved clothing				
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
		Skin should be washed after contact.				
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing				
Respiratory protection	:	Roller application or brushing: This product should not be				



DisboADD 905

Version 2.0	Revision Date: 04.01.2023	SDS Number: 6009437	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019		
			nditions of poor ventilation unless a protective appropriate gas filter (i.e. type A1 according to 4387) is used.		
		DGUV Regulation 112-190 - Use of breathing equipment			
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		:	liquid
Color		:	No data available
Odor		:	No data available
Odor Threshold	ł	:	Not relevant
Melting point/fro	eezing point	:	not determined
Boiling point/bo	iling range	:	not determined
Upper explosio flammability lim		:	not determined
Lower explosio flammability lim		:	not determined
Flash point		:	> 99,5 °C
Autoignition ter	nperature	:	not determined
Decomposition	temperature	:	Not applicable
рН		:	6,95 Concentration: 10 %
Viscosity Viscosity, dy	namic	:	No data available
Solubility(ies) Water solub	ility	:	partly miscible
Partition coeffic octanol/water	ient: n-	:	not determined



Disbo/	ADD 905			
Version 2.0	Revision Date: 04.01.2023	SDS Number:Date of last issue: 25.11.20206009437Date of first issue: 15.11.2019		
Vapo	or pressure	: not determined		
Relative density		: not determined		
Dens	sity	: 1,055 g/cm3		
Relat	tive vapor density	: Heavier than air.		
0.2 Other	information			
• • • • • • •	information osives	: Not applicable		
Oxidizing properties		: Not applicable		
Flam	mability (liquids)	: Sustains combustion		

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid		
Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.
	_	

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.



DisboA	DD 905									
Version 2.0	Revision Date: 04.01.2023	SDS Number: 6009437	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019							
Skin c	orrosion/irritation									
Not cla	Not classified based on available information.									
Seriou	Serious eye damage/eye irritation									
Not cla	assified based on availa	able information.								
Respir	ratory or skin sensitiz	ation								
Skin s	ensitization									
May ca	ause an allergic skin re	action.								
Respi	ratory sensitization									
Not cla	assified based on availa	able information.								
Germ	cell mutagenicity									
Suspe	cted of causing genetic	defects.								
Carcin	nogenicity									
Not cla	assified based on availa	able information.								
	ductive toxicity									
	amage fertility. May dar	mage the unborn child								
	single exposure									
	ause damage to organs	.								
	repeated exposure									
	ause damage to organs	s through prolonged of	r repeated exposure.							
-	ation toxicity	The following the second second								
	assified based on availa									
11.2 Inform	nation on other hazard	ds								
Endoc	rine disrupting prope	erties								
<u>Produ</u>	<u>ct:</u>									
Assess	sment	The substance/n	nixture does not contain components consid-							

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available



DisboA	ADD 905				
Version 2.0	Revision Date: 04.01.2023	SDS Number: 6009437	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019		
	ccumulative potential ata available				
12.4 Mobi	i lity in soil ata available				
	ilts of PBT and vPvB	assessment			
Prod	uct:				
Asse	ssment	to be eithe very persis	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.		
12.6 Endo	ocrine disrupting prop	perties			
Prod	uct:				
Asse	ssment	ered to hav REACH Ar (EU) 2017/	ance/mixture does not contain components consid- ve endocrine disrupting properties according to ticle 57(f) or Commission Delegated regulation 2100 or Commission Regulation (EU) 2018/605 a 1% or higher.		
12.7 Othe	r adverse effects				
Prod Additi matio	ional ecological infor-		juatic organisms, may cause long-term adverse ne aquatic environment.		
	N 13: Disposal cons				
0201101					
13.1 Wast Produ	te treatment methods uct	: .			
		Wasta sho	uld not be disposed of via wastewater		

		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number



DisboA	ADD 905				
Version 2.0	Revision Date: 04.01.2023		DS Number: 109437	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019	
ADN		:	UN 3082		
ADR		:	UN 3082		
RID		:	UN 3082 UN 3082		
IMDG	2	:			
IATA		:	UN 3082 UN 3082		
	roper shipping name	•	011 0002		
ADN		:	ENVIRONMENT, N.O.S. (dibutyltin dilaura	ALLY HAZARDOUS SUBSTANCE, LIQUID, te)	
ADR		:	ENVIRONMENT N.O.S. (dibutyltin dilaura	ALLY HAZARDOUS SUBSTANCE, LIQUID, te)	
RID		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyltin dilaurate)		
IMDG	3	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyltin dilaurate)		
ΙΑΤΑ		:	Environmentally hazardous substance, liquid, n.o.s. (dibutyltin dilaurate)		
14.3 Trans	sport hazard class(es)				
			Class	Subsidiary risks	
ADN		:	9		
ADR		:	9		
RID		:	9		
IMDG	6	:	9		
ΙΑΤΑ		:	9		
14.4 Pack	ing group				
Class	ng group ification Code rd Identification Number s		III M6 90 9		
Packi Class	ng group ification Code rd Identification Number s		III M6 90 9		



DisboADD 905

Version 2.0	Revision Date: 04.01.2023		DS Number: 09437	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019
Tun	nel restriction code	:	(-)	
Clas	king group ssification Code ard Identification Number	:	III M6 90 9	
Lab	king group	:	III 9 F-A, S-F	
Pac airc Pac	king instruction (LQ) king group	:	964 Y964 III Miscellaneous	
Pac ger Pac	A (Passenger) king instruction (passen- aircraft) king instruction (LQ) king group els	:	964 Y964 III Miscellaneous	
14.5 Env	rironmental hazards			
ADI Env	N ironmentally hazardous	:	yes	
ADI Env	R ironmentally hazardous	:	yes	
RID Env	ironmentally hazardous	:	yes	
IMC Mar	G ine pollutant	:	yes	
	A (Passenger) ironmentally hazardous	:	yes	
ΙΑΤ	A (Cargo) ironmentally hazardous	:	yes	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date:

SECTION 15: Regulatory information

04.01.2023

DE / EN

Version

2.0

DisboADD 905



Date of last issue: 25.11.2020

Date of first issue: 15.11.2019

15.1 Safety, health and environmen ture	tal regulations/legislati	ion	specific for the substance or mix-
REACH - Restrictions on the mai the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			dibutyltin dilaurate (Number on list 30)
REACH - Candidate List of Subs Concern for Authorization (Article	, .	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 o plete the ozone layer	n substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on pettants (recast)	ersistent organic pollu-	:	Not applicable
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	None
Seveso III: Directive 2012/18/EU pean Parliament and of the Coun control of major-accident hazards dangerous substances.	ncil on the	EN,	VIRONMENTAL HAZARDS
Water hazard class (Germa- : ny)	WGK 2 obviously haza Classification according		
Volatile organic compounds :	Directive 2004/42/EC < 1 % < 10 g/l		

SDS Number:

6009437

Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

DishoADD 905



DI3DOADD 303					
Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2020		
2.0	04.01.2023	6009437	Date of first issue: 15.11.2019		

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements				
H317	:	May cause an allergic skin reaction.		
H319	:	Causes serious eye irritation.		
H341	:	Suspected of causing genetic defects.		
H360FD	:	May damage fertility. May damage the unborn child.		
H370	:	Causes damage to organs.		
H372	:	Causes damage to organs through prolonged or repeated exposure.		
H400	:	Very toxic to aquatic life.		
H410		Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Eye Irrit.	:	Eye irritation		
Muta.	:	Germ cell mutagenicity		
Repr.	:	Reproductive toxicity		
Skin Sens.	:	Skin sensitization		
STOT RE	:	Specific target organ toxicity - repeated exposure		
STOT SE	:	Specific target organ toxicity - single exposure		
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.		
DE TRGS 900 / AGW	:	Time Weighted Average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operatio

Further information Other information:



DisboADD 905

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2020
2.0	04.01.2023	6009437	Date of first issue: 15.11.2019

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixtu	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Muta. 2	H341	Calculation method
Repr. 1B	H360FD	Calculation method
STOT SE 2	H371	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



DisboADD 905

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2020
2.0	04.01.2023	6009437	Date of first issue: 15.11.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN