

DisboXID 460 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
3.0	19.02.2024	6000104	Date of first issue: 23.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	DisboXID 460 Comp. B
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, totally solid
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		

1.4 Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Acute toxicity, Category 4H302: Harmful if swallowed.Skin corrosion, Sub-category 1BH314: Causes severe skin burns and eye damage.Serious eye damage, Category 1H318: Causes serious eye damage.Skin sensitization, Category 1H317: May cause an allergic skin reaction.Specific target organ toxicity - repeated
exposure, Category 2H373: May cause damage to organs through pro-
longed or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

.....

DE / EN

.



.

DisboXID 460 Comp. B

– . .

Version 3.0	Revision Date: 19.02.2024	-	DS Number: 000104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019
Hazaı	rd pictograms	:		
Signa	l Word	:	Danger	
Hazaı	rd Statements	:	H302 H314 H317 H373	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.
Preca	utionary Statements	:	Prevention P260 P264 P280	Do not breathe mist or vapors. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
			Response:	
			•	1 + P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
			P304 + P34	
			P305 + P35	1 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins- ing. Immediately call a POISON CENTER/ doctor.

- .

. .

Hazardous ingredients which must be listed on the label:

4,4'-methylenebis(cyclohexylamine) Formaldehyde, polymer with benzeneamine, hydrogenated N,N'-bis(3-aminopropyl)ethylenediamine N-(2-aminoethyl)-1,3-propanediamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



DisboXID 460 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
3.0	19.02.2024	6000104	Date of first issue: 23.07.2019

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
benzyl alcohol	100-51-6	Acute Tox. 4; H302	>= 30 - < 50
	202-859-9	Acute Tox. 4; H332	
	603-057-00-5	Eye Irrit. 2; H319	
	01-2119492630-38		
4,4'-	1761-71-3	Acute Tox. 4; H302	>= 20 - < 30
methylenebis(cyclohexylamine)	217-168-8	Skin Sens. 1; H317	
	01-2119541673-38	STOT RE 2; H373	
Franciski de la sedance Miller	405400.00.0	Skin Corr. 1B; H314	40 00
Formaldehyde, polymer with ben-	135108-88-2	Acute Tox. 3; H301	>= 10 - < 20
zeneamine, hydrogenated	04 0440000500 00	Skin Corr. 1C; H314	
	01-2119983522-33	Skin Sens. 1; H317	
		STOT RE 2; H373	
		(Kidney) Aquatic Chronic 3;	
		H412	
N,N'-bis(3-	10563-26-5	Acute Tox. 4; H302	>= 5 - < 10
aminopropyl)ethylenediamine	234-147-9	Acute Tox. 3; H311	20 10
	01-2119976331-37,	Skin Corr. 1B; H314	
	01-2119994134-33	Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
2,4,6-	90-72-2	Acute Tox. 4; H302	>= 5 - < 10
tris(dimethylaminomethyl)phenol	202-013-9	Skin Corr. 1C; H314	
	603-069-00-0	Eye Dam. 1; H318	
	01-2119560597-27		
N-(2-aminoethyl)-1,3-	13531-52-7	Acute Tox. 4; H302	>= 0,1 - < 1
propanediamine	236-882-0	Acute Tox. 2; H310	
	01-2120097861-45	Skin Corr. 1A; H314	
		Skin Sens. 1A; H317	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	: Move to fresh air.



DisboXID 460 Comp. B

Versior 3.0	n Revision Date: 19.02.2024	SDS 6000	Number: 104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019	
In	In case of skin contact		f water.	ents or thinners. , immediately flush skin with soap and plenty minated clothing immediately.	
In	In case of eye contact		emove contact le	e cautiously with water for several minutes. enses, if present and easy to do. Continue ely call a POISON CENTER or doctor/ phy-	
lf s	If swallowed		Call a physician. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Mo	st important symptoms a	nd effe	ects, both acute	and delayed	
	sks	: H M C M e	larmful if swallow lay cause an alle auses serious e	ved. ergic skin reaction. ye damage. ge to organs through prolonged or repeated	
	·				
	eatment		lo information av	I special treatment needed ailable.	
SECTI	ON 5: Firefighting mea	sures			
51 Evt	inguishing media				
	itable extinguishing media	c F		measures that are appropriate to local cir- he surrounding environment. CO2)	
	nsuitable extinguishing edia	: N	lone known.		
5 2 Sna	ecial hazards arising from	the s	ubstance or mix	vturo.	
Sp	becific hazards during fire hting	: C H	ool closed conta	iners exposed to fire with water spray. nposition products formed under fire condi-	
5.3 Adv	vice for firefighters				
Sp	ecial protective equipment fire-fighters	: Ir	n the event of fire	e, wear self-contained breathing apparatus.	
Fu	rther information	: F	ire residues and	contaminated fire extinguishing water must	



DisboXID 460 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
3.0	19.02.2024	6000104	Date of first issue: 23.07.2019
		Standard proc	f in accordance with local regulations. edure for chemical fires. fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
----------------------	---	--

6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform
		respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
Hygiene measures	:	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec- tive equipment before entering eating areas.



DisboXID 460 Comp. B

Version 3.0	Revision Date: 19.02.2024		DS Number: 000104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019
	tions for safe storage,	, inc	•••	
•	irements for storage and containers	:	dry, well ventilate and direct sunligh	container. Store between 41 and 77 °F in a ad place away from sources of heat, ignition nt. Containers which are opened must be d and kept upright to prevent leakage.
Stora	ge class (TRGS 510)	:	8A	
	f ic end use(s) ific use(s)	:	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
benzyl alcohol	100-51-6	AGW (Vapour	5 ppm	DE TRGS		
		and aerosols)	22 mg/m3	900		
	Peak-limit category: 2;(I)					
	Further information: Skin absorption, When there is compliance with the OEL					
	and biological tolerance values, there is no risk of harming the unborn child					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
benzyl alcohol	Consumers	Skin contact	Acute systemic ef- fects	20,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,40 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4,00 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	20,00 mg/kg bw/day
	Consumers	Inhalation	Acute systemic ef- fects	27,00 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	22,00 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	40,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	8,00 mg/kg bw/day
4,4'- meth-	Consumers	Skin contact	Long-term systemic effects	0,06 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboXID 460 Comp. B

rsion)	Revision Date: 19.02.2024	SDS Nu 6000104		of last issue: 14.03.2023 of first issue: 23.07.2019	
ylenet mine)	ois(cyclohexyla				
		Consumers	Ingestion	Long-term systemic effects	0,06 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	0,21 mg/m3
		Workers	Inhalation	Long-term systemic effects	1,00 mg/m3
		Workers	Inhalation	Long-term systemic effects	1,00 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,10 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	0,10 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	0,21 mg/m3
		Consumers	Skin contact	Long-term systemic effects	0,06 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	0,06 mg/kg bw/day
mer w	aldehyde, poly- rith ben- Imine, hydro- ed	Workers	Inhalation	Acute systemic ef- fects	2,00 mg/m3
		Workers	Inhalation	Long-term systemic effects	0,20 mg/m3
		Workers	Skin contact	Acute systemic ef- fects	6,00 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	2,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
benzyl alcohol	Sewage treatment plant	39 mg/l
	Fresh water	1 mg/l
	Sea sediment	0,527 mg/kg dry weight (d.w.)
	Sea water	0,1 mg/l
	Fresh water sediment	5,27 mg/kg dry weight (d.w.)
	Soil	0,456 mg/kg dry weight (d.w.)
	Intermittent use/release	2,3 mg/l
4,4'- methylenebis(cyclohexylamine)	Sea water	0,008 mg/l
	Intermittent use/release	0,08 mg/l
	Soil	27,2 mg/kg dry weight (d.w.)
	Sea sediment	13,7 mg/kg dry weight (d.w.)
	Fresh water sediment	137 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboXID 460 Comp. B

rsion	Revision Date: 19.02.2024	SDS Number: 6000104	Date of last issue: Date of first issue:	
				weight (d.w.)
		Sewage trea	atment plant	3,2 mg/l
		Fresh water	•	0,08 mg/l
		Sea sedime	nt	1,46 mg/kg dry
				weight (d.w.)
		Secondary F	Poisoning	0,556 mg/kg foc
		Soil		4,56 mg/kg dry
				weight (d.w.)
		Fresh water	sediment	14,6 mg/kg dry
				weight (d.w.)
Formaldehyde, polymer with	n Sea sedime	nt	1,5 mg/kg dry	
benze	benzeneamine, hydrogenated	ed		weight (d.w.)
		Fresh water	sediment	15 mg/kg dry
				weight (d.w.)
		Fresh water		0,015 mg/l
		Soil		1,8 mg/kg dry
				weight (d.w.)
		Sewage trea		1,9 mg/l
		Intermittent	use/release	0,15 mg/l
		Sea water		0,0015 mg/l
2,4,6-		Intermittent	use/release	0,84 mg/l
tris(di	methylaminomethyl)pł	nenol		
		Sea water		0,0084 mg/l
		Fresh water		0,084 mg/l
		Sewage trea	atment plant	0,2 mg/l

8.2 Exposure controls

Personal protective equipmen	t
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection
	Tightly fitting safety goggles
Glove thickness :	Nitrile rubber 0,2 mm Class 3
Remarks :	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection :	Safety shoes Use appropriate degowning techniques to remove potentially contaminated clothing. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Long sleeved clothing



DisboXID 460 Comp. B

Version 3.0	Revision Date: 19.02.2024	SDS Number: 6000104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019				
		centration of th	Choose body protection according to the amount and con- centration of the dangerous substance at the work place. Skin should be washed after contact.				
		used under col mask with an a	: Roller application or brushing: This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.				
		••••	pplication: Do not breathe spray dust. Use ation filter for paint spraying.				
		DGUV Regulat	tion 112-190 - Use of breathing equipment				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	> 93,5 °C
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





DisboXID 460 Comp. B

Vers 3.0	sion	Revision Date: 19.02.2024		S Number: 00104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019
	рH		:	11 Concentration: 1	0 %
	Viscos Visc	ity cosity, dynamic	:	No data available	9
	Solubil Wa ^r	ity(ies) ter solubility	:	partly miscible	
	Partitio octano	n coefficient: n- I/water	:	not determined	
	Vapor	pressure	:	not determined	
	Density	y	:	1 g/cm3	
	Relativ	e vapor density	:	not determined	
9.2		nformation ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.
	Evapor	ration rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Hazardous decomposition products formed under fire condi- tions.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

DisboXID 460 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
3.0	19.02.2024	6000104	Date of first issue: 23.07.2019

10.5 Incompatible materials Materials to avoid

: Incompatible with acids. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Harmful if swallowed.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 668,65 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Components:		
benzyl alcohol:		
Acute oral toxicity	:	LD50 (Rat, male and female): 1.230 mg/kg
4,4'-methylenebis(cyclohexy	/lan	nine):
Acute oral toxicity	:	LD50 (Rat): 625 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): 2.110 mg/kg
Formaldehyde, polymer with	n be	enzeneamine, hydrogenated:
Acute oral toxicity	:	LD50 (Rat): 300 mg/kg
N,N'-bis(3-aminopropyl)ethy	len	ediamine:
Acute oral toxicity	:	LD50 (Rat): 1.200 mg/kg
N-(2-aminoethyl)-1,3-propan	edi	amine:
Acute oral toxicity	:	LD50 Oral (Rat): 654 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rat): 187 mg/kg





DisboXID 460 Comp. B

	•							
Version 3.0	Revision Date: 19.02.2024	SDS Number: 6000104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019					
3.0	19.02.2024	0000104	Date of first issue. 23.07.2019					
Skin	corrosion/irritation							
Cause	es severe burns.							
Serio	us eye damage/eye i	rritation						
Cause	es serious eye damag	e.						
Com	oonents:							
benz	yl alcohol:							
Speci	es	: Rabbit						
Asses	ssment	: Irritating to eyes						
_								
Resp	iratory or skin sensit	ization						
Skin	sensitization							
Mayo	cause an allergic skin	reaction.						
Resp	iratory sensitization							
Not c	lassified based on ava	ilable information.						
Germ	cell mutagenicity							
Not c	lassified based on ava	ilable information.						
Carci	nogenicity							
Not c	lassified based on ava	ilable information.						
Repr	oductive toxicity							
Not c	lassified based on ava	ilable information.						
STOT	-single exposure							
Not c	lassified based on ava	ilable information.						
STOT	STOT-repeated exposure							
May cause damage to organs through prolonged or repeated exposure.								
Aspir	ation toxicity							
Not c	lassified based on ava	ilable information.						
11.2 Infor	mation on other haza	ırds						
Endo	Endocrine disrupting properties							

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



DisboXID 460 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
3.0	19.02.2024	6000104	Date of first issue: 23.07.2019

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

benzyl alcohol:

Partition coefficient: n- : log Pow: 1,05 (20 °C) octanol/water

Formaldehyde, polymer with benzeneamine, hydrogenated:

Partition coefficient: n-	:	log Pow: 2,68 (21 °C)
octanol/water		pH: 12,5

N,N'-bis(3-aminopropyl)ethylenediamine:

Partition coefficient: noctanol/water : log Pow: -1,55 (23 °C) pH: 11,4

2,4,6-tris(dimethylaminomethyl)phenol:

Partition coefficient: n-	:	Pow: >= 0,219 (21,5 °C)
octanol/water		log Pow: -0,66 (21,5 °C)
		Method: OPPTS 830.7550

N-(2-aminoethyl)-1,3-propanediamine:

Partition coefficient: n-	:	log Pow: -1,67 (23 °C)
octanol/water		

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components consid-



DisboXID 460 Comp. B

Versior 3.0	n Revision Date: 19.02.2024	SDS Number: 6000104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019
		REACH Articl	endocrine disrupting properties according to e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at 5 or higher.
12.7 O	ther adverse effects		
Ac	roduct: dditional ecological infor- ation		ental hazard cannot be excluded in the event of al handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	UN 2735
ADR	:	UN 2735
RID	:	UN 2735
IMDG	:	UN 2735
ΙΑΤΑ	:	UN 2735
14.2 UN proper shipping name		
ADN	:	AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-methylenebis(cyclohexylamine), N,N'-bis(3- aminopropyl)ethylenediamine)
ADR	:	AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-methylenebis(cyclohexylamine), N,N'-bis(3- aminopropyl)ethylenediamine)
RID	:	AMINES, LIQUID, CORROSIVE, N.O.S.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





DE / EN

DisboXID 460 Comp. B

Versi 3.0	ion	Revision Date: 19.02.2024		DS Number: 00104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019
				(4,4'-methylenebi aminopropyl)ethy	s(cyclohexylamine), N,N'-bis(3- Ienediamine)
	IMDG		:		, CORROSIVE, N.O.S. s(cyclohexylamine), N,N'-bis(3- lenediamine)
	ΙΑΤΑ		:	Amines, liquid, cc (4,4'-methylenebi aminopropyl)ethy	s(cyclohexylamine), N,N'-bis(3-
14.3	Trans	port hazard class(es)			
				Class	Subsidiary risks
	ADN		:	8	
	ADR		:	8	
	RID		:	8	
	IMDG		:	8	
	ΙΑΤΑ		:	8	
14.4	Packir	ng group			
	Classif Hazarc Labels ADR Packin Classif Hazarc Labels Tunnel Packin Classif Hazarc Labels IMDG Packin Labels EmS C IATA (i Packin aircraft Packin	g group ication Code I Identification Number restriction code g group ication Code I Identification Number g group code Cargo) g instruction (cargo .) g instruction (LQ) g group	:	II C7 80 8 II C7 80 8 (E) II C7 80 8 (E) II S7 80 8 8 8 8 8 8 8 8 8 8 8 8 8	
	IATA (Passenger)			
	-				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboXID 460 Comp. B

Version 3.0	Revision Date: 19.02.2024		DS Number: 000104	Date of last issue: 14.03.2023 Date of first issue: 23.07.2019
ger a Pack Pack	ing instruction (passen- aircraft) sing instruction (LQ) sing group	:	851 Y840 II	
Labels 14.5 Environmental hazards		:	Corrosive	
ADN Envir	ronmentally hazardous	:	no	
ADR Envi	ronmentally hazardous	:	no	
RID Envir	ronmentally hazardous	:	no	
IMD Marii	G ne pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None

6000104





DisboXID 460 Comp. B

Version	
3.0	

Revision Date: 19.02.2024

SDS Number:

Date of last issue: 14.03.2023 Date of first issue: 23.07.2019

Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			
Water hazard class (Germa- ny)	:	WGK 3 highly water endangering Classification according to AwSV, Annex 1 (5.2)	
Product code for laquers and paints / Giscode	:	RE1 Epoxy resin products, solvent-free, sensitising	
	:	RE30 Epoxy resin products, sensitising, totally solid	
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 8 %	
Volatile organic compounds	:	Directive 2004/42/EC < 45 % < 450 g/l	

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

Eye Dam.

H310 H311 H314 H317 H318 H319	:	Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. May cause damage to organs through prolonged or repeated		
	:	May cause damage to organs through prolonged or repeated exposure if swallowed. Harmful to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Chronic	:	Acute toxicity Long-term (chronic) aquatic hazard		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboXID 460 Comp. B

Version	Revision Date: 19.02.2024	SDS Number:	Date of last issue: 14.03.2023
3.0		6000104	Date of first issue: 23.07.2019
	Corr. Sens.		organ toxicity - repeated exposure S 900 - Occupational exposure limit values.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Solution from straing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMA - No Chemicals Inventory; LC50 - Lethal Concentration in 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to	:	ECHA WebSite

compile the Material Safety Data Sheet		ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network
---	--	--

Classification of the	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method



DisboXID 460 Comp. B

Version	Revision Date: 19.02.2024	SDS Number:	Date of last issue: 14.03.2023
3.0		6000104	Date of first issue: 23.07.2019
	Sens. 1	H317	Calculation method
	⁻ RE 2	H373	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN