according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Date of last issue: 08.06.2020 Revision Date: **Print Date** 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name DisboPOX W 5022 WHG Comp. A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Epoxide-resin-based coating material, totally solid

stance/Mixture

Recommended restrictions within adequate application - none

on use

1.3 Details of the supplier of the safety data sheet

Company : Disbon GmbH

Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone : +496154710 Telefax : +4961547170222 : msds@dr-rmi.com

E-mail address Responsi-

ble/issuing person

1.4 Emergency telephone number

: +49613284463 GBK GmbH Emergency telephone num-

ber 1

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat-H411: Toxic to aquatic life with long lasting effects.

egory 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

Hazard pictograms :





Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P262 Do not get in eyes, on skin, or on clothing.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection.

Response:

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane bisphenol-F epoxy resin MW <700 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. | Classification | Concentration |
|-----------------------------|---------------------|---------------------|---------------|
| | EC-No. | | (% w/w) |
| | Index-No. | | |
| | Registration number | | |
| bis-[4-(2,3- | 1675-54-3 | Skin Irrit. 2; H315 | >= 50 - < 70 |
| epoxipropoxi)phenyl]propane | 216-823-5 | Eye Irrit. 2; H319 | |
| | 603-073-00-2 | Skin Sens. 1; H317 | |
| | 01-2119456619-26 | Aquatic Chronic 2; | |

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

| | | H411 | |
|---------------------------------|------------------|---------------------|---------------|
| bisphenol-F epoxy resin MW <700 | 9003-36-5 | Skin Irrit. 2; H315 | >= 20 - < 25 |
| | 500-006-8 | Eye Irrit. 2; H319 | |
| | 01-2119454392-40 | Skin Sens. 1; H317 | |
| | | Aquatic Chronic 2; | |
| | | H411 | |
| p-tert-butylphenyl 1-(2,3- | 3101-60-8 | Skin Sens. 1; H317 | >= 2,5 - < 10 |
| epoxy)propyl ether | 221-453-2 | Aquatic Chronic 2; | |
| | 01-2119959496-20 | H411 | |
| oxirane, mono[(C12-14- | 68609-97-2 | Skin Irrit. 2; H315 | >= 1 - < 10 |
| alkyloxy)methyl] derivs. | 271-846-8 | Skin Sens. 1; H317 | |
| | 603-103-00-4 | | |
| | 01-2119485289-22 | | |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Never give anything by mouth to an unconscious person.

If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area.
First aider needs to protect himself.

If inhaled : Move to fresh air.

In case of skin contact : Do NOT use solvents or thinners.

In case of contact, immediately flush skin with soap and plenty

of water.

Take off all contaminated clothing immediately.

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy-

sician.

If swallowed : Call a physician.

Clean mouth with water and drink afterwards plenty of water.

If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Hazardous decomposition products formed under fire condi-

tions

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not get in eyes, on skin, or on clothing.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Ensure adequate ventilation. Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Avoid exceeding the given occupational exposure limits (see

section 8).

Provide sufficient air exchange and/or exhaust in work rooms.

In addition, the current technical information for this product and its application on www.caparol.com must be observed.

Advice on protection against

fire and explosion

The product is flammable but not readily ignited.

Hygiene measures : Avoid contact with the skin and the eyes. Wash hands before

eating, drinking, or smoking. Do not eat, drink or smoke when

using this product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container. Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510) : 10, Combustible liquids

7.3 Specific end use(s)

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|-------------------|-----------|-----------------|--------------------------|-------------|
| bisphenol-F epoxy | Consumers | Skin contact | Long-term systemic | 62,50 mg/kg |

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

VersionRevision Date:Print DateDate of last issue: 08.06.20202.125.11.202001.12.2020Date of first issue: 15.11.2019

| resin MW <700 | | | effects | bw/day |
|-----------------------------------------------------|-----------|--------------|------------------------------|------------------------|
| | Consumers | Ingestion | Long-term systemic | 6,25 mg/kg |
| | | | effects | bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 8,70 mg/m3 |
| | Workers | Skin contact | Acute local effects | 8,30 µg/cm2 |
| | Workers | Skin contact | Long-term systemic effects | 104,15 mg/kg bw/day |
| | Workers | Inhalation | Long-term systemic effects | 29,39 mg/m3 |
| p-tert-butylphenyl 1- (2,3-epoxy)propyl ether | Consumers | Skin contact | Acute local effects | 0,95 µg/cm2 |
| | Consumers | Inhalation | Long-term local ef- fects | 11,70 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 3,30 mg/kg bw/day |
| | Consumers | Skin contact | Long-term local ef- fects | 0,95 μg/cm2 |
| | Consumers | Skin contact | Acute systemic ef- fects | 3,30 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 11,70 mg/m3 |
| | Workers | Inhalation | Acute systemic effects | 19,60 mg/m3 |
| | Workers | Inhalation | Acute local effects | 19,60 mg/m3 |
| | Workers | Inhalation | Long-term systemic effects | 19,60 mg/m3 |
| | Workers | Inhalation | Long-term local ef- fects | 19,60 mg/m3 |
| | Workers | Skin contact | Acute systemic ef- fects | 5,60 mg/kg bw/day |
| | Workers | Skin contact | Acute local effects | 1,60 µg/cm2 |
| | Workers | Skin contact | Long-term systemic effects | 5,60 mg/kg bw/day |
| | Workers | Skin contact | Long-term local ef- fects | 1,60 µg/cm2 |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---------------------------------|---------------------------|-----------------------------------|
| bisphenol-F epoxy resin MW <700 | Fresh water | 0,003 mg/l |
| | Fresh water sediment | 0,294 mg/kg dry weight (d.w.) |
| | Intermittent use/release | 0,0254 mg/l |
| | Marine sediment | 0,0294 mg/kg dry weight (d.w.) |
| | Marine water | 0,0003 mg/l |
| | Sewage treatment plant | 10 mg/l |

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

| | Soil | 0,237 mg/kg dry weight (d.w.) |
|--------------------------------------------------|--------------------------|----------------------------------|
| p-tert-butylphenyl 1-(2,3- epoxy)propyl ether | Fresh water | 7,5 μg/l |
| | Soil | 11,4 mg/kg dry weight (d.w.) |
| | Fresh water sediment | 33,54 mg/kg dry weight (d.w.) |
| | Sewage treatment plant | 100 mg/l |
| | Marine water | 0,75 μg/l |
| | Marine sediment | 3,354 mg/kg dry weight (d.w.) |
| | Intermittent use/release | 75 µg/l |

8.2 Exposure controls

Personal protective equipment

Eye protection : German trade association rules - BGR 192 Eye protection

Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Wear suita-

ble gloves tested to EN374.

German trade association leaflet: Carry gloves (ZH 1/706)

Skin and body protection : Safety shoes

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

Respiratory protection : Roller application or brushing: This product should not be

used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to

standard EN 14387) is used.

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

German trade association rules - BGR 190 Breathing protec-

tion

During spray application: Do not breathe spray dust. Use

A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : Not relevant

pH : 6,95

Concentration: 10 %

Melting point/freezing point : not determined

Boiling point/boiling range : 201 °C

Flash point : 135 °C

Evaporation rate : Not applicable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower :

flammability limit

not determined

Vapour pressure : 0,1 hPa (20 °C)

Relative vapour density : not determined

Relative density : not determined

Density : 1,13 g/cm3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

not determined

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

Auto-ignition temperature : 420 °C

Decomposition temperature : Not applicable

Viscosity

Viscosity, dynamic : No data available

Explosive properties : Not applicable

Oxidizing properties : Not applicable

9.2 Other information

Flammability (liquids) : The product is not flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous decomposition products formed under fire condi-

tions.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids.

Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: Based on available data, the classification criteria

are not met.

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version **Revision Date:** Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

Remarks: Based on available data, the classification criteria Acute inhalation toxicity

are not met.

Acute dermal toxicity Remarks: Based on available data, the classification criteria

are not met.

Skin corrosion/irritation

Product:

Remarks May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks Vapours may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin sensitisation

Product:

Remarks Causes sensitisation.

Further information

Product:

Remarks Although the product only contains epoxy resins with high

molecular weight, follow good industrial hygiene practice and

avoid prolonged skin contact.

SECTION 12: Ecological information

12.1 Toxicity

Product:

: Remarks: No data available Toxicity to fish

aquatic invertebrates

Toxicity to daphnia and other : Remarks: No data available

12.2 Persistence and degradability

No data available

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

12.3 Bioaccumulative potential

Components:

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.:

Partition coefficient: n- : log Pow: 3,77

octanol/water Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Uncured product residues and unpurified packaging should be

disposed of as hazardous waste.

Material residues: Allow the basic substance to harden with

hardener and dispose of as paint waste.

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recy-

cling.

Waste Code : used product

080111*, waste paint and varnish containing organic solvents

or other dangerous substances

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

IATA : Environmentally hazardous substance, liquid, n.o.s.

14.3 Transport hazard class(es)

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Date of last issue: 08.06.2020 **Revision Date: Print Date** 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener-

ated.

None

REACH - List of substances subject to authorisation

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

E2 **ENVIRONMENTAL**

HAZARDS

Water contaminating class

(Germany)

paints / Giscode

2 significantly water endangering

Product code for laquers and : RE1 Epoxy resin products, solvent-free, sensitising

: RE20 Epoxy resin products, sensitising, totally solid, hardener

no H 317 and aqueous

Volatile organic compounds : < 1 g/l

Directive 2004/42/EC

< 0.1 % < 1 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECSC - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organization; ISO - International Organization; ISO - International Organization; ISO - Lethal Dose to 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPTS - Office of Chemical Sa

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture: Classification procedure:

| Skin Irrit. 2 | H315 | Calculation method |
|-------------------|------|--------------------|
| Eye Irrit. 2 | H319 | Calculation method |
| Skin Sens. 1 | H317 | Calculation method |
| Aquatic Chronic 2 | H411 | Calculation method |

according to Regulation (EC) No. 1907/2006



DisboPOX W 5022 WHG Comp. A

Version Revision Date: Print Date Date of last issue: 08.06.2020 2.1 25.11.2020 01.12.2020 Date of first issue: 15.11.2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN