

against

DE / EN

# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Disbon 481 Comp. A Hellgrau
1.2 Relevant identified uses of t	the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, aqueous
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company		Dishon GmbH

Company	: Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone Telefax	: +496154710 : +4961547170222
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com

# 1.4 Emergency telephone

Emergency telephone 1 :	+49613284463 GBK GmbH
-------------------------	-----------------------

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.					

# 2.2 Label elements

# Labeling (REGULATION (EC) No 1272/2008)



# Disbon 481 Comp. A Hellgrau

Version 4.0	Revision Date: 04.01.2023		DS Number: )08479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019
Hazar	d pictograms	:		
Signa	l Word	:	Danger	
Hazar	d Statements	:	H317 May cause H318 Causes se	in irritation. e an allergic skin reaction. rious eye damage. quatic life with long lasting effects.
Preca	utionary Statements	:	P264 Wash skin P273 Avoid relea	in eyes, on skin, or on clothing. thoroughly after handling. ase to the environment. ective gloves/ eye protection.
			with water for seve sent and easy to d POISON CENTER	38 + P310 IF IN EYES: Rinse cautiously eral minutes. Remove contact lenses, if pre- o. Continue rinsing. Immediately call a / doctor. ke off contaminated clothing and wash it

## Hazardous ingredients which must be listed on the label:

aliphatic polyamidoamines

2-Propenenitrile, reaction products with 3-amino-1,5,5-trimethylcyclohexanemethanamine m-phenylenebis(methylamine)

3-aminomethyl-3,5,5-trimethylcyclohexylamine

#### **Additional Labeling**

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

·

Chemical nature

: Mixture based on amine compounds

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
trizinc bis(orthophosphate)	7779-90-0 231-944-3 030-011-00-6 01-2119485044-40	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10
Aliphatic Polyamines	Not Assigned	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10
aliphatic polyamidoamines	180898-36-6	Eye Dam. 1; H318	>= 1 - < 3
benzyl alcohol	100-51-6 202-859-9 603-057-00-5 01-2119492630-38	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 10
2-Propenenitrile, reaction prod- ucts with 3-amino-1,5,5- trimethylcyclohexanemethana- mine	90530-15-7 292-053-3 01-2120094715-47	Skin Corr. 1B; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2,5
m-phenylenebis(methylamine)	1477-55-0 216-032-5 01-2119480150-50	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412 EUH071	>= 0,25 - < 1
zinc oxide	1314-13-2 215-222-5 030-013-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0,25 - < 1



# Disbon 481 Comp. A Hellgrau

sion	Revision Date: 04.01.2023	SDS Number: 6008479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019
		01-211946388 01-212008960 01-212076729	7-43,
	inomethyl-3,5,5- hylcyclohexylamine	2855-13-2 220-666-8 612-067-00-9 01-211951468	Acute Tox. 4; H302 >= 0,25 - < 1 Acute Tox. 4; H312 Skin Corr. 1B; H314
			specific concentration limit Skin Sens. 1A; H317 >= 0,001 %
			Acute toxicity esti- mate
			Acute oral toxicity: 1.030 mg/kg
zinc 5	5-nitroisophthalate	60580-61-2 262-309-9 01-212076844	Aquatic Acute 1; >= 0,25 - < 1 H400
Subst	tances with a workplac	e exposure limit :	
bariur	m sulfate	7727-43-7 231-784-4 01-211949127	A-35
Talc (	(Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-212014027	>= 1 - < 10

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners.



# Disbon 481 Comp. A Hellgrau

Version 4.0	Revision Date: 04.01.2023	SDS Number: 6008479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019		
		of water.	contact, immediately flush skin with soap and plenty		
In case of eye contact		Remove c	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy- sician.		
If swal	lowed		sician. uth with water and drink afterwards plenty of water. ed, DO NOT induce vomiting.		
4.2 Most important symptoms and effects, both acute and delayed					
Risks			tin irritation. e an allergic skin reaction. erious eye damage.		

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media					
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Foam Carbon dioxide (CO2)			
Unsuitable extinguishing media	:	None known.			
5.2 Special hazards arising from	ı the	e substance or mixture			
Specific hazards during fire fighting	:	Cool closed containers exposed to fire with water spray. Hazardous decomposition products formed under fire condi- tions.			
5.3 Advice for firefighters					
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.			
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires. In the event of fire and/or explosion do not breathe fumes.			



# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	ive	e equipment and emergency procedures
Personal precautions	:	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

## 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>For personal protection see section 8.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>In addition, the current technical information for this product and its application on www.caparol.com must be observed.</li> </ul>
Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
Hygiene measures	:	Remove and wash contaminated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas.



# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510)	:	10
7.3 Specific end use(s)		

Specific use(s) : This information is not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
barium sulfate	7727-43-7	AGW (Inhalable	10 mg/m3	DE TRGS
		fraction)	0	900
	Peak-limit cate	egory: 2;(II)		
			compliance with the OEL ar	nd biological
	tolerance valu		f harming the unborn child	<u>.</u>
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)		900
	Peak-limit cat			
			compliance with the OEL ar f harming the unborn child	nd biological
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)		527
titanium dioxide; [in	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS
powder form con-		fraction)	(Titanium dioxide)	900
taining 1 % or				
more of particles with aerodynamic				
diameter ≤ 10 µm]				
	Peak-limit cate	egory: 2:(II)		
			compliance with the OEL ar	nd biological
	tolerance valu	les, there is no risk o	f harming the unborn child	la biological
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
	Peak-limit cat	/		1
	Further information: When there is compliance with the OEL and biolo			
			f harming the unborn child	
		BM (Alveolar	0,5 mg/m3	DE TRGS
	<u> </u>	dust fraction)		527



# Disbon 481 Comp. A Hellgrau

/ersion 4.0	Revision Da 04.01.2023	te: SDS 6008		Date of last issue: 13.01.2022 Date of first issue: 14.11.2019	
Talc (Mg3l	H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
		Peak-limit cat	egory: 2;(II)		
				e is compliance with the OEL a k of harming the unborn child	nd biological
			AGW (Alveolate	1,25 mg/m3	DE TRGS
			fraction)		900
		Peak-limit cat	egory: 2;(II)	· · ·	
		Further inform	nation: When there	e is compliance with the OEL a	nd biological
		tolerance valu	les, there is no ris	k of harming the unborn child	U U
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
benzy	/l alcohol	100-51-6	AGW (Vapour and aerosols)	5 ppm 22 mg/m3	DE TRGS 900
		Peak-limit cat	,		1
		Further inform	nation: Skin absor	ption, When there is complianc there is no risk of harming the	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
trizinc bis(orthophosphate)	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
benzyl alcohol	Consumers	Skin contact	Acute systemic ef- fects	20,00 mg/kg bw/day



# Disbon 481 Comp. A Hellgrau

sion	Revision Date: 04.01.2023	SDS Nu 6008479		of last issue: 13.01.2022 of first issue: 14.11.2019	
		Consumers	Ingestion	Long-term systemic effects	4,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	5,40 mg/m
		Consumers	Skin contact	Long-term systemic effects	4,00 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef- fects	20,00 mg/k bw/day
		Consumers	Inhalation	Acute systemic ef- fects	27,00 mg/n
		Workers	Inhalation	Acute systemic ef- fects	110,00 mg/
		Workers	Inhalation	Long-term systemic effects	22,00 mg/n
		Workers	Skin contact	Acute systemic ef- fects	40,00 mg/k bw/day
		Workers	Skin contact	Long-term systemic effects	8,00 mg/kg bw/day
m- phe- nyleneb e)	ois(methylamin	Workers	Inhalation	Long-term systemic effects	1,20 mg/m
,		Workers	Inhalation	Long-term local ef- fects	0,20 mg/m
		Workers	Skin contact	Long-term systemic effects	0,33 mg/kg bw/day
zinc oxi	de	Consumers	Skin contact	Long-term systemic effects	83,00 mg/k bw/day
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m
		Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	83,00 mg/k bw/day
		Workers	Inhalation	Long-term local ef- fects	0,50 mg/m
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
	omethyl-3,5,5- ylcyclohexyla-	Consumers	Ingestion	Long-term systemic effects	0,53 mg/kg bw/day
		Workers	Inhalation	Acute local effects	0,07 mg/m3
		Workers	Inhalation	Long-term local ef- fects	0,07 mg/m3

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry



# Disbon 481 Comp. A Hellgrau

sion		DS Number: Date of last issue: D08479 Date of first issue	: 13.01.2022 : 14.11.2019
			weight (d.w.)
		Soil	207,7 mg/kg o
			weight (d.w.)
		Sewage treatment plant	62,2 mg/l
conta	um dioxide; [in powder form ining 1 % or more of parti- vith aerodynamic diameter : n]		100 mg/l
		Fresh water	0,184 mg/l
		Soil	100 mg/kg dry
			weight (d.w.)
		Sea water	0,0184 mg/l
		Fresh water sediment	1000 mg/kg d weight (d.w.)
		Sea sediment	100 mg/kg dry weight (d.w.)
		Intermittent use/release	0,193 mg/l
trizino	bis(orthophosphate)	Sea sediment	56,5 mg/kg dr
	、 · · <i>· ,</i>		weight (d.w.)
		Fresh water	20,6 µg/l
		Soil	35,6 mg/kg dr weight (d.w.)
		Sewage treatment plant	100 µg/l
		Fresh water sediment	117,8 mg/kg o weight (d.w.)
		Sea water	6,1 µg/l
benzv	/l alcohol	Sewage treatment plant	39 mg/l
		Fresh water	1 mg/l
		Sea sediment	0,527 mg/kg o
			weight (d.w.)
		Sea water	0,1 mg/l
		Fresh water sediment	5,27 mg/kg dr
			weight (d.w.)
		Soil	0,456 mg/kg o
			weight (d.w.)
		Intermittent use/release	2,3 mg/l
m-phe	enylenebis(methylamine)	Soil	0,045 mg/kg o weight (d.w.)
		Sewage treatment plant	10 mg/l
		Sea sediment	0,043 mg/kg o
			weight (d.w.)
		Fresh water sediment	0,43 mg/kg dr
			weight (d.w.)
		Fresh water	0,094 mg/l
		Intermittent use/release	0,152 mg/l
		Sea water	0,0094 mg/l
zinc o	oxide	Fresh water sediment	117,8 mg/kg o
			weight (d.w.)
		Sea water	6,1 µg/l



# Disbon 481 Comp. A Hellgrau

Version Revision Date: 4.0 04.01.2023		SDS Number: 6008479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019	
		Fresh water		20,6 µg/l
		Sea sedimer	it	56,5 mg/kg dry weight (d.w.)
		Sewage trea	tment plant	100 µg/l
		Soil		35,6 mg/kg dry weight (d.w.)
3-aminomethyl-3,5,5- trimethylcyclohexylamine	Sea sedimer	t	0,578 mg/kg dry weight (d.w.)	
		Fresh water	sediment	5,784 mg/kg dry weight (d.w.)
		Fresh water		0,06 mg/l
		Sewage trea	tment plant	3,18 mg/l
		Sea water	·	0,006 mg/l
		Soil		1,121 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	0,23 mg/l

### 8.2 Exposure controls

Personal protective equipment				
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection		
		Tightly fitting safety goggles		
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3		
Remarks	:	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves		
Skin and body protection	:	Safety shoes Use appropriate degowning techniques to remove potentially contaminated clothing. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Long sleeved clothing		
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
		Skin should be washed after contact.		
Respiratory protection	:	Roller application or brushing: This product should not be		



# Disbon 481 Comp. A Hellgrau

Version 4.0	Revision Date: 04.01.2023	SDS Number: 6008479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019	
			itions of poor ventilation unless a protective propriate gas filter (i.e. type A1 according to 87) is used.	
		DGUV Regulation 112-190 - Use of breathing equipment		
			lication: Do not breathe spray dust. Use on filter for paint spraying.	

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

:	liquid
:	No data available
:	No data available
:	Not relevant
:	not determined
:	> 100 °C
:	not determined
:	Not applicable
:	8 - 9 Concentration: 100 %
:	No data available
:	partly miscible
:	not determined
	: : : : :



# Disbon 481 Comp. A Hellgrau

Version 4.0	Revision Date: 04.01.2023		last issue: 13.01.2022 first issue: 14.11.2019
Vapo	or pressure	: not determined	
Relative density		: not determined	
Density		: 1,8100 g/cm3	
Relative vapor density		: not determined	
9.2 Other	information		
Explo	osives	: Not applicable	
Oxidi	izing properties	: Not applicable	
Flam	mability (liquids)	: The product is not flamma	able.
Evap	oration rate	: Not applicable	

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No decomposition if stored and applied as directed.

# **10.2 Chemical stability**

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid		
Conditions to avoid	:	Protect from frost, heat and sunlight.
<b>10.5 Incompatible materials</b> Materials to avoid	:	Incompatible with acids. Incompatible with oxidizing agents.

## **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Not classified based on available information.



# Disbon 181 Comp A Hellarau

Disbon	1481 Comp. A	Hellgrau				
Version 4.0	Revision Date: 04.01.2023	SDS Number: 6008479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019			
Prod	uct:					
Acute	e oral toxicity		city estimate: > 2.000 mg/kg alculation method			
Acute	inhalation toxicity	Exposure t Test atmos	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method			
Com	ponents:					
benz	yl alcohol:					
	oral toxicity	: LD50 (Rat	, male and female): 1.230 mg/kg			
m-ph	enylenebis(methylar	nine):				
-	e oral toxicity	•	LD50 (Rat): 930 mg/kg			
Acute	e dermal toxicity	: LD50 (Rat	LD50 (Rabbit): 3.100 mg/kg			
3-am	inomethyl-3,5,5-trime	ethvlcvclohexvla	mine:			
	e oral toxicity	: Acute toxic	city estimate: 1.030 mg/kg cute toxicity estimate according to Regulation (EC)			
Acute	e dermal toxicity	: LD50 (Rat	LD50 (Rabbit): 1.840 mg/kg			
Skin	corrosion/irritation					
Caus	es skin irritation.					
	us eye damage/eye i					
	es serious eye damag	е.				
<u>Com</u>	ponents:					
-	yl alcohol:					
Speci Asses	ies ssment	: Rabbit : Irritating to	eyes.			
Resp	iratory or skin sensi	tization				
Skin	sensitization					
Mayo	cause an allergic skin	reaction.				
Resp	iratory sensitization					

**Respiratory sensitization** 

Not classified based on available information.



Disbon 481 Comp. A Hellgrau						
Version 4.0	Revision Date: 04.01.2023	SDS Number: 6008479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019			
Gern	n cell mutagenicity					
Not c	lassified based on ava	ailable information.				
Carc	inogenicity					
Not c	lassified based on ava	ailable information.				
Repr	oductive toxicity					
Not c	lassified based on ava	ailable information.				
STO	T-single exposure					
Not classified based on available information.						
STO	T-repeated exposure					
Not c	lassified based on ava	ailable information.				
Aspi	ration toxicity					
Not c	lassified based on ava	ailable information.				
11.2 Infor	mation on other haz	ards				
Endo	ocrine disrupting pro	perties				
Prod	uct:					
Asse	ssment	ered to have e REACH Article	e/mixture does not contain components consid- endocrine disrupting properties according to e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at			

levels of 0.1% or higher.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Components:

harium	sulfate:
Danun	Sunale.

Toxicity to fish	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic tox- icity)	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	Remarks: No toxicity at the limit of solubility.



# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

Additional ecological infor-	:	Toxic to aquatic organisms, may cause long-term adverse
mation		effects in the aquatic environment.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents



Disbon 481 Comp. A Hellgrau					
Version 4.0	Revision Date: 04.01.2023		08 Number: 08479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019	
			or other dangerou	us substances	
SECTION	14: Transport inform	nat	tion		
14.1 UN nu	Imber or ID number				
ADN		:	UN 3082		
ADR		:	UN 3082		
RID		:	UN 3082		
IMDG		:	UN 3082		
ΙΑΤΑ		:	UN 3082		
14.2 UN pr	oper shipping name				
ADN		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, hosphate), Aliphatic Polyamines)	
ADR		:	ENVIRONMENTA N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, hosphate), Aliphatic Polyamines)	
RID		:	<ul> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate), Aliphatic Polyamines)</li> </ul>		
IMDG		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, hosphate), Aliphatic Polyamines)	
ΙΑΤΑ		:		nazardous substance, liquid, n.o.s. hosphate), Aliphatic Polyamines)	
14.3 Trans	port hazard class(es)				
			Class	Subsidiary risks	
ADN		:	9		
ADR		:	9		
RID		:	9		
IMDG		:	9		
ΙΑΤΑ		:	9		
14.4 Packi	ng group				
Classif	ng group fication Code d Identification Number	:	III M6 90		



# Disbon 481 Comp. A Hellgrau

Version 4.0	Revision Date: 04.01.2023		0S Number: 08479	Date of last issue: 13.01.2022 Date of first issue: 14.11.2019
Label	S	:	9	
Class Hazaı Label	ng group ification Code rd Identification Number s el restriction code	:	III M6 90 9 (-)	
Class	ng group ification Code rd Identification Number s	:	III M6 90 9	
<b>IMDG</b> Packi Label EmS	ng group s	:	III 9 F-A, S-F	
Packi aircra Packi	ng instruction (LQ) ng group	:	964 Y964 III Miscellaneous	
Packi ger ai Packi	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group s	:	964 Y964 III Miscellaneous	
4.5 Envir	onmental hazards			
	onmentally hazardous	:	yes	
	onmentally hazardous	:	yes	
<b>RID</b> Enviro	onmentally hazardous	:	yes	
<b>IMDG</b> Marin	e pollutant	:	yes	
	(Passenger)	:	yes	
	(Cargo) onmentally hazardous	:	yes	



# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 ture		ntal regulations/legislat	ion	specific for the substance or mix-
	REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
	REACH - Candidate List of Subs Concern for Authorization (Article		:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	Regulation (EC) No 1005/2009 o plete the ozone layer	on substances that de-	:	Not applicable
	Regulation (EU) 2019/1021 on patants (recast)	ersistent organic pollu-	:	Not applicable
	REACH - List of substances subj (Annex XIV)	ject to authorisation	:	None
	Seveso III: Directive 2012/18/EU pean Parliament and of the Cour control of major-accident hazards dangerous substances.	ncil on the	EN	/IRONMENTAL HAZARDS
	Water hazard class (Germa- : ny)	WGK 2 obviously haza Classification accordin		
	Product code for laquers and : paints / Giscode	: RE1 Epoxy resin produ	ucts,	, solvent-free, sensitising
	. :	: RE10 Epoxy resin disp 317	oersi	ons, not sensitising, hardener H



# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

Volatile organic compounds

: Directive 2004/42/EC < 4 % < 60 g/l

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

# **SECTION 16: Other information**

Full text of H-Statements		
H302	:	Harmful if swallowed.
H312	:	Harmful in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviation	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitization
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 527 DE TRGS 900	:	Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 527	::	Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Prac-





# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

tice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC4 - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC4 - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC4 - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC4 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rai; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Subst

#### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

# Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



# Disbon 481 Comp. A Hellgrau

Version	Revision Date:	SDS Number:	Date of last issue: 13.01.2022
4.0	04.01.2023	6008479	Date of first issue: 14.11.2019

## **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN