

Disbon	Disbon 481 Comp. A Weiß						
Version 4.0	Revision Date: 04.01.2023	SDS Numbe 6008459		issue: 26.07.2021 issue: 14.11.2019			
SECTION	SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1 Produ	ct identifier						
Trade	e name	: Disbon 4	1 Comp. A Weiß				
1.2 Releva	ant identified uses of	the substance	or mixture and uses	advised against			
	of the Sub- e/Mixture	: Epoxide	esin-based coating m	aterial, aqueous			
Reco on us	mmended restrictions e	: within ac	quate application - no	one			
1.3 Details	s of the supplier of th	e safety data s	neet				
Comp	bany		Straße 50				
	64372 Ober-Ramstadt Telephone : +496154710 Telefax : +4961547170222						
	E-mail address Responsi- : msds@dr-rmi.com ble/issuing person						
1.4 Emerg	jency telephone						
Emerg	gency telephone 1	: +496132	4463 GBK GmbH				
SECTION	V 2: Hazards identif	ication					
2.1 Classi	fication of the substa	nce or mixtur					
	sification (REGULATI	ON (EC) No 12	2/2008)				
Skin i	rritation, Category 2		H315: Causes skin i	rritation.			
Serio	us eye damage, Categ	ory 1	H318: Causes serio	us eye damage.			
Skin s	sensitization, Category	1	H317: May cause ar	n allergic skin reaction.			
Long-	term (chronic) aquatic	hazard, Cat-	H411: Toxic to aqua	tic life with long lasting effects.			

2.2 Label elements

egory 2

Labeling (REGULATION (EC) No 1272/2008)



Disbon 481 Comp. A Weiß

Version 4.0	Revision Date: 04.01.2023	-	DS Number: 008459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019
Hazar	d pictograms	:		
Signa	l Word	:	Danger	
Hazar	d Statements	:	H317 May cause H318 Causes se	in irritation. e an allergic skin reaction. erious eye damage. quatic life with long lasting effects.
Preca	utionary Statements	:	P264 Wash skir P273 Avoid rele	in eyes, on skin, or on clothing. thoroughly after handling. ase to the environment. ective gloves/ eye protection.
			with water for seve sent and easy to o POISON CENTER	38 + P310 IF IN EYES: Rinse cautiously eral minutes. Remove contact lenses, if pre- o. Continue rinsing. Immediately call a // doctor. ake off contaminated clothing and wash it

Hazardous ingredients which must be listed on the label:

aliphatic polyamidoamines

2-Propenenitrile, reaction products with 3-amino-1,5,5-trimethylcyclohexanemethanamine m-phenylenebis(methylamine)

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Disbon 481 Comp. A Weiß

SECTION 3: Composition/information on ingredients

3.2 Mixtures

•

Chemical nature

: Mixture based on amine compounds

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
trizinc bis(orthophosphate)	7779-90-0 231-944-3 030-011-00-6 01-2119485044-40	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10
Aliphatic Polyamines	Not Assigned	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10
aliphatic polyamidoamines	180898-36-6	Eye Dam. 1; H318	>= 1 - < 3
benzyl alcohol	100-51-6 202-859-9 603-057-00-5 01-2119492630-38	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 10
2-Propenenitrile, reaction prod- ucts with 3-amino-1,5,5- trimethylcyclohexanemethana- mine	90530-15-7 292-053-3 01-2120094715-47	Skin Corr. 1B; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2,5
m-phenylenebis(methylamine)	1477-55-0 216-032-5 01-2119480150-50	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412 EUH071	>= 0,25 - < 1
zinc oxide	1314-13-2 215-222-5 030-013-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0,25 - < 1



Disbon 481 Comp. A Weiß

sion	Revision Date: 04.01.2023	SDS Number: 6008459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019
		01-2119463881 01-2120089607 01-2120767291	-43,
	inomethyl-3,5,5- thylcyclohexylamine	2855-13-2 220-666-8 612-067-00-9 01-2119514687	Acute Tox. 4; H302 >= 0,25 - < Acute Tox. 4; H312 Skin Corr. 1B; H314
		60580 61 2	mate Acute oral toxicity: 1.030 mg/kg
	5-nitroisophthalate	60580-61-2 262-309-9 01-2120768444	H400
Subst	tances with a workplac		
bariur	m sulfate	7727-43-7 231-784-4 01-2119491274	>= 20 - < 30
Talc ((Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-2120140278	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners.

DISBON

DE / EN

Version	Revision Date:	SDS Number:	Date of last issue: 26.07.2021		
4.0	04.01.2023	6008459	Date of first issue: 14.11.2019		
			ontact, immediately flush skin with soap and plent		
		of water.	contaminated clothing immediately.		
		Take Off all	contaminated clothing inmediately.		
In case of eye contact		Remove co	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy- sician.		
If swallowed		Clean mout	Call a physician. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Most i	mportant symptoms a	nd effects, both	acute and delayed		
Risks		: Causes skir	n irritation.		
		•	an allergic skin reaction. ious eye damage.		
4.3 Indication of any immediate medical attention and special treatment needed					
	-		-		
4.3 Indica Treat	-		on and special treatment needed ion available.		
Treat	ment	: No informat	-		
Treat	ment N 5: Firefighting mea	: No informat	-		
Treat SECTION 5.1 Exting	ment N 5: Firefighting mea guishing media	: No informat	ion available.		
Treat SECTION 5.1 Exting	ment N 5: Firefighting mea	: No informat	-		
Treat SECTION 5.1 Exting	ment N 5: Firefighting mea guishing media	: No informat	ion available. hishing measures that are appropriate to local cir- s and the surrounding environment.		
Treat SECTION 5.1 Exting Suital	ment N 5: Firefighting mea guishing media ble extinguishing media itable extinguishing	: No informat	ion available. hishing measures that are appropriate to local cir- s and the surrounding environment. kide (CO2)		
Treat SECTION 5.1 Exting Suital Unsu media	ment N 5: Firefighting mea guishing media ble extinguishing media itable extinguishing	 No information Use extinguing cumstances Foam Carbon diox None known 	ion available. hishing measures that are appropriate to local cir- s and the surrounding environment. kide (CO2)		
Treat SECTION 5.1 Exting Suital Unsu media 5.2 Specia	ment N 5: Firefighting mea guishing media ble extinguishing media itable extinguishing a al hazards arising fron ific hazards during fire	 No information Use extinguous Use extinguous Use extinguous Foam Carbon diox None known the substance Cool closed 	ion available. hishing measures that are appropriate to local cir- s and the surrounding environment. kide (CO2)		
Treat SECTION 5.1 Exting Suital Unsu media 5.2 Specia Speci fightir	ment N 5: Firefighting mea guishing media ble extinguishing media itable extinguishing a al hazards arising fron ific hazards during fire	 No information Use extinguous Use extinguous Use extinguous Foam Carbon diox None known None known the substance Cool closed Hazardous 	ion available. hishing measures that are appropriate to local cir- s and the surrounding environment. kide (CO2) n. or mixture containers exposed to fire with water spray.		
Treat SECTION 5.1 Exting Suital Unsu media 5.2 Specia Specia fightin 5.3 Advice Specia	ment N 5: Firefighting mea guishing media ble extinguishing media itable extinguishing a al hazards arising fron ific hazards during fire	 No information Use extinguous tances Foam Carbon diox None known the substance Cool closed Hazardous tions. 	ion available. hishing measures that are appropriate to local cir- s and the surrounding environment. kide (CO2) n. or mixture containers exposed to fire with water spray.		



Disbon 481 Comp. A Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 26.07.2021
4.0	04.01.2023	6008459	Date of first issue: 14.11.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ive	e equipment and emergency procedures
Personal precautions	:	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms. In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
Hygiene measures	:	Remove and wash contaminated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas.



Disbon 481 Comp. A Weiß

4.0 04.01.2023 6008459 Date of first issue: 14.11.2019	Version	Revision Date:	SDS Number:	Date of last issue: 26.07.2021
	4.0	04.01.2023	6008459	Date of first issue: 14.11.2019

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510)	:	10
7.3 Specific end use(s)		

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
Components	CA3-N0.		Control parameters	Dasis
barium sulfate	7707 40 7	of exposure)	10	
banum sullate	7727-43-7	AGW (Inhalable	10 mg/m3	DE TRGS
	B I I I I	fraction)		900
	Peak-limit cat		-	
			compliance with the OEL ar	nd biological
	tolerance valu		f harming the unborn child	1
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)		900
	Peak-limit cat	egory: 2;(II)		
	Further inform	ation: When there is	compliance with the OEL ar	nd biological
	tolerance valu	ies, there is no risk c	f harming the unborn child	-
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)	-	527
titanium dioxide; [in	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS
powder form con-		fraction)	(Titanium dioxide)	900
taining 1 % or		,		
more of particles				
with aerodynamic				
diameter ≤ 10 µm]				
	Peak-limit cat	egory: 2:(II)		
			compliance with the OEL ar	nd biological
			f harming the unborn child	5
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
	Peak-limit cat		/	-
			compliance with the OEL ar	nd biological
			f harming the unborn child	ia siologicai
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)	s,s mg/mo	527
				021



Disbon 481 Comp. A Weiß

Version 4.0	Revision Da 04.01.2023			Date of last issue: 26.07.2021 Date of first issue: 14.11.2019	
Talc (Mg3l	H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
		Peak-limit cat	egory: 2;(II)		
		Further inform	nation: When there	e is compliance with the OEL a	nd biological
		tolerance valu	ues, there is no risl	k of harming the unborn child	0
			AGW (Alveolate	1,25 mg/m3	DE TRGS
			fraction)		900
Peak-limit category: 2;(II)		egory: 2;(II)			
				e is compliance with the OEL a	nd biological
				k of harming the unborn child	Ũ
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
benzy	/l alcohol	100-51-6	AGW (Vapour and aerosols)	5 ppm 22 mg/m3	DE TRGS 900
		Peak-limit category: 2;(I)			
		Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
trizinc bis(orthophosphate)	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
benzyl alcohol	Consumers	Skin contact	Acute systemic ef- fects	20,00 mg/kg bw/day



Disbon 481 Comp. A Weiß

sion	Revision Date: 04.01.2023	SDS Nu 6008459		of last issue: 26.07.2021 of first issue: 14.11.2019	
		Consumers	Ingestion	Long-term systemic effects	4,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	5,40 mg/m3
		Consumers	Skin contact	Long-term systemic effects	4,00 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef- fects	20,00 mg/k bw/day
		Consumers	Inhalation	Acute systemic ef- fects	27,00 mg/m
		Workers	Inhalation	Acute systemic ef- fects	110,00 mg/
		Workers	Inhalation	Long-term systemic effects	22,00 mg/m
		Workers	Skin contact	Acute systemic ef- fects	40,00 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	8,00 mg/kg bw/day
m- phe- nylene e)	ebis(methylamin	Workers	Inhalation	Long-term systemic effects	1,20 mg/m3
,		Workers	Inhalation	Long-term local ef- fects	0,20 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,33 mg/kg bw/day
zinc o	xide	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
		Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
		Workers	Inhalation	Long-term local ef- fects	0,50 mg/m3
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
	nomethyl-3,5,5- nylcyclohexyla-	Consumers	Ingestion	Long-term systemic effects	0,53 mg/kg bw/day
		Workers	Inhalation	Acute local effects	0,07 mg/m3
		Workers	Inhalation	Long-term local ef- fects	0,07 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry



Disbon 481 Comp. A Weiß

	04.01.2023 60	08459 Date of first issue:	14.11.2019
		1	weight (d.w.)
		Soil	207,7 mg/kg c
			weight (d.w.)
		Sewage treatment plant	62,2 mg/l
conta	um dioxide; [in powder form ining 1 % or more of parti- vith aerodynamic diameter ≤ n]	Sewage treatment plant	100 mg/l
•	*	Fresh water	0,184 mg/l
		Soil	100 mg/kg dry weight (d.w.)
		Sea water	0,0184 mg/l
		Fresh water sediment	1000 mg/kg d weight (d.w.)
		Sea sediment	100 mg/kg dry weight (d.w.)
		Intermittent use/release	0,193 mg/l
trizino	bis(orthophosphate)	Sea sediment	56,5 mg/kg dr weight (d.w.)
		Fresh water	20,6 µg/l
		Soil	35,6 mg/kg dr weight (d.w.)
		Sewage treatment plant	100 µg/l
		Fresh water sediment	117,8 mg/kg c weight (d.w.)
		Sea water	6,1 µg/l
benzy	/l alcohol	Sewage treatment plant	39 mg/l
		Fresh water	1 mg/l
		Sea sediment	0,527 mg/kg o weight (d.w.)
		Sea water	0,1 mg/l
		Fresh water sediment	5,27 mg/kg dr weight (d.w.)
		Soil	0,456 mg/kg o weight (d.w.)
		Intermittent use/release	2,3 mg/l
m-phe	enylenebis(methylamine)	Soil	0,045 mg/kg o weight (d.w.)
		Sewage treatment plant	10 mg/l
		Sea sediment	0,043 mg/kg o weight (d.w.)
		Fresh water sediment	0,43 mg/kg dr weight (d.w.)
		Fresh water	0,094 mg/l
		Intermittent use/release	0,152 mg/l
		Sea water	0,0094 mg/l
zinc c	oxide	Fresh water sediment	117,8 mg/kg c weight (d.w.)
		Sea water	6,1 µg/l



Disbon 481 Comp. A Weiß

Version 4.0	Revision Date: 04.01.2023	SDS Number: 6008459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019		
		Fresh water		20,6 µg/l	
		Sea sedimer	t	56,5 mg/kg dry weight (d.w.)	
		Sewage treat	tment plant	100 µg/l	
		Soil	·	35,6 mg/kg dry weight (d.w.)	
	inomethyl-3,5,5- thylcyclohexylamine	Sea sedimer	it	0,578 mg/kg dry weight (d.w.)	
		Fresh water	sediment	5,784 mg/kg dry weight (d.w.)	
		Fresh water		0,06 mg/l	
		Sewage treat	tment plant	3,18 mg/l	
		Sea water	•	0,006 mg/l	
		Soil		1,121 mg/kg dry weight (d.w.)	
		Intermittent u	ise/release	0,23 mg/l	

8.2 Exposure controls

Personal protective equipment							
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection						
	Tightly fitting safety goggles						
Glove thickness :	Nitrile rubber 0,2 mm Class 3						
Remarks :	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves						
Skin and body protection :	Safety shoes Use appropriate degowning techniques to remove potentially contaminated clothing. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Long sleeved clothing						
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.						
	Skin should be washed after contact.						
Respiratory protection :	Roller application or brushing: This product should not be						



Disbon 481 Comp. A Weiß

Version 4.0	Revision Date: 04.01.2023	SDS Number: 6008459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019	
			nditions of poor ventilation unless a protective appropriate gas filter (i.e. type A1 according to 4387) is used.	
		DGUV Regulation 112-190 - Use of breathing equipmer		
		. ,	pplication: Do not breathe spray dust. Use ation filter for paint spraying.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	> 100 °C
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	partly miscible
Partition coefficient: n- octanol/water	:	not determined



Disbon 481 Comp. A Weiß

Ver 4.0	sion	Revision Date: 04.01.2023		9S Number: 08459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019
	Vapor	pressure	:	not determined	
	Relativ	e density	:	not determined	
	Density	y	:	1,8100 g/cm3	
	Relativ	e vapor density	:	not determined	
9.2	Other in	nformation			
	Explos	ives	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is n	ot flammable.
	Evapo	ration rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions :	Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid	
Conditions to avoid :	Protect from frost, heat and sunlight.
10.5 Incompatible materials	
Materials to avoid :	Incompatible with acids. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.



	mp. A W	611	J	
ersion Revision .0 04.01.20			0S Number: 08459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019
Product:				
Acute oral toxicit	у	:	Acute toxicity estin Method: Calculation	mate: > 2.000 mg/kg on method
Acute inhalation	toxicity	:	Acute toxicity estin Exposure time: 4 Test atmosphere: Method: Calculatio	h vapor
Components:				
benzyl alcohol:				
Acute oral toxicit	у	:	LD50 (Rat, male a	and female): 1.230 mg/kg
m-phenylenebis	s(methylamir	ıe):		
Acute oral toxicit	у	:	LD50 (Rat): 930 n	ng/kg
Acute dermal tox	licity	:	LD50 (Rabbit): 3.4	100 mg/kg
3-aminomethyl-	3,5,5-trimeth	ylc	yclohexylamine:	
Acute oral toxicit	у	:	Acute toxicity estin Method: Acute tox No. 1272/2008	mate: 1.030 mg/kg kicity estimate according to Regulation (EC)
Acute dermal tox	licity	:	LD50 (Rabbit): 1.8	340 mg/kg
Skin corrosion/	irritation			
Causes skin irrita	ation.			
Serious eye dar		tati	on	
Causes serious	eye damage.			
Components:				
benzyl alcohol:				
Species Assessment		:	Rabbit Irritating to eyes.	
Respiratory or s	skin sensitiz	atio	'n	
Skin sensitizati	on			
May cause an al	lergic skin rea	actio	on.	
Respiratory ser	sitization			



Disbor	Disbon 481 Comp. A Weiß							
Version 4.0	Revision Date: 04.01.2023	SDS Number: 6008459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019					
Gern	n cell mutagenicity							
Not c	lassified based on ava	ilable information.						
Carc	inogenicity							
Not c	lassified based on ava	ilable information.						
Repr	oductive toxicity							
Not c	lassified based on ava	ilable information.						
STO	Γ-single exposure							
Not c	lassified based on ava	ilable information.						
STO	F -repeated exposure							
Not c	lassified based on ava	ilable information.						
Aspi	ration toxicity							
Not c	lassified based on ava	ilable information.						
11.2 Infor	mation on other haza	ards						
Endocrine disrupting properties								
Prod	uct:							
Asse	ssment	ered to have e	e/mixture does not contain components consid- endocrine disrupting properties according to					

levels of 0.1% or higher.

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

SECTION 12: Ecological information

12.1 Toxicity

Components:

barium sulfate:

Toxicity to fish	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic tox- icity)	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: No toxicity at the limit of solubility.



Disbon	Disbon 481 Comp. A Weiß						
Version 4.0	Revision Date: 04.01.2023	SDS 6008	Number: 3459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019			
	stence and degradab	oility					
	ccumulative potential ata available	l					
12.4 Mobi No da	lity in soil Ita available						
12.5 Resu	Its of PBT and vPvB	assess	ment				
<u>Produ</u> Asses	uct: ssment	te V	o be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or id very bioaccumulative (vPvB) at levels of			
12.6 Endo	crine disrupting prop	perties					
<u>Produ</u>	uct:						
Asses	ssment	e F (ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to (f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.			
12.7 Other	r adverse effects						
<u>Produ</u>	uct:						
Additi matio	onal ecological infor- n			rganisms, may cause long-term adverse atic environment.			
SECTION 13: Disposal considerations							
13.1 Wast	e treatment methods						
Produ	ict	c N F	lisposed of as ha Aaterial residues hardener and disp	residues and unpurified packaging should be zardous waste. Allow the basic substance to harden with bose of as paint waste. be disposed of via wastewater.			

080111*, waste paint and varnish containing organic solvents



Version 4.0	Revision Date: 04.01.2023		DS Number: 08459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019	
			or other dange	erous substances	
SECTION	14: Transport inforr	nat	tion		
14.1 UN n	umber or ID number				
ADN		:	UN 3082		
ADR		:	UN 3082		
RID		:	UN 3082		
IMDG	ì	:	UN 3082		
ΙΑΤΑ		:	UN 3082		
14.2 UN p	roper shipping name				
ADN		:	N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID	
ADR		:	ENVIRONMEI N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID	
RID		:	N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID	
IMDG	i	:	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQI N.O.S. (trizinc bis(orthophosphate), Aliphatic Polyamines) 		
ΙΑΤΑ		:	Environmentally hazardous substance, liquid, n.o.s. (trizinc bis(orthophosphate), Aliphatic Polyamines)		
14.3 Trans	sport hazard class(es)				
			Class	Subsidiary risks	
ADN		:	9		
ADR		:	9		
RID		:	9		
IMDG	ì	:	9		
ΙΑΤΑ		:	9		
14.4 Pack	ing group				
	ng group	:			
	ification Code rd Identification Number	:	M6 90		



Disbon 481 Comp. A Weiß

Version 4.0	Revision Date: 04.01.2023		0S Number: 08459	Date of last issue: 26.07.2021 Date of first issue: 14.11.2019
Labels	S	:	9	
Class Hazar Label	ng group ification Code rd Identification Number s el restriction code	:	III M6 90 9 (-)	
Class	ng group ification Code rd Identification Number s	:	III M6 90 9	
IMDG Packin Labels EmS	ng group s	:	III 9 F-A, S-F	
Packi aircra Packi	ng instruction (LQ) ng group	:	964 Y964 III Miscellaneous	
Packi ger ai Packi	ng instruction (LQ) ng group	:	964 Y964 III Miscellaneous	
14.5 Envir	onmental hazards			
	onmentally hazardous	:	yes	
	onmentally hazardous	:	yes	
RID Enviro	onmentally hazardous	:	yes	
IMDG Marin	e pollutant	:	yes	
	(Passenger)	:	yes	
	(Cargo) onmentally hazardous	:	yes	



Disbon 481 Comp. A Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 26.07.2021
4.0	04.01.2023	6008459	Date of first issue: 14.11.2019

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 ture		tal regulations/legislat	tion	specific for the substance or mix-
	REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
	REACH - Candidate List of Subst Concern for Authorization (Article		:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable
	Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	None
	Seveso III: Directive 2012/18/EU pean Parliament and of the Coun control of major-accident hazards dangerous substances.	cil on the	EN	/IRONMENTAL HAZARDS
	Water hazard class (Germa- : ny)	WGK 2 obviously haza Classification accordin		
	Product code for laquers and : paints / Giscode	RE1 Epoxy resin prod	ucts,	solvent-free, sensitising
	. :	RE10 Epoxy resin disp 317	persi	ons, not sensitising, hardener H



Disbon 481 Comp. A Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 26.07.2021
4.0	04.01.2023	6008459	Date of first issue: 14.11.2019

Volatile organic compounds

: Directive 2004/42/EC < 4 % < 60 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements				
H302	:	Harmful if swallowed.		
H312	:	Harmful in contact with skin.		
H314	:	Causes severe skin burns and eye damage.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H319	:	Causes serious eye irritation.		
H332	:	Harmful if inhaled.		
H351	:	Suspected of causing cancer if inhaled.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
H411	:	Toxic to aquatic life with long lasting effects.		
H412	:	Harmful to aquatic life with long lasting effects.		
EUH071	:	Corrosive to the respiratory tract.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Carc.	:	Carcinogenicity		
Eye Dam.	:	Serious eye damage		
Eye Irrit.	:	Eye irritation		
Skin Corr.	:	Skin corrosion		
Skin Sens.	:	Skin sensitization		
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials		
DE TRGS 527 DE TRGS 900	:	Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values.		
DE TRGS 527	::	Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values.		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Car-riage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community num-ber; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Prac-



Disbon 481 Comp. A Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 26.07.2021
4.0	04.01.2023	6008459	Date of first issue: 14.11.2019

tice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISCL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory, LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Raii; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; VP8 - Very Persistent and Very Bioaccumulative

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Disbon 481 Comp. A Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 26.07.2021
4.0	04.01.2023	6008459	Date of first issue: 14.11.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN