

/ersion	Revision Date:	SDS Numbe	
1	09.01.2023	6020561	Date of first issue: 07.05.2020
ECTIO	N 1: Identification o	f the substan	ce/mixture and of the company/undertaking
.1 Produ	ıct identifier		
Trade	e name	: DisboRC	OF 408 Sonderton
I.2 Relev	ant identified uses of	the substance	or mixture and uses advised against
	of the Sub- ce/Mixture	: Water-bo	orne coatings
Reco on us	mmended restrictions se	: within ad	equate application - none
	s of the supplier of th	•	
Com	pany		er Straße 50
Telep	phone	64372 C : +496154	ber-Ramstadt 710
Telef		: +496154	7170222
	il address Responsi- suing person	: msds@d	r-rmi.com
I.4 Emerg	gency telephone		
Emer	gency telephone 1	: +496132	84463 GBK GmbH
SECTIO	N 2: Hazards identif	ication	
2.1 Class	ification of the substa	ance or mixture	•
	sification (REGULATI	. ,	72/2008)
Skin	sensitization, Category	1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3			H412: Harmful to aquatic life with long lasting ef-

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



DisboROOF 408 Sonderton

Version 2.1	Revision Date: 09.01.2023	-	DS Num 020561	ber:	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020
Hazaro	l pictograms	:	<u>(!</u>		
Signal	Word	:	Warnin	g	
Hazaro	d Statements	:	H317 H412		use an allergic skin reaction. I to aquatic life with long lasting effects.
Precau	tionary Statements	:	Preven	tion:	
			P261 P262 P273 P280	Do not Avoid r	preathing mist or vapors. get in eyes, on skin, or on clothing. elease to the environment. rotective gloves/ eye protection.
			Respo	nse:	
			P302 + water.	P352	IF ON SKIN: Wash with plenty of soap and
			P362 + before		Take off contaminated clothing and wash it

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one octhilinone (ISO) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Polyacrylate-based lacquer, aqueous, with film protection



DisboROOF 408 Sonderton

Version	Revision Date:	SDS Number:	Date of last issue: 06.01.2023
2.1	09.01.2023	6020561	Date of first issue: 07.05.2020

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317	>= 0,0025 - < 0,025



DisboROOF 408 Sonderton

Version 2.1	Revision Date: 09.01.2023	SDS Number: 6020561	Date of last issue: 06.01.202 Date of first issue: 07.05.202	
			>= 0,0015 %	
octhili	inone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-212076892	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0,0025 - < 0,025
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
			Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	
terbut	tryn	886-50-0 212-950-5	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0,0025 - < 0,025



DisboROOF 408 Sonderton

Version 2.1		OS Number: 20561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020	
			specific concentration limit Skin Sens. 1; H317 >= 3 %	
methy	on mass of 5-chloro-2- I-2H-isothiazol-3-one (3:1)	- 613-167-00-5 01-2120764691	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.



DisboROOF 408 Sonderton

Version 2.1	Revision Date: 09.01.2023	-	DS Number: 020561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020		
lf i	nhaled	:	Move to fresh air			
In	case of skin contact	:	Do NOT use solv	aminated clothing immediately. vents or thinners. t, immediately flush skin with soap and plenty		
In	case of eye contact	:	IF IN EYES: Rins	ersists: Get medical advice/ attention. se cautiously with water for several minutes. lenses, if present and easy to do. Continue		
lf s	wallowed	:		vice. n water and drink afterwards plenty of water. NOT induce vomiting.		
4.2 Mo	st important symptoms a	and	effects, both acut	e and delayed		
	sks	:	-	ergic skin reaction.		
	Treatment : No information available. SECTION 5: Firefighting measures					
•=•	••••••••••••••••••••••••••••••••••••••		•••			
	inguishing media					
Su	itable extinguishing media	ι :	bon dioxide. Use extinguishing cumstances and	alcohol-resistant foam, dry chemical or car- g measures that are appropriate to local cir- the surrounding environment. d water stream as it may scatter and spread		
	suitable extinguishing edia	:	None known.			
5.2 Spe	ecial hazards arising from	n th	e substance or mi	ixture		
•	ecific hazards during fire hting	:	produced such a	zardous decomposition products may be s: e, carbon dioxide and unburned hydrocar-		
	vice for firefighters					
	ecial protective equipment fire-fighters	t :	Wear self-contair essary.	ned breathing apparatus for firefighting if nec-		



Version 2.1	Revision Date: 09.01.2023	SDS Number 6020561	: Date of last issue: 06.01.2023 Date of first issue: 07.05.2020				
Further information		Standard	: Use water spray to cool unopened containers. Standard procedure for chemical fires. The product itself does not burn.				
SECTION	I 6: Accidental rele	ease measures					
6.1 Perso	nal precautions, pro	tective equipme	nt and emergency procedures				
Personal precautions		Material c	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 				
6.2 Enviro	onmental precaution	S					
Environmental precautions		If the proc respective	urther leakage or spillage if safe to do so. duct contaminates rivers and lakes or drains inform a authorities. sh into surface water or sanitary sewer system.				
6.3 Metho	ds and material for o	containment and	cleaning up				
Metho	ods for cleaning up	Soak up v	uitable, closed containers for disposal. vith inert absorbent material (e.g. sand, silica gel, er, universal binder, sawdust).				
6.4 Refere	ence to other section	S					

7.1 Precautions for safe handling

Advice on safe handling	:	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required.
		No interior use.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.



DisboROOF 408 Sonderton

2.1 09.01.2023 6020561 Date of first issue: 07.05.2020	Version 2.1	Revision Date: 09.01.2023	SDS Number: 6020561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020	
--	----------------	---------------------------	------------------------	---	--

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis				
		of exposure)						
octhilinone (ISO)	26530-20-1	AGW (Inhalable	0,05 mg/m3	DE TRGS				
. ,		fraction)		900				
	Peak-limit category: 2;(I)							
	Further information: Skin absorption, When there is compliance with the OEL							
	and biological	tolerance values, th	and biological tolerance values, there is no risk of harming the unborn child					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
1-(2-butoxy-1- methylethoxy)propan- 2-ol	Consumers	Inhalation	Long-term systemic effects	1,20 mg/m3
	Consumers	Ingestion	Long-term systemic effects	7,50 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	1,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1-(2-butoxy-1-	Sewage treatment plant 100 mg/l	
methylethoxy)propan-2-ol		
	Fresh water	0,519 mg/l



DisboROOF 408 Sonderton

Version 2.1	Revision Date: 09.01.2023	SDS Number: 6020561	Date of last issue: Date of first issue:	
		Soil		0,287 mg/kg dry weight (d.w.)
		Intermittent u	use/release	5,19 mg/l
		Fresh water	sediment	2,96 mg/kg dry weight (d.w.)
		Sea water		0,0519 mg/l
	Sea sedime		nt	0,296 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment					
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection			
		Goggles			
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3			
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection	:	Safety shoes Long sleeved clothing			
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
		Skin should be washed after contact.			
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing			
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.			
		DGUV Regulation 112-190 - Use of breathing equipment			
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid



DisboROOF 408 Sonderton

Vers 2.1	sion	Revision Date: 09.01.2023		S Number: 20561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020		
	Color		:	No data available	9		
	Odor		:	No data available			
	Melting	point/freezing point	:	ca. 0 °C			
	Boiling	point/boiling range	:	ca. 100 °C			
		explosion limit / Upper bility limit	:	not determined			
		explosion limit / Lower bility limit	:	not determined			
	Flash p	point	:	Not applicable			
	Autoigr	nition temperature	:	not determined			
	Decom	position temperature	:	Not applicable			
	рН		:	8 - 9 Concentration: 1	00 %		
	Viscosi Visc	ty cosity, dynamic	:	No data available	9		
	Solubili Wat	ty(ies) er solubility	:	completely misci	ble		
	Partitio octanol	n coefficient: n- /water	:	not determined			
	Vapor p	oressure	:	ca. 23,4 hPa (20	°C)		
	Density	/	:	1,0400 g/cm3			
	Relativ	e vapor density	:	not determined			
9.2	Other ir	formation					
	Explosi	ves	:	Not applicable			
	Oxidizi	ng properties	:	Not applicable			
	Flamm	ability (liquids)	:	The product is no	ot flammable.		
	Evapor	ation rate	:	Not applicable			



DisboROOF 408 Sonderton						
Version 2.1	Revision Date: 09.01.2023	SDS Number: 6020561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020			
SECTION 10: Stability and reactivity						

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	 No decomposition if stored and applied as direct 	o d
nazaruous reactions	: No decomposition if stored and applied as direct	.eu.

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids and bases.
		Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg			
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg			
2-methylisothiazol-3(2H)-one:					
2-methylisothiazol-3(2H)-one	e:				
2-methylisothiazol-3(2H)-one Acute oral toxicity	e: :	LD50 (Rat): 120 mg/kg			



DisboR	DisboROOF 408 Sonderton					
Version 2.1	Revision Date: 09.01.2023	SDS Number: 6020561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020			
octhil	inone (ISO):					
	Acute oral toxicity		Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008			
Acute	Acute inhalation toxicity		ty estimate: 0,27 mg/l phere: dust/mist ute toxicity estimate according to Regulation (EC) 008			
Acute	dermal toxicity		ty estimate: 311 mg/kg ute toxicity estimate according to Regulation (EC) 008			
terbut	ryn:					
Acute	oral toxicity	: LD50 Oral	Rat): > 300 mg/kg			
Acute	dermal toxicity	: LD50 Derm	al (Rat): > 2.000 mg/kg			
reactie (3:1):	on mass of 5-chloro-	2-methyl-2H-isot	hiazol-3-one and 2-methyl-2H-isothiazol-3-one			
Acute	oral toxicity	: LD50 (Rat) Method: OB	66 mg/kg CD Test Guideline 401			
Acute	Acute inhalation toxicity		LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403			
Acute	dermal toxicity	: LD50 (Rat) Method: OE	z > 141 mg/kg ECD Test Guideline 402			
	corrosion/irritation assified based on avai	lable information.				
	Serious eye damage/eye irritation Not classified based on available information.					
Respi	ratory or skin sensit	ization				
	sensitization ause an allergic skin r	eaction.				
-	Respiratory sensitization Not classified based on available information.					
	Germ cell mutagenicity Not classified based on available information.					



DisboROOF 408 Sonderton

Version	Revision Date:	SDS Number:	Date of last issue: 06.01.2023
2.1	09.01.2023	6020561	Date of first issue: 07.05.2020

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:	
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna Straus (Water flea)): > 10 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic plants	 ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: Cell multiplication inhibition test Method: OECD Test Guideline 201 GLP: no
Ecotoxicology Assessment	



ersion	Revision Date:	SE	OS Number:	Date of last issue: 06.01.2023
1	09.01.2023		20561	Date of first issue: 07.05.2020
<u>Com</u>	oonents:			
1,2-be	enzisothiazol-3(2H)-on	e:		
Toxici	ity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD T	
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia): Exposure time: 48 Method: OECD T	3 h
Toxici plants	ity to algae/aquatic	:	EC50 (Selenastru Exposure time: 72 Method: OECD T	
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
2-met	thylisothiazol-3(2H)-on	e:		
M-Fac icity)	ctor (Acute aquatic tox-	:	10	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
octhi	linone (ISO):			
M-Fac icity)	ctor (Acute aquatic tox-	:	100	
M-Fac toxicit	ctor (Chronic aquatic y)	:	100	
terbu	tryn:			
	ctor (Acute aquatic tox-	:	100	
M-Fac toxicit	ctor (Chronic aquatic y)	:	100	
reacti (3:1):		-me	thyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-on
• •	ctor (Acute aquatic tox-	:	100	



DisboR	DisboROOF 408 Sonderton								
Version 2.1	Revision Date: 09.01.2023	SDS Nu 602056		Date of last issue: 06.01.2023 Date of first issue: 07.05.2020					
M-Fac toxicit	ctor (Chronic aquatic y)	: 100							
	12.2 Persistence and degradability No data available								
12.3 Bioad	cumulative potential								
Comp	oonents:								
octhi	linone (ISO):								
Partiti	on coefficient: n- ol/water		Pow: 2,92 nod: OECD T	Fest Guideline 117					
terbu	tryn:								
Partiti	on coefficient: n- ol/water	: log F	Pow: 3,66						
reacti (3:1):	ion mass of 5-chloro-	2-methyl-2	2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one					
	on coefficient: n- ol/water		Pow: <= 0,71 nod: OECD	Fest Guideline 117					
12.4 Mobi No da	lity in soil ıta available								
12.5 Resu	Its of PBT and vPvB a	issessme	nt						
Produ	uct:								
	esment	to be very	e either pers	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of					
12.6 Endo	crine disrupting prop	erties							
Produ	uct:								
	ssment	ered REA (EU)	to have end	hixture does not contain components consid- locrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.					
12.7 Other	r adverse effects								
Produ	<u>uct:</u>								
	onal ecological infor-	: Harr	nful to aquat	ic organisms, may cause long-term adverse					
			15 / 20						



DisboROOF 408 Sonderton							
Version 2.1	Revision Date: 09.01.2023		DS Number: 020561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020			
mation			effects in the aquatic environment.				
SECTION	SECTION 13: Disposal considerations						
13.1 Wast	e treatment methods	5					
Produ	uct	:					
			Waste should	not be disposed of via wastewater.			
Contaminated packaging : Only completely emptied containers should be gi cling.		ely emptied containers should be given for recy-					
Wast	e Code	:	used product 080112, waste in 08 01 11*	e paint and varnish other than those mentioned			

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		



DisboROOF 408 Sonderton

Version 2.1	Revision Date: 09.01.2023	SDS Nu 6020561		Date of last issue: 06.01.2023 Date of first issue: 07.05.2020
ADN		: Not i	regulated as	a dangerous good
ADR		: Not i	regulated as	a dangerous good
RID		: Not i	regulated as	a dangerous good
IMDG		: Not i	regulated as	a dangerous good
ΙΑΤΑ	(Cargo)	: Not i	regulated as	a dangerous good
ΙΑΤΑ	(Passenger)	: Not i	regulated as	a dangerous good
14.5 Envir	onmental hazards			
Not re	egulated as a dangero	us good		
14.6 Spec	ial precautions for u	ser		
Rema	ırks	: Not of lation		dangerous in the meaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the	Not	applicable



DisboROOF 408 Sonderton

Versi 2.1	on	Revision Date: 09.01.2023		9S Number: 20561	Date of last issue: 06.01.2023 Date of first issue: 07.05.2020
		of major-accident haza ous substances.	ards	involving	
	Water h ny)	azard class (Germa-	:		ater endangering ording to AwSV, Annex 1 (5.2)
		t code for laquers and Giscode	:	M-DF02F Water-b	pased paints, active agents
			:	BSW50 Coating n film-protected	naterials, water-based, containing solvents,
Ň	Volatile	organic compounds	:	Directive 2004/42 < 3 % < 30 g/l	/EC

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

Skin Corr.

Skin Irrit.

H301 : H302 : H310 : H310 : H311 : H314 : H315 : H317 : H318 : H330 : H400 : H410 : H411 : H411 : H411 : H410 : H411 : H410 : H411 : H410 : H411 : H411 : H410 : H411 : H410 : H411 : H410 : H411 : H411 : H410 : H411 : H4		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.
H411 : EUH071 :	:	Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.
Full text of other abbreviation	S	
Acute Tox.:Aquatic Acute:Aquatic Chronic:Eye Dam.:	:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage



DisboROOF 408 Sonderton

Version	Revision Date:	SDS Number:	Date of last issue: 06.01.2023
2.1	09.01.2023	6020561	Date of first issue: 07.05.2020
Skin S	Sens.	: Skin sensitizati	ion

Skin Sens.	:	Skin sensitization
DE TRGS 900 DE TRGS 900 / AGW		Germany. TRGS 900 - Occupational exposure limit values. Time Weighted Average
DE TROS 5007 AGW	•	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISLL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Covention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Lovei; NOPETs - Of Gice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registrati

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-



DisboROOF 408 Sonderton

Version	Revision Date:	SDS Number:	Date of last issue: 06.01.2023
2.1	09.01.2023	6020561	Date of first issue: 07.05.2020

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.