

Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	DisboXID 5011 WHG Comp. B
1.2	Relevant identified uses of the	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, totally solid
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the saf	ety	data sheet
	Company		Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
	Telephone		+496154710
	Telefax E-mail address Responsi- ble/issuing person		+4961547170222 msds@dr-rmi.com
1.4	Emergency telephone		
	Emergency telephone 1	:	+49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127 Acute toxicity, Category 4	72/2008) H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)					
Hazard pictograms	:				
Signal Word	:	Danger			
Hazard Statements	:	 H302 + H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. 			
Supplemental Hazard Statements	:	EUH071 Corrosive to the respiratory tract.			
Precautionary Statements	:	Prevention:P260Do not breathe vapours/ spray.P262Do not get in eyes, on skin, or on clothing.P273Avoid release to the environment.P280Wear protective gloves/ protective clothing/ eye protection/ face protection.			
		Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pre- sent and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.			

Hazardous ingredients which must be listed on the label:

benzyl alcohol

m-phenylenebis(methylamine)

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
benzyl alcohol	100-51-6 202-859-9 603-057-00-5 01-2119492630-38	Acute Tox. 4; H302 Acute Tox. 4; H332	>= 30 - < 50
m-phenylenebis(methylamine)	1477-55-0 216-032-5 01-2119480150-50	Acute Tox. 4; H332 Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Eye Dam. 1; H318 EUH071	>= 20 - < 25
4,4'-Isopropylidenediphenol, oli- gomeric reaction products with 1- chloro-2,3-epoxypropane, reaction products with 3-aminomethyl- 3,5,5	38294-64-3 500-101-4 01-2119965165-33, 01-2120106013-80	Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 20 - < 25
4,4'-Isopropylidenediphenol, oli- gomeric reaction products with 1- chloro-2,3-epoxypropane, reaction products with m- phenylenebis(methylamine)	113930-69-1 500-302-7 01-2119965162-39	Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411 Skin Sens. 1; H317	>= 20 - < 25
salicylic acid	69-72-7 200-712-3 607-732-00-5 01-2119486984-17, 01-2120762977-34	Acute Tox. 4; H302 Eye Dam. 1; H318 Repr. 2; H361d	>= 1 - < 3
Diaminopolypropylene glycol	9046-10-0	Skin Corr. 1B; H314	>= 1 - < 2,5



Disbox	(ID 5011 WHG	Comp. B	
Version 2.0	Revision Date: 24.03.2022	Print Date 25.03.2022	Date of last issue: 15.11.2019 Date of first issue: 15.11.2019
		01-2119557899	Aquatic Chronic 3; -12 H412

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. If inhaled Move to fresh air. In case of skin contact Do NOT use solvents or thinners. : In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately. In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. If swallowed Call a physician. : Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting. 4.2 Most important symptoms and effects, both acute and delayed Risks Harmful if swallowed or if inhaled. : May cause an allergic skin reaction. Causes serious eye damage. Corrosive to the respiratory tract. Causes severe burns. 4.3 Indication of any immediate medical attention and special treatment needed : No information available. Treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Versi 2.0	ion	Revision Date: 24.03.2022	• •	int Date .03.2022	Date of last issue: 15.11.2019 Date of first issue: 15.11.2019
				Foam Carbon dioxide (0	CO2)
	Unsuita media	able extinguishing	:	None known.	
5.2 Special hazards arising from the				e substance or mi	xture
	Specifi fighting	c hazards during fire	:		ainers exposed to fire with water spray. nposition products formed under fire condi-
5.3 A	Advice	for firefighters			
	•	l protective equipment fighters	:	In the event of fire	e, wear self-contained breathing apparatus.
	Further	information	:	be disposed of in Standard procedu	contaminated fire extinguishing water must accordance with local regulations. ure for chemical fires. e and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
----------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.
		Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

,For personal protection see section 8.,For disposal considerations see section 13.



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

SECTION 7: Handling and storage

7.1 P	Precautions for safe handling	3	
	Advice on safe handling	:	For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
			In addition, the current technical information for this product and its application on www.caparol.com must be observed.
	Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
I	Hygiene measures	:	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.
7.2 C	conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
:	Storage class (TRGS 510)	:	8A, Combustible, corrosive hazardous materials
7.3 S	pecific end use(s)		
:	Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
benzyl alcohol	100-51-6	AGW (Vapour and aerosols)	5 ppm 22 mg/m3	DE TRGS 900		
	Peak-limit category: 2;(I)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child, Skin absorption, Sum of vapor and aerosols., Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:



	Revision Date: 24.03.2022	Print Dat 25.03.20		f last issue: 15.11.2019 f first issue: 15.11.2019	
Substan	ce name	End Use	Routes of expo- sure	Potential health ef- fects	Value
benzyl alcohol		Consumers	Skin contact	Acute systemic ef- fects	20,00 mg/k bw/day
		Consumers	Ingestion	Long-term systemic effects	4,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	5,40 mg/m
		Consumers	Skin contact	Long-term systemic effects	4,00 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef- fects	20,00 mg/k bw/day
		Consumers	Inhalation	Acute systemic ef- fects	27,00 mg/n
		Workers	Inhalation	Acute systemic ef- fects	110,00 mg/
		Workers	Inhalation	Long-term systemic effects	22,00 mg/n
		Workers	Skin contact	Acute systemic ef- fects	40,00 mg/k bw/day
		Workers	Skin contact	Long-term systemic effects	8,00 mg/kg bw/day
m- phe- nylenebis(methylamin e)	s(methylamin	Workers	Inhalation	Long-term systemic effects	1,20 mg/m3
,		Workers	Inhalation	Long-term local ef- fects	0,20 mg/m
		Workers	Skin contact	Long-term systemic effects	0,33 mg/kg bw/day
nol, oligo tion prod chloro-2, epoxypro tion prod	lidenediphe- omeric reac- lucts with 1- ,3- opane, reac- lucts with 3- ethyl-3,5,5	Consumers	Ingestion	Long-term systemic effects	0,05 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	0,05 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	0,18 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,14 mg/kg bw/day
		Workers	Inhalation	Long-term systemic effects	0,98 mg/m
salicylic	acid	Consumers	Inhalation	Long-term systemic effects	4,00 mg/m
		Consumers	Ingestion	Acute systemic ef-	4,00 mg/kg



Version 2.0	Revision Date: 24.03.2022	Print Date 25.03.202		Date of last issue: 15.11.2019 Date of first issue: 15.11.2019		
		Consumers	Skin contact	fects Long-term systemic	bw/day 1,00 mg/kg	
		001100		effects	bw/day	
		Consumers	Ingestion	Long-term systemic effects	1,00 mg/kg bw/day	
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3	
		Workers	Inhalation	Long-term local ef- fects	5,00 mg/m3	
		Workers	Skin contact	Long-term systemic effects	2,30 mg/kg bw/day	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
benzyl alcohol	Sewage treatment plant	39 mg/l
	Fresh water	1 mg/l
	Sea sediment	0,527 mg/kg dry
		weight (d.w.)
	Sea water	0,1 mg/l
	Fresh water sediment	5,27 mg/kg dry
		weight (d.w.)
	Soil	0,456 mg/kg dry
		weight (d.w.)
	Intermittent use/release	2,3 mg/l
m-phenylenebis(methylamine)	Soil	0,045 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	10 mg/l
	Sea sediment	0,043 mg/kg dry
		weight (d.w.)
	Fresh water sediment	0,43 mg/kg dry
		weight (d.w.)
	Fresh water	0,094 mg/l
	Intermittent use/release	0,152 mg/l
	Sea water	0,0094 mg/l
4,4'-Isopropylidenediphenol,	Sea sediment	0,00456 mg/kg
oligomeric reaction products with		dry weight (d.w.)
1-chloro-2,3-epoxypropane, reac-		
tion products with 3-		
aminomethyl-3,5,5		
	Sea water	0,00111 mg/l
	Secondary Poisoning	1 mg/kg food
	Fresh water sediment	0,0456 mg/kg dry
		weight (d.w.)
	Soil	0,00279 mg/kg
		dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,111 mg/l
	Fresh water	0,0111 mg/l
salicylic acid	Sea water	0,02 mg/l



		Print Date 25.03.2022	Date of last issue Date of first issue	
		Intermittent	use/release	1 mg/l
		Sewage tre	atment plant	162 mg/l
		Soil		0,166 mg/kg dry weight (d.w.)
		Fresh wate	r sediment	1,42 mg/kg dry weight (d.w.)
		Sea sedime	ent	0,142 mg/kg dry weight (d.w.)
		Fresh wate	r	0,2 mg/l

8.2 Exposure controls

Personal protective equipment					
Eye protection	: German trade association rules - BGR 192 Eye protection				
		Tightly fitting safety goggles			
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3			
Remarks	:	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706)			
Skin and body protection	:	Safety shoes Use appropriate degowning techniques to remove potentially contaminated clothing. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Long sleeved clothing			
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
		Skin should be washed after contact.			
Respiratory protection	:	Roller application or brushing: This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.			
		German trade association rules - BGR 190 Breathing protec- tion			



VersionRevision Date:Print DateDate of last issue: 15.2.024.03.202225.03.2022Date of first issue: 15.	
-------------------------------------------------------------------------------------------------------	--

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	101 °C
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	11 Concentration: 10 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	not determined
Vapor pressure	:	not determined
Relative density	:	not determined
Density	:	1,05 g/cm3



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019	
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019	

Relative vapor density	:	not determined
9.2 Other information		
Explosives	:	Not applicable
Oxidizing properties	:	Not applicable
Flammability (liquids)	:	The product is not flammable.
Evaporation rate	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions				
Hazardous reactions	:	Hazardous decomposition products formed under fire condi- tions.		
10.4 Conditions to avoid				
Conditions to avoid	:	Protect from frost, heat and sunlight.		
10.5 Incompatible materials				
Materials to avoid	:	Incompatible with acids. Incompatible with oxidizing agents.		

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed or if inhaled. Product: Acute oral toxicity : Acute toxicity estimate: 1.843 mg/kg Method: Calculation method Acute inhalation toxicity :



DisboXID 5011 WHG Comp. B Version **Revision Date:** Date of last issue: 15.11.2019 Print Date 2.0 24.03.2022 25.03.2022 Date of first issue: 15.11.2019 Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Components: benzyl alcohol: Acute oral toxicity : LD50 Oral (Rat, male and female): 1.230 mg/kg Acute inhalation toxicity LC50 (Rat, male and female): > 4,178 mg/l : Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 LD50 Dermal (Rabbit): > 2.000 mg/kg Acute dermal toxicity : m-phenylenebis(methylamine): Acute oral toxicity : LD50 (Rat): 930 mg/kg Acute inhalation toxicity : LC50 (Rat, female): 1,01 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 LD50 (Rabbit): 3.100 mg/kg Acute dermal toxicity : salicylic acid: Acute oral toxicity LD50 (Rat): 891 mg/kg : Acute dermal toxicity LD50 (Rat): > 2.000 mg/kg : Skin corrosion/irritation Causes severe burns. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitization **Respiratory sensitization** Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information.



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Corrosive to the respiratory tract.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3epoxypropane, reaction products with 3-aminomethyl-3,5,5:

Partition coefficient: noctanol/water : log Pow: 3,6 (25 °C) pH: 7

12.4 Mobility in soil

No data available



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

<u>Product:</u> Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

Product:

mation effects in the aquatic environment.	Additional ecological infor- mation	:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--------------------------------------------	----------------------------------------	---	-----------------------------------------------------------------------------------------------

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 2735
ADR	:	UN 2735



Version 2.0	Revision Date: 24.03.2022		int Date .03.2022	Date of last issue: 15.11.2019 Date of first issue: 15.11.2019
RID		:	UN 2735	
IMDG		:	UN 2735	
ΙΑΤΑ		:	UN 2735	
14.2 UN pr	oper shipping name			
ADN		:	(m-phenylene oligomeric rea	S, LIQUID, CORROSIVE, N.O.S. bis(methylamine), 4,4'-Isopropylidenediphenol, action products with 1-chloro-2,3-epoxypropane ucts with 3-aminomethyl-3,5,5)
ADR		:	(m-phenylene oligomeric rea	S, LIQUID, CORROSIVE, N.O.S. bis(methylamine), 4,4'-Isopropylidenediphenol, action products with 1-chloro-2,3-epoxypropane ucts with 3-aminomethyl-3,5,5)
RID		:	(m-phenylene oligomeric rea	S, LIQUID, CORROSIVE, N.O.S. bis(methylamine), 4,4'-Isopropylidenediphenol, action products with 1-chloro-2,3-epoxypropane ucts with 3-aminomethyl-3,5,5)
IMDG		:	(m-phenylene oligomeric rea	S, LIQUID, CORROSIVE, N.O.S. bis(methylamine), 4,4'-Isopropylidenediphenol, action products with 1-chloro-2,3-epoxypropane ucts with 3-aminomethyl-3,5,5)
ΙΑΤΑ		:	(m-phenylene oligomeric rea	iquid, corrosive, n.o.s. bis(methylamine), 4,4'-Isopropylidenediphenol, action products with 1-chloro-2,3-epoxypropane ucts with 3-aminomethyl-3,5,5)
14.3 Trans	port hazard class(es)			
ADN		:	8	
ADR		:	8	
RID		:	8	
IMDG		:	8	
IATA		•	8	
14.4 Packir	na aroup	•	•	
ADN				
Packin Classif	g group ication Code d Identification Number	: : :	II C7 80 8	
Classif	g group ication Code d Identification Number	:	II C7 80	



		-	
Version 2.0	Revision Date: 24.03.2022	Print Date 25.03.2022	Date of last issue: 15.11.2019 Date of first issue: 15.11.2019
Labels Tunne	s I restriction code	: 8 : (E)	
Classi	ng group fication Code d Identification Number	: II : C7 : 80 : 8	
IMDG Packir Labels EmS (ng group S	: II : 8 : F-A, S-B	
Packir aircraf Packir	ng instruction (LQ) ng group	: 855 : Y840 : II : Corrosive	
Packir ger air Packir	ng instruction (LQ) ng group	: 851 : Y840 : II : Corrosive	
14.5 Envir	onmental hazards		
ADN Enviro	onmentally hazardous	: no	
ADR Enviro	onmentally hazardous	: no	
RID Enviro	onmentally hazardous	: no	

IMDG

Marine pollutant : no 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).
Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)
REACH - List of substances subject to authorisation : None (Annex XIV)
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Water hazard class (Germa- : 2 significantly water endangering
ny) Product code for laquers and : RE1 Epoxy resin products, solvent-free, sensitising paints / Giscode
Volatile organic compounds : < 36 % < 380 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.



SECTION 16: Other information

Full text of H-Statements				
H302 H314 H317 H318 H332 H361d H411 H412 EUH071		Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. Suspected of damaging the unborn child. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Corrosive to the respiratory tract.		
Full text of other abbreviations				
Acute Tox. Aquatic Chronic Eye Dam. Repr. Skin Corr. Skin Sens. DE TRGS 900 DE TRGS 900 / AGW		Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Reproductive toxicity Skin corrosion Skin sensitization Germany. TRGS 900 - Occupational exposure limit values. Time Weighted Average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Xi Transport Association; IBC - International Agency for Research on Cancer; IATA - International Xi Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECS - Lethal Concentration to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:



Version	Revision Date:	Print Date	Date of last issue: 15.11.2019
2.0	24.03.2022	25.03.2022	Date of first issue: 15.11.2019

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the r	nixture:	Classification procedure:
Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN