**1.1 Product identifier** 



Sonderton Muresko Nespri					
Version 2.1	Revision Date: 26.01.2023	SDS Number: 6021988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020		
SECTION 1: Identification of the substance/mixture and of the company/undertaking					

Trade name	:	Sonderton Muresko Nespri
1.2 Relevant identified uses of	the s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	fety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone Telefax	Roßdörfer Straße 50 64372 Ober-Ramstadt : +496154710 : +4961547170222
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com

## 1.4 Emergency telephone

Emergency telephone 1	: +49613284463 GBK GmbH
-----------------------	-------------------------

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.			
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.			

### 2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



## Sonderton Muresko Nespri

Version 2.1	Revision Date: 26.01.2023	-	DS Number: 021988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020
Haza	rd pictograms	:		
Signa	al Word	:	Warning	
Hazard Statements		:		e an allergic skin reaction. aquatic life with long lasting effects.
Precautionary Statements		:	label at hand.	advice is needed, have product container or of reach of children.
			Prevention:	
			P273 Avoid rele	t in eyes, on skin, or on clothing. ase to the environment. ective gloves/ eye protection.
			<b>Response:</b> P302 + P352 IF water.	ON SKIN: Wash with plenty of soap and

### Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one octhilinone (ISO) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

## Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



## Sonderton Muresko Nespri

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2021
2.1	26.01.2023	6021988	Date of first issue: 16.12.2020

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

•

Chemical nature : Silicone resin paint, aqueous , with film protection

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - < 0,025



# Sonderton Muresko Nespri

ersion 1	Revision Date: 26.01.2023	SDS Number: 6021988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
octhili	inone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-2120768921-	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H330 Acute Tox. 3; H311 45 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 0,025
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
			Acute toxicity esti- mate	
			Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg	
	on mass of 5-chloro-2 yl-2H-isothiazol-3-one		Acute Tox. 3; H301 Acute Tox. 2; H330	>= 0,0002 - 0,0015



## Sonderton Muresko Nespri

rsion		SDS Number: 6021988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020	
meth	yl-2H-isothiazol-3-one (3:	1) 613-167-00-5 01-212076469	Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	
meth	ion mass of 5-chloro-2- yl-2H-isothiazol-3-one and yl-2H-isothiazol-3-one (3:			<= 0,0002
	· · ·	01-212076469	1-48	
	tances with a workplace e (Mg3H2(SiO3)4)	14807-96-6		>= 1 - < 10
Taic		238-877-9 01-212014027	8-58	~~ 1 ~ < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

General advice

Never give anything by mouth to an unconscious person.
 If you feel unwell, seek medical advice (show the label where possible).
 Move out of dangerous area.



## Sonderton Muresko Nespri

Version 2.1	Revision Date: 26.01.2023		DS Number: 021988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020
			First aider needs	to protect himself.
lf inha	led	:	Move to fresh air.	
In case of skin contact		:	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plent of water.	
In cas	e of eye contact	:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
lf swa	llowed	:		vice. water and drink afterwards plenty of water. NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks	: May cause an allergic skin reaction.
-------	--

#### 4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

## **SECTION 5: Firefighting measures**

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3	Advice for firefighters		
	Special protective equipment	:	Wear self-contained breathing apparatus for firefighting if nec-



## Sonderton Muresko Nespri

Version	Revision Date: 26.01.2023	SDS Number:	Date of last issue: 09.12.2021
2.1		6021988	Date of first issue: 16.12.2020
	-fighters r information		to cool unopened containers. lure for chemical fires. If does not burn.

## **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		

:	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.
	Do not flush into surface water or sanitary sewer system.
	:

### 6.3 Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>Use only with adequate ventilation.</li> <li>For personal protection see section 8.</li> <li>No special technical protective measures required.</li> </ul>	
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.	
Hygiene measures	: Wash hands before eating, drinking, or smoking. Do not eat drink or smoke when using this product. Remove contamina ed clothing and protective equipment before entering eating areas.	at-



## Sonderton Muresko Nespri

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2021
2.1	26.01.2023	6021988	Date of first issue: 16.12.2020

## 7.2 Conditions for safe storage, including any incompatibilities

<b>U</b> ,		
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit cat	egory: 2:(II)			
	Further inform	ation: When there is	compliance with the OEL and f harming the unborn child	nd biological	
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
	BM (Alveolar 0,5 mg/m3 DE TRO dust fraction) 527				
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900	
	Peak-limit cat	egory: 2;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				



## Sonderton Muresko Nespri

Ver 2.1	sion	Revision Da 26.01.2023	te: SDS 6021	Number: 1988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020	
				BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
	octhilin	one (ISO)	26530-20-1	AGW (Inhalable fraction)	e 0,05 mg/m3	DE TRGS 900
			Peak-limit cat	tegory: 2;(I)		
					ption, When there is complianc , there is no risk of harming the	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,	• •		
Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
Kaolin, calcined	Workers	Inhalation	Acute systemic ef-	3,00 mg/m3
			fects	_
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

### 8.2 Exposure controls

### Personal protective equipment



## Sonderton Muresko Nespri

Version 2.1	Revision Date: 26.01.2023	-	DS Number: 121988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020
Eye/fa	ace protection	:	Ū	112-192 - Use of eye and face protection
			Goggles	
Ma Gle	protection aterial ove thickness otective index	:	Nitrile rubber 0,2 mm Class 3	
Re	emarks	:	Wear suitable glo	gloves clean them with soap and water. ves tested to EN374. n 112-195 - Use of protective gloves
Skin a	and body protection	:	Safety shoes Long sleeved clot	hing
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be wa	ashed after contact.
				h contaminated clothing before re-use. lication: impervious clothing
Respi	ratory protection	:	No personal resp quired.	iratory protective equipment normally re-
			German trade ass tion	sociation rules - BGR 190 Breathing protec-
				lication: Do not breathe spray dust. Use n filter for paint spraying.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

:	liquid
:	No data available
:	No data available
:	ca. 0 °C
:	ca. 100 °C
:	not determined
	:



## Sonderton Muresko Nespri

Ver 2.1	sion	Revision Date: 26.01.2023		S Number: 1988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020
	flamma	bility limit			
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8 - 9 Concentration: 10	00 %
	Viscosi Visc	ty cosity, dynamic	:	No data available	)
	Solubili Wat	ty(ies) er solubility	:	completely miscil	ble
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Density	,	:	1,4700 g/cm3	
	Relative	e vapor density	:	not determined	
9.2	Other ir	formation			
	Explosi	ves	:	Not applicable	
	Oxidiziı	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.
	Evapor	ation rate	:	Not applicable	

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions



## Sonderton Muresko Nespri

Version 2.1	Revision Date: 26.01.2023		S Number: 21988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020
Hazaro	lous reactions	:	No decompositio	n if stored and applied as directed.
	tions to avoid	:	Protect from fros	t, heat and sunlight.
	<b>patible materials</b> als to avoid	:		n acids and bases. n oxidizing agents.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.

## Components:

1,2-benzisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist
octhilinone (ISO):	
Acute oral toxicity :	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity :	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008



### Sonderton Muresko Nespri Version Revision Date: SDS Number: Date of last issue: 09.12.2021 2.1 26.01.2023 6021988 Date of first issue: 16.12.2020 Acute toxicity estimate: 311 mg/kg Acute dermal toxicity 5 Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Acute oral toxicity : LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity LD50 (Rat): > 141 mg/kg : Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization **Respiratory sensitization** Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT-single exposure Not classified based on available information. **STOT-repeated exposure** Not classified based on available information. Aspiration toxicity Not classified based on available information.



# Sonderton Muresko Nespri

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2021
2.1	26.01.2023	6021988	Date of first issue: 16.12.2020

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

Product:	

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

## 12.1 Toxicity

Product: Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna Straus (Water flea)): > 10 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic : plants	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: Cell multiplication inhibition test Method: OECD Test Guideline 201 GLP: no
Ecotoxicology Assessment	
Chronic aquatic toxicity :	Harmful to aquatic life with long lasting effects.
Components:	
1,2-benzisothiazol-3(2H)-one:	
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h

CAPAROL

DE / EN

Version 2.1	Revision Date: 26.01.2023		DS Number: 21988	Date of last issue: 09.12.2021 Date of first issue: 16.12.2020
			Method: OECI	D Test Guideline 201
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
2-met	hylisothiazol-3(2H)-or	ne:		
M-Fac icity)	ctor (Acute aquatic tox-	:	10	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
octhil	inone (ISO):			
M-Fac icity)	ctor (Acute aquatic tox-	:	100	
M-Fac toxicit	ctor (Chronic aquatic y)	:	100	
reacti (3:1):	on mass of 5-chloro-2	?-m€	ethyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
	ctor (Acute aquatic tox-	:	100	
M-Fac toxicit	ctor (Chronic aquatic y)	:	100	
	<b>stence and degradabi</b> ta available	lity		
12.3 Bioad	cumulative potential			
Comp	oonents:			
Partiti	<b>inone (ISO):</b> on coefficient: n- ol/water	:	log Pow: 2,92 Method: OECI	D Test Guideline 117
reacti (3:1):	on mass of 5-chloro-2	2-me	ethyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
Partiti	on coefficient: n- ol/water	:	log Pow: <= 0, Method: OECI	71 D Test Guideline 117



## Sonderton Muresko Nespri

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2021
2.1	26.01.2023	6021988	Date of first issue: 16.12.2020

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	<b>6</b> ( )

### 12.7 Other adverse effects

### Product:

Additional ecological infor- :	:	Harmful to aquatic organisms, may cause long-term adverse
mation		effects in the aquatic environment.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

## **SECTION 14: Transport information**

14.1 UN number or ID number				
ADN	: Not regulated as a dangerous good			
ADR	: Not regulated as a dangerous good			



#### Sonderton Muresko Nespri Version Revision Date: SDS Number: Date of last issue: 09.12.2021 2.1 26.01.2023 6021988 Date of first issue: 16.12.2020 RID Not regulated as a dangerous good 2 IMDG Not regulated as a dangerous good · ΙΑΤΑ Not regulated as a dangerous good 14.2 UN proper shipping name ADN Not regulated as a dangerous good 5 ADR Not regulated as a dangerous good • RID Not regulated as a dangerous good ÷ IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good t 14.3 Transport hazard class(es) ADN 1 Not regulated as a dangerous good ADR Not regulated as a dangerous good RID Not regulated as a dangerous good 5 IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 1 14.4 Packing group ADN Not regulated as a dangerous good 2 ADR Not regulated as a dangerous good 5 RID Not regulated as a dangerous good : IMDG Not regulated as a dangerous good ÷ IATA (Cargo) Not regulated as a dangerous good ÷ IATA (Passenger) Not regulated as a dangerous good 1 **14.5 Environmental hazards** Not regulated as a dangerous good 14.6 Special precautions for user Remarks Not classified as dangerous in the meaning of transport regu-5 lations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



## **Sonderton Muresko Nespri**

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2021
2.1	26.01.2023	6021988	Date of first issue: 16.12.2020

## **SECTION 15: Regulatory information**

15.1 Safety, health and environm ture	ental regulations/legislation	specific for the substance or mix-	
REACH - Restrictions on the r the market and use of certain mixtures and articles (Annex >	dangerous substances,	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
REACH - Candidate List of Su Concern for Authorization (Art		This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.	
Regulation (EC) No 1005/2009 plete the ozone layer	9 on substances that de- :	Not applicable	
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu- :	Not applicable	
REACH - List of substances s (Annex XIV)	ubject to authorisation :	None	
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			
Water hazard class (Germa- ny)	: WGK 1 slightly water end Classification according to		
Product code for laquers and paints / Giscode	: M-SF01F Water-based, si	ilicone resin paints, active agents	
	: BSW50 Coating materials film-protected	s, water-based, containing solvents,	
Volatile organic compounds	: Directive 2004/42/EC < 2 % < 20 g/l		

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.



## Sonderton Muresko Nespri

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2021
2.1	26.01.2023	6021988	Date of first issue: 16.12.2020

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H301 H302 H310 H311 H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH071	· · · · · · · · · · · · · · · · · · ·	Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.
Full text of other abbreviations         Acute Tox.       : Acute toxicity		
Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. DE TRGS 527 DE TRGS 900 DE TRGS 527 / BM DE TRGS 900 / AGW		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Assessment scale Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQ) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ETCX - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,



## Sonderton Muresko Nespri

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2021
2.1	26.01.2023	6021988	Date of first issue: 16.12.2020

### Further information

### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mix	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN