

# AmphiSilan Nespri FREE Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2022
2.0	07.02.2023	6021970	Date of first issue: 14.12.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	AmphiSilan Nespri FREE Basis 1
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture		Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e sat	fety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	/2/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

### 2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008) Hazard pictograms :

Signal Word

: Warning



# AmphiSilan Nespri FREE Basis 1

Version 2.0	Revision Date: 07.02.2023	-	DS Num 021970	nber:	Date of last issue: 19.09.2022 Date of first issue: 14.12.2020
Hazaro	Statements	:	H317	May cause	e an allergic skin reaction.
Precau	tionary Statements	:	P101 label a P102	t hand.	advice is needed, have product container or of reach of children.
			Prever	ntion:	
			P262 P280		in eyes, on skin, or on clothing. ective gloves/ eye protection.
			Respo	nse:	
			P302 + water.	- P352 IF	ON SKIN: Wash with plenty of soap and
			P362 + before		ke off contaminated clothing and wash it

### Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

### **Additional Labeling**

EUH211

211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Silicone resin paint, aqueous

### Components



# AmphiSilan Nespri FREE Basis 1

07.02.2023 602	1970 Date		
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentrati (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 μm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 2
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317	>= 0,0025 - 0,025
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	>= 0,05 % Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - 0,025
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit	



# AmphiSilan Nespri FREE Basis 1

Version 2.0		DS Number: 021970	Date of last issue: 19.09.2022 Date of first issue: 14.12.2020
			Skin Sens. 1A; H317 >= 0,0015 %
methy	on mass of 5-chloro-2- I-2H-isothiazol-3-one (3:1) I-2H-isothiazol-3-one (3:1)	2- 55965-84-9 613-167-00-5 01-212076469	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 >= 0,0002 - < 0,0015   1-48 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 >= 0,0002 - < 0,0015   M-Factor IC; H314 EUH071 >= 0,0002 - 0,0015   M-Factor IC; H314 EUH071 >= 0,0015   M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 >= 0,6 %   Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.



# AmphiSilan Nespri FREE Basis 1

Version 2.0	Revision Date: 07.02.2023	SDS Numbe 6021970	r: Date of last issue: 19.09.2022 Date of first issue: 14.12.2020		
In cas	e of skin contact		use solvents or thinners. f contact, immediately flush skin with soap and plenty		
In case of eye contact		IF IN EY	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
If swallowed		Clean m	dical advice. outh with water and drink afterwards plenty of water. wed, DO NOT induce vomiting.		
4.2 Most i	4.2 Most important symptoms and effects, both acute and delayed				
Risks		: May cau	se an allergic skin reaction.		
<b>4.3 Indication of any immediate me</b> Treatment :			ntion and special treatment needed nation available.		

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire fighting	:	produced such as:
		Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.



# AmphiSilan Nespri FREE Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2022
2.0	07.02.2023	6021970	Date of first issue: 14.12.2020

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for conta	inment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline



# AmphiSilan Nespri FREE Basis 1

Version 2.0	Revision Date: 07.02.2023	SDS Number: 6021970	Date of last issue: 19.09.2022 Date of first issue: 14.12.2020
		materials.	
Stora	ge class (TRGS 510)	: 12	
-	f <b>ic end use(s)</b> fic use(s)	: This informat	ion is not available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		AGW (Alveolate 1,25 mg/m3 DE TR		DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3



### AmphiSilan Nespri FREE Basis 1

Version 2.0	Revision Date: 07.02.2023	SDS Nur 6021970		Date of last issue: 19.09.2022 Date of first issue: 14.12.2020		
		Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3	
zinc s	sulphide	Consumers	Skin contact	t Long-term systemic effects	83,00 mg/kg bw/day	
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3	
		Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day	
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3	
		Workers	Skin contact	t Long-term systemic effects	83,00 mg/kg bw/day	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form	Sewage treatment plant	100 mg/l
containing 1 % or more of parti-		J. J
cles with aerodynamic diameter ≤		
10 µm]		
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
zinc sulphide	Fresh water	20,6 µg/l
	Fresh water sediment	117,8 mg/kg dry weight (d.w.)
	Soil	35,6 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 µg/l
	Sea sediment	56,5 mg/kg dry weight (d.w.)
	Sea water	6,1 µg/l

### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection



# AmphiSilan Nespri FREE Basis 1

Version 2.0	Revision Date: 07.02.2023		DS Number: 21970	Date of last issue: 19.09.2022 Date of first issue: 14.12.2020
Ģ	laterial love thickness rotective index	:	Nitrile rubber 0,2 mm Class 3	
R	emarks	:	Wear suitable glo	gloves clean them with soap and water. ves tested to EN374. n 112-195 - Use of protective gloves
Skin and body protection		:	Safety shoes Long sleeved clot	thing
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be wa	ashed after contact.
				h contaminated clothing before re-use. lication: impervious clothing
Res	piratory protection	:	No personal resp quired.	iratory protective equipment normally re-
			DGUV Regulatior	n 112-190 - Use of breathing equipment
				lication: Do not breathe spray dust. Use on filter for paint spraying.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable



# AmphiSilan Nespri FREE Basis 1

Vers 2.0	sion	Revision Date: 07.02.2023	-	S Number: 21970	Date of last issue: 19.09.2022 Date of first issue: 14.12.2020
	Autoig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8 - 9 Concentration: 1	00 %
	Viscos Vis	ity cosity, dynamic	:	No data availabl	e
		lity(ies) ter solubility	:	completely misc	ble
		on coefficient: n- I/water	:	Not applicable	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Relativ	ve density	:	not determined	
	Densit	у	:	1,4900 g/cm3	
	Relativ	ve vapor density	:	Not applicable	
9.2	Other i	nformation			
	Explos	lives	:	Not applicable	
	Oxidiz	ing properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is n	ot flammable.

### **SECTION 10: Stability and reactivity**

10.1 Reactivity
No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.



# AmphiSilan Nespri FREE Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2022
2.0	07.02.2023	6021970	Date of first issue: 14.12.2020

### 10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.

### Components:

1,2-benzisothiazol-3	(2H)-one:
----------------------	-----------

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-on	e:	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist
reaction mass of 5-chloro-2- (3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
A		

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

### Skin corrosion/irritation

Not classified based on available information.



# AmphiSilan Nespri FREE Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2022
2.0	07.02.2023	6021970	Date of first issue: 14.12.2020

# Serious eye damage/eye irritation Not classified based on available information.

# Respiratory or skin sensitization

### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

### Endocrine disrupting properties

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

### 1,2-benzisothiazol-3(2H)-one:

÷

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203





# AmphiSilan Nespri FREE Basis 1

Version 2.0	Revision Date: 07.02.2023		OS Number: 21970	Date of last issue: 19.09.2022 Date of first issue: 14.12.2020
	ity to daphnia and other tic invertebrates	:	Exposure time: 4	
Toxic plants	ity to algae/aquatic s	:	Exposure time: 7	um capricornutum (green algae)): 0,11 mg/l 2 h est Guideline 201
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
2-me	thylisothiazol-3(2H)-or	e:		
	ctor (Acute aquatic tox-		10	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
react (3:1):		-me	thyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
. ,	ctor (Acute aquatic tox-	:	100	
M-Fa toxici	ctor (Chronic aquatic ty)	:	100	
	<b>istence and degradabi</b> ata available	ity		
12.3 Bioa	ccumulative potential			
Com	ponents:			
react (3:1):		-me	thyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- ol/water	:	log Pow: <= 0,71 Method: OECD T	est Guideline 117
	i <b>lity in soil</b> ata available			
12 5 Pos	Its of PBT and vPvB a	sse	ssment	
12.5 Nest				
Prod				nixture contains no components considered



### AmphiSilan Nespri FREE Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2022
2.0	07.02.2023	6021970	Date of first issue: 14.12.2020
			rsistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### **12.6 Endocrine disrupting properties**

<u>Product:</u> Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

### Product:

Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
--	---	---

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	: Not regulated as a dangerous	good
ADR	: Not regulated as a dangerous	good
RID	: Not regulated as a dangerous	good
IMDG	: Not regulated as a dangerous	good
ΙΑΤΑ	: Not regulated as a dangerous	good

14.2 UN proper shipping name



### AmphiSilan Nespri FREE Basis 1

Version 2.0	Revision Date: 07.02.2023	SDS Number:Date of last issue: 19.09.20226021970Date of first issue: 14.12.2020	
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG		: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.3 Trans	sport hazard class(es		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG		: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.4 Packi	ing group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG		: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
-	onmental hazards	s good	
14.6 Spec	ial precautions for us	r	
Rema	ırks	: Not classified as dangerous in the meaning of transport lations.	regu-
	<b>ime transport in bulk</b> oplicable for product a	according to IMO instruments supplied.	

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

formaldehyde (Number on list 72,



### **AmphiSilan Nespri FREE Basis 1**

Version 2.0	Revision Date: 07.02.2023	SDS Number: 6021970		ssue: 19.09.2022 issue: 14.12.2020		
			28)			
	CH - Candidate List of Su ern for Authorization (Art	not o Con 0.1% have	s product is a mixture and does contain Substances of Very Hig Icern (SVHC) equal or above %. Therefore no advised uses to be defined and no chemica ty assessment has to be gener d.			
	lation (EC) No 1005/200 the ozone layer	9 on substances that	e- : Not	applicable		
	Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)					
	CH - List of substances s ex XIV)	ubject to authorisatior	: Non	e		
pean contro	so III: Directive 2012/18/ Parliament and of the Co of major-accident haza erous substances.	ouncil on the	Not appli	icable		
Water ny)	r hazard class (Germa-	: WGK 2 obviously Classification acc				
	ict code for laquers and c / Giscode	: M-SF01 Water-ba	sed, silicone ı	resin paints		
		: BSW20 Coating	naterials, wate	er-based		
Volati	le organic compounds	: Directive 2004/42 < 2 % < 30 g/l	/EC			

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.



### AmphiSilan Nespri FREE Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2022
2.0	07.02.2023	6021970	Date of first issue: 14.12.2020

### **SECTION 16: Other information**

#### Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H311	: Toxic in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H351	: Suspected of causing cancer if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

#### Full text of other abbreviations

Aquatic Acute:ShoAquatic Chronic:LonCarc.:CarrEye Dam.:SeriSkin Corr.:SkirSkin Irrit.:SkirSkin Sens.:SkirDE TRGS 527:GerDE TRGS 527 / BM:Ass	te toxicity rt-term (acute) aquatic hazard g-term (chronic) aquatic hazard cinogenicity ous eye damage a corrosion a irritation a sensitization many. TRGS 527 - Activities with nanomaterials many. TRGS 900 - Occupational exposure limit values. essment scale e Weighted Average
--	---

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Contentration; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration of Doserved (Adverse) Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Re

Further information Other information:



### AmphiSilan Nespri FREE Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 19.09.2022
2.0	07.02.2023	6021970	Date of first issue: 14.12.2020

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

H317

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Skin Sens. 1

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN