

Disbo	CRET 518 weiß		
Version 3.1	Revision Date: 15.05.2023	SDS Numbe 6020446	er: Date of last issue: 16.12.2022 Date of first issue: 21.04.2020
SECTION	N 1: Identification of	the substan	nce/mixture and of the company/undertaking
1.1 Produ	ict identifier		
Trade	e name	: DisboCF	RET 518 weiß
1.2 Releva	ant identified uses of	the substance	e or mixture and uses advised against
	of the Sub- ce/Mixture	: Water-be	orne coatings
Reco on us	mmended restrictions	: within ac	dequate application - none
1.3 Detail	s of the supplier of th	e safety data s	sheet
Com	pany		GmbH fer Straße 50 Ober-Ramstadt
Telep Telef	bhone ax	: +496154	
Webs		:	
	uil address Responsi- suing person	: msds@c	dr-rmi.com
1.4 Emerg	gency telephone		
Emer	gency telephone 1	: +496132	284463 GBK GmbH
SECTION	N 2: Hazards identifi	cation	
2.1 Class	ification of the substa	nce or mixtur	e
Class	sification (REGULATIO	DN (EC) No 12	272/2008)
	sensitization, Category	. ,	H317: May cause an allergic skin reaction.
Long egory	-term (chronic) aquatic / 3	hazard, Cat-	H412: Harmful to aquatic life with long lasting effects.
	_		

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



DisboCRET 518 weiß

Version 3.1	Revision Date: 15.05.2023	-	DS Num 020446	ber:	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020
Hazaro	d pictograms	:	<u>(!</u>		
Signal	Word	:	Warnin	g	
Hazaro	d Statements	:	H317 H412	-	use an allergic skin reaction. I to aquatic life with long lasting effects.
Precau	utionary Statements	:	Preven	tion:	
			P261 P262 P273 P280	Do not Avoid r	reathing mist or vapors. get in eyes, on skin, or on clothing. elease to the environment. rotective gloves/ eye protection.
			Respo	nse:	
			P302 + water.	P352	IF ON SKIN: Wash with plenty of soap and
			P362 + before		Take off contaminated clothing and wash it

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one octhilinone (ISO) 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



DisboCRET 518 weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.12.2022
3.1	15.05.2023	6020446	Date of first issue: 21.04.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6 603-096-00-8 01-2119475104-44	Eye Irrit. 2; H319	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 - < 0,025
octhilinone (ISO)	26530-20-1 247-761-7 613-112-00-5 01-2120768921-45	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - < 0,025



DisboCRET 518 weiß

ersion I	Revision Date: 15.05.2023	SDS Number: 6020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020			
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100			
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %			
			Acute toxicity esti- mate			
			Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27 mg/l Acute dermal toxicity: 311 mg/kg			
terbut	ryn	886-50-0 212-950-5		0,0025 - 0,025		
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100			
			specific concentration limit Skin Sens. 1; H317 >= 3 %			
2-met	hylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-21207646	Acute Tox. 3; H311 Acute Tox. 3; H301	0,0025 - 0,025		



DisboCRET 518 weiß



DisboCRET 518 weiß

Version 3.1	Revision Date: 15.05.2023	SDS Number: 6020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020	
		310-194-1		
Talc (Mg3H2(SiO3)4)		14807-96-6 238-877-9 01-21201402	78-58	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid mea	4.1 Description of first-aid measures				
General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. 				
If inhaled	: Move to fresh air.				
In case of skin contact	 Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. 				
In case of eye contact	 If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 				
If swallowed	 Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting. 				
4.2 Most important symptoms	and effects, both acute and delayed				
Risks	: May cause an allergic skin reaction.				
4.3 Indication of any immediat	4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	: No information available.				
SECTION 5. Eirofighting me					

SECTION 5: Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir-		



Disb	DisboCRET 518 weiß					
Versior 3.1	sion Revision Date: 15.05.2023		DS Number: 20446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020		
				the surrounding environment. I water stream as it may scatter and spread		
	nsuitable extinguishing edia	:	None known.			
5.2 Sp	ecial hazards arising from	the	e substance or mi	xture		
	becific hazards during fire hting	:	produced such as	cardous decomposition products may be e, carbon dioxide and unburned hydrocar-		
5.3 Ad	vice for firefighters					
	pecial protective equipment r fire-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-		
Fu	urther information	:		o cool unopened containers. Ire for chemical fires. does not burn.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use protective shoes or boots with rough rubber sole Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.	€.
----------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	----

6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.
		Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.



DISDOC	CRET 518 weiß				
Version 3.1	Revision Date: 15.05.2023	SDS Number: 6020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020		
SECTION 7. Handling and starage					

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling :	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required. No interior use.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage :	Keep away from oxidizing agents and strongly acid or alkaline

on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.

Storage class (TRGS 510) : 12

7.3 Specific end use(s)

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit category: 2;(II)					



DisboCRET 518 weiß

sion Revisio 15.05.2			ate of last issue: 16.12.20 ate of first issue: 21.04.20					
	Eurther infor	mation [.] When there i	s compliance with the OE	-I and biological				
			of harming the unborn ch					
		AGW (Alveolate 1,25 mg/m3						
		fraction)	(Titanium dioxide)	DE TRGS 900				
	Peak-limit ca	ategory: 2;(II)						
			s compliance with the OE	EL and biological				
			of harming the unborn ch					
		BM (Alveolar	0,5 mg/m3	DE TRGS				
		dust fraction)	_	527				
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/E				
		dust)						
	Further infor	mation: Carcinogens	or mutagens					
Talc	14807-96-6	AGW (Inhalable	10 mg/m3	DE TRGS				
(Mg3H2(SiO3)4		fraction)		900				
		ategory: 2;(II)						
		Further information: When there is compliance with the OEL and biological						
	tolerance va	tolerance values, there is no risk of harming the unborn child						
		AGW (Alveolate	1,25 mg/m3	DE TRGS				
		fraction)		900				
		Peak-limit category: 2;(II)						
		Further information: When there is compliance with the OEL and biological						
	tolerance va		of harming the unborn ch					
		BM (Alveolar	0,5 mg/m3	DE TRGS				
<u> </u>		dust fraction)		527				
2-(2-	112-34-5	TWA	10 ppm	2006/15/E				
butoxyeth-			67,5 mg/m3					
oxy)ethanol	Further infor	mation: Indicative						
	Futurer mior	STEL	15 nnm	2006/15/E				
		SIEL	15 ppm 101,2 mg/m3	2000/15/20				
	Eurther infor	mation: Indicative	101,2 mg/m3					
		AGW (Vapour	10 ppm	DE TRGS				
		and aerosols)	67 mg/m3	900				
	Peak-limit ca	ategory: 1.5;(I)		500				
			s compliance with the OE	- I and biological				
			of harming the unborn ch	•				
octhilinone (ISO		AGW (Inhalable	0,05 mg/m3	DE TRGS				
		fraction)	0,00 mg/m0	900				
	Peak-limit ca							
			on, When there is compl	iance with the OF				
			here is no risk of harming					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody-	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day



DisboCRET 518 weiß

Version 3.1	Revision Date: 15.05.2023	SDS Nur 6020446			
nami µm]	ic diameter ≤ 10				
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
2-(2- butox	xyethoxy)ethanol	Consumers	Inhalation	Acute local effects	60,70 mg/m3
		Consumers	Ingestion	Long-term systemic effects	5,00 mg/kg bw/day
		Consumers	Inhalation	Long-term local ef- fects	40,50 mg/m3
		Consumers	Skin contac	t Long-term systemic effects	50,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	40,50 mg/m3
		Workers	Inhalation	Acute local effects	101,20 mg/m3
		Workers	Inhalation	Long-term systemic effects	67,50 mg/m3
		Workers	Inhalation	Long-term local ef- fects	67,50 mg/m3
		Workers	Skin contac	t Long-term systemic effects	83,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form	Sewage treatment plant	100 mg/l
containing 1 % or more of parti-		
cles with aerodynamic diameter ≤		
10 µm]		
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry
		weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry
		weight (d.w.)
	Sea sediment	100 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,193 mg/l
2-(2-butoxyethoxy)ethanol	Fresh water	1,1 mg/l
	Fresh water sediment	4,4 mg/kg dry
		weight (d.w.)
	Intermittent use/release	11 mg/l
	Sea water	0,11 mg/l
	Sea sediment	0,44 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	200 mg/l
	Soil	0,32 mg/kg dry
		weight (d.w.)
	Secondary Poisoning	56 mg/kg food



DisboCRET 518 weiß							
Version 3.1	Revision Date: 15.05.2023		9S Number: 20446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020			
8.2 Exposu	ire controls						
Perso	nal protective equipm	ent					
Eye/fa	ce protection	:	DGUV Regulation	112-192 - Use of eye and face protection			
			Goggles				
Ma Glo	protection terial we thickness tective index	:	Nitrile rubber 0,2 mm Class 3				
Rer	marks	:	Wear suitable glo	gloves clean them with soap and water. ves tested to EN374. 112-195 - Use of protective gloves			
Skin a	nd body protection	:	Safety shoes Long sleeved clot	hing			
				ection according to the amount and con- langerous substance at the work place.			
			Skin should be wa	ashed after contact.			
				n contaminated clothing before re-use. ication: impervious clothing			
Respir	atory protection	:	No personal respi quired.	ratory protective equipment normally re-			
			DGUV Regulation	112-190 - Use of breathing equipment			
				ication: Do not breathe spray dust. Use n filter for paint spraying.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C



Di	sboC	RET 518 weiß			
Ver 3.1	sion	Revision Date: 15.05.2023		S Number: 20446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020
		explosion limit / Upper ability limit	:	not determined	
		explosion limit / Lower ability limit	:	not determined	
	Flash p	point	:	Not applicable	
	Autoig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8 - 9 Concentration: 1	00 %
	Viscos Visc	ity cosity, dynamic	:	No data available	9
	Solubil Wa	ity(ies) ter solubility	:	completely misci	ble
	Partitio octano	n coefficient: n- l/water	:	not determined	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Density	4	:	1,3700 g/cm3	
	Relativ	e vapor density	:	not determined	
9.2	Other in	nformation			
	Explos	ives	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.
	Evapor	ration rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.



2.4	Revision Date:		DS Number:	Date of last issue: 16.12.2022				
3.1	15.05.2023	60	20446	Date of first issue: 21.04.2020				
0.3 Poss	sibility of hazardous	reacti	ons					
Haza	rdous reactions	:	No decompos	ition if stored and applied as directed.				
10.4 Conditions to avoid								
Cond	itions to avoid	:	Protect from fr	ost, heat and sunlight.				
10.5 Inco	mpatible materials							
Mate	rials to avoid	:		with acids and bases.				
			Incompatible v	with oxidizing agents.				
10.6 Haza	rdous decompositio	n pro	ducts					
No de	ecomposition if stored	and a	pplied as directe	d.				
SECTION	N 11: Toxicological	info	mation					
	Ū							
1.1 Infor	mation on hazard cla	asses	as defined in R	egulation (EC) No 1272/2008				
	e toxicity							
Not c	lassified based on ava	ailable	information.					
Com	Components:							
2-(2-l	outoxyethoxy)ethanc	ol:						
•): :	LD50 (Mouse):	2.410 mg/kg				
Acute	outoxyethoxy)ethanc): :	LD50 (Mouse): LD50 (Rabbit):					
Acute	butoxyethoxy)ethanc	:						
Acute Acute 1,2-b	butoxyethoxy)ethance e oral toxicity e dermal toxicity	:		2.764 mg/kg				
Acute Acute 1,2-b Acute	outoxyethoxy)ethance e oral toxicity e dermal toxicity enzisothiazol-3(2H)-e	: one:	LD50 (Rabbit):	2.764 mg/kg 2 mg/kg				
Acute Acute 1,2-b Acute	e oral toxicity e dermal toxicity enzisothiazol-3(2H)-o e oral toxicity	: one:	LD50 (Rabbit): LD50 (Rat): 53 LC50 (Rat): 0,4 Exposure time:	2.764 mg/kg 2 mg/kg 4 mg/l 4 h				
Acute Acute 1,2-b Acute	e oral toxicity e dermal toxicity enzisothiazol-3(2H)-o e oral toxicity	: one:	LD50 (Rabbit): LD50 (Rat): 53 LC50 (Rat): 0,4	2.764 mg/kg 2 mg/kg 4 mg/l 4 h				
Acute Acute 1,2-b Acute Acute	e oral toxicity e dermal toxicity enzisothiazol-3(2H)-o e oral toxicity	: one:	LD50 (Rabbit): LD50 (Rat): 53 LC50 (Rat): 0,4 Exposure time:	2.764 mg/kg 2 mg/kg 4 mg/l : 4 h re: dust/mist				
Acute Acute Acute Acute Acute	butoxyethoxy)ethance e oral toxicity e dermal toxicity enzisothiazol-3(2H)-c e oral toxicity e inhalation toxicity	: one:	LD50 (Rabbit): LD50 (Rat): 53 LC50 (Rat): 0,4 Exposure time: Test atmosphe	2.764 mg/kg 2 mg/kg 4 mg/l : 4 h re: dust/mist				
Acute Acute 1,2-b Acute Acute Acute	butoxyethoxy)ethance e oral toxicity e dermal toxicity enzisothiazol-3(2H)-o e oral toxicity e inhalation toxicity e dermal toxicity	: one:	LD50 (Rabbit): LD50 (Rat): 53 LC50 (Rat): 0,4 Exposure time: Test atmosphe LD50 (Rat): > 2 Acute toxicity e	2.764 mg/kg 2 mg/kg 4 mg/l 4 h re: dust/mist 2.000 mg/kg estimate: 125 mg/kg toxicity estimate according to Regulation (EC				



DisboC	RET 518 weiß						
Version 3.1	Revision Date: 15.05.2023		DS Number: 020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020			
Acute	Acute dermal toxicity		Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008				
terbut	ryn:						
Acute	oral toxicity	:	: LD50 Oral (Rat): > 300 mg/kg				
Acute	dermal toxicity	:	LD50 Dermal (Ra	at): > 2.000 mg/kg			
2-met	hylisothiazol-3(2H)-o	ne:					
Acute	oral toxicity	:	LD50 (Rat): 120 r	ng/kg			
Acute	Acute inhalation toxicity		LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
reacti (3:1):	on mass of 5-chloro-	2-me	nethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3				
Acute	Acute oral toxicity		: LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401				
Acute	te inhalation toxicity		 LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 				
Acute	dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402				
	corrosion/irritation assified based on avail	able	information.				
	us eye damage/eye in assified based on avail						
Respi	ratory or skin sensiti	zatio	on				
	sensitization ause an allergic skin re	eacti	on.				
-	ratory sensitization assified based on avail	able	information.				
Not cla	cell mutagenicity assified based on avail nogenicity	able	information.				

Not classified based on available information.



DisboCRET 518 weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.12.2022
3.1	15.05.2023	6020446	Date of first issue: 21.04.2020

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product: Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna Straus (Water flea)): > 10 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic : plants	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: Cell multiplication inhibition test Method: OECD Test Guideline 201 GLP: no
Ecotoxicology Assessment	



isboC	RET 518 weiß							
ersion 1			SDS Number:Date of last issue: 16.12.20226020446Date of first issue: 21.04.2020					
<u>Comp</u>	onents:							
1,2-be	enzisothiazol-3(2H)-on	e:						
	ty to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203					
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202					
Toxicit plants	ty to algae/aquatic	:	EC50 (Selenastru Exposure time: 72 Method: OECD Te					
M-Fac icity)	M-Factor (Acute aquatic tox- icity)		1					
M-Fac toxicity	tor (Chronic aquatic /)	:	1					
octhili	inone (ISO):							
M-Fac icity)	tor (Acute aquatic tox-	:	100					
M-Fac toxicity	tor (Chronic aquatic /)	:	100					
terbut	ryn:							
M-Fac icity)	tor (Acute aquatic tox-	:	100					
M-Fac toxicity	tor (Chronic aquatic ⁄)	:	100					
2-met	hylisothiazol-3(2H)-on	e:						
	tor (Acute aquatic tox-		10					
M-Fac toxicity	tor (Chronic aquatic ⁄)	:	1					
reactie (3:1):	on mass of 5-chloro-2	-me	thyl-2H-isothiazol	I-3-one and 2-methyl-2H-isothiazol-3-one				
. ,	tor (Acute aquatic tox-	:	100					



DisboCRET 518 weiß					
Version 3.1	Revision Date: 15.05.2023		DS Number: 020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020	
M-Factor (Chronic aquatic toxicity)		:	100		
	stence and degradabil a available	ity			
12.3 Bioac	cumulative potential				
Comp	onents:				
Partitic	utoxyethoxy)ethanol: on coefficient: n- l/water	:	log Pow: 0,56		
octhili	none (ISO):				
	on coefficient: n- I/water	:	log Pow: 2,92 Method: OECD T	est Guideline 117	
terbut	ryn:				
	on coefficient: n- I/water	:	log Pow: 3,66		
reactio (3:1):	on mass of 5-chloro-2	-me	ethyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one	
	on coefficient: n- I/water	:	log Pow: <= 0,71 Method: OECD T	est Guideline 117	
12.4 Mobility in soil					
No dat	a available				
12.5 Result	ts of PBT and vPvB as	sse	ssment		
<u>Produ</u> Assess		:	to be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or id very bioaccumulative (vPvB) at levels of	
12.6 Endoo	rine disrupting prope	ertie	S		
Produ					
Asses		:	ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.	



DisboCRET 518 weiß						
Version 3.1	Revision Date: 15.05.2023	SDS Number: 6020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020			
12.7 Othe	r adverse effects					
<u>Produ</u> Additi matio	onal ecological infor-		uatic organisms, may cause long-term adverse aquatic environment.			
SECTION 13: Disposal considerations						
13.1 Wast	e treatment methods					

13.1	Waste treatment methods Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good



D13000				
Version 3.1	Revision Date: 15.05.2023		DS Number: 20446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020
IMDG		:	Not regulated	as a dangerous good
ΙΑΤΑ		:	Not regulated	as a dangerous good
14.4 Packi	ng group			
ADN		:	U	as a dangerous good
ADR		:	0	as a dangerous good
RID		•	not regulated	as a dangerous good

IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

14.5 Environmental hazards

DisboCRET 518 weiß

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		formaldehyde (Number on list 72, 28)
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu-	:	Not applicable



DisboCRET 518 weiß						
Version 3.1	Revision Date: 15.05.2023	SDS Number: 6020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020			
tants	tants (recast)					
REACH - List of substances subject to authorisation : None (Annex XIV)						
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
Wate ny)	r hazard class (Germa-		water endangering ccording to AwSV, Annex 1 (5.2)			
	uct code for laquers and s / Giscode	: M-DF02F Wate	er-based paints, active agents			
		: BSW50 Coating film-protected	g materials, water-based, containing solvents,			
Volat	ile organic compounds	: Directive 2004/ < 2 % < 20 g/l	/42/EC			

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H351 :	Suspected of causing cancer if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.





DisboCRET 518 weiß

Versior 3.1	Revision Date: 15.05.2023	SDS Number: 6020446	Date of last issue: 16.12.2022 Date of first issue: 21.04.2020			
H411 EUH071			Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.			
Fu	Full text of other abbreviations					
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. 2004/37/EC		 Long-term (chr Carcinogenicity Serious eye da Eye irritation Skin corrosion Skin irritation Skin sensitizati Europe. Directi 	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Eye irritation Skin corrosion			
2006/15/EC DE TRGS 527 DE TRGS 900 2004/37/EC / TWA 2006/15/EC / TWA 2006/15/EC / STEL DE TRGS 527 / BM DE TRGS 900 / AGW		 Germany. TRG Germany. TRG Long term expo Limit Value - ei Short term exp Assessment so 	at work Europe. Indicative occupational exposure limit values Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit Limit Value - eight hours Short term exposure limit Assessment scale Time Weighted Average			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQ) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ETCX - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 90% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationsh

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet: ECHA WebSite





DisboCRET 518 weiß

Version	Revision Date:	SDS Number:	Date of last issue: 16.12.2022
3.1	15.05.2023	6020446	Date of first issue: 21.04.2020

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixtu	re:	Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN