

| Dis | boCRET 515 Basis | s 1 | | |
|--------------|--|---------------------|-------------------------|---|
| Versi 3.0 | on Revision Date: 08.12.2022 | SDS Numb 6007005 | ber: | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
| SEC | TION 1: Identification of | of the substa | nce/mixt | ure and of the company/undertaking |
| 1.1 P | roduct identifier | | | |
| - | Trade name | : DisboC | RET 515 I | Basis 1 |
| 1.2 R | elevant identified uses o | f the substanc | e or mixt | ure and uses advised against |
| | Use of the Sub- stance/Mixture | : Water-k | borne coat | ings |
| | Recommended restrictions | s : within a | adequate a | pplication - none |
| 1.3 D | etails of the supplier of t | he safety data | sheet | |
| - | Company Telephone Telefax | 64372 : +49615 | rfer Straße Ober-Ran | nstadt |
| | E-mail address Responsi- ble/issuing person | : msds@ | dr-rmi.cor | n |
| 1.4 E | mergency telephone | | | |
| | Emergency telephone 1 | : +49613 | 3284463 G | BK GmbH |
| SEC | TION 2: Hazards identi | fication | | |
| 2.1 C | lassification of the subs | tance or mixtu | re | |
| | Classification (REGULAT Skin sensitization, Categor | | - | May cause an allergic skin reaction. |
| 2.2 L | abel elements | | | |
| I | Labeling (REGULATION (| (EC) No 1272/2 | 2008) | |

Hazard pictograms



Signal Word

: Warning

:



DisboCRET 515 Basis 1

| Version 3.0 | Revision Date: 08.12.2022 | - | DS Num 007005 | iber: | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
|----------------|------------------------------|---|---|-------------------------|--|
| Hazard | Statements | : | H317 | May caus | e an allergic skin reaction. |
| Precau | tionary Statements | : | Prever P261 P262 P280 | Avoid brea Do not ge | athing mist or vapors. t in eyes, on skin, or on clothing. rective gloves/ eye protection. |
| | | | Respo P302 + water. P362 + before | · P352 IF · P364 Ta | ON SKIN: Wash with plenty of soap and ake off contaminated clothing and wash it |

Hazardous ingredients which must be listed on the label:

2-methylisothiazol-3(2H)-one 1,2-benzisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Chemical nature | : | En |
|-----------------|---|----|
| Chemical nature | • | EU |

Emulsion paint, aqueous

Components

| Chemical name | CAS-No. | Classification | Concentration |
|---------------|---------|----------------|---------------|
| | EC-No. | | (% w/w) |



DisboCRET 515 Basis 1

| sion | Revision Date: 08.12.2022 | SDS Number: 6007005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
|--------|---|--|--|
| | | Index-No. | anumber |
| conta | Im dioxide; [in powde ining 1 % or more of vith aerodynamic dia n] | parti- 236-675-5 | Carc. 2; H351 >= 10 - < 2 |
| | thylisothiazol-3(2H)-c | | Acute Tox. 2; H330 >= 0,0025 · Acute Tox. 3; H311 0,025 Acute Tox. 3; H301 |
| 1,2-be | enzisothiazol-3(2H)-c | ne 2634-33-5 220-120-9 613-088-00 01-212076 | |



DisboCRET 515 Basis 1

| ersion 0 | Revision Date: 08.12.2022 | | Number: 7005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
|-------------|---|-----------------|---|---|
| methy | on mass of 5-chloro-2 yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one | and 2- (3:1) | 55965-84-9 613-167-00-5 01-2120764691 | Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 \overline{M} -Factor (Chronic aquatic toxicity): 100 |
| kaolin | tances with a workplac | e expo | 1332-58-7 310-194-1 | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.





| Disbo | DisboCRET 515 Basis 1 | | | | | | | | |
|-------------------------|------------------------------|---|---|--|--|--|--|--|--|
| Version 3.0 | Revision Date: 08.12.2022 | | DS Number: 007005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 | | | | | |
| If inf | naled | : | Move to fresh air. | | | | | | |
| In case of skin contact | | : | Do NOT use solve In case of contact of water. | ents or thinners. , immediately flush skin with soap and plenty | | | | | |
| In case of eye contact | | : | IF IN EYES: Rins | rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue | | | | | |
| lf sw | allowed | : | | ice. water and drink afterwards plenty of water. NOT induce vomiting. | | | | | |

4.2 Most important symptoms and effects, both acute and delayed

| Risks | : | May cause an allergic skin reaction. |
|-------|---|--------------------------------------|
| | | |

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

| 5.1 E | xtinguishing media | | |
|-------|--|-----|--|
| : | Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. |
| | Unsuitable extinguishing media | : | None known. |
| 5.2 S | pecial hazards arising from | the | e substance or mixture |
| | Specific hazards during fire ighting | : | In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke). |
| 5.3 A | dvice for firefighters | | |
| | Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if nec- essary. |



| Diaha | RET 515 Basis | 1 | | | | | | | |
|----------------|--|-------|--------------------------------------|---|--|--|--|--|--|
| DISDOC | REI DID DASIS | I | | | | | | | |
| Version 3.0 | Revision Date: 08.12.2022 | | DS Number: 007005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 | | | | | |
| Furth | er information | : | | dure for chemical fires. elf does not burn. | | | | | |
| SECTION | SECTION 6: Accidental release measures | | | | | | | | |
| 6.1 Perso | nal precautions, prote | ctiv | e equipment and | l emergency procedures | | | | | |
| Perso | onal precautions | : | Material can cre | shoes or boots with rough rubber sole. eate slippery conditions. res, on skin, or on clothing. | | | | | |
| 6.2 Enviro | onmental precautions | | | | | | | | |
| Enviro | onmental precautions | : | If the product co respective auth | leakage or spillage if safe to do so. ontaminates rivers and lakes or drains inform orities. o surface water or sanitary sewer system. | | | | | |
| 6.3 Metho | ds and material for co | ontai | nment and clear | ning up | | | | | |
| Metho | ods for cleaning up | : | Soak up with in | e, closed containers for disposal. ert absorbent material (e.g. sand, silica gel, | | | | | |

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : | For personal protection see section 8. No special technical protective measures required. |
|-------------------------|---|--|
| | | In addition, the current technical information for this product and its application on www.caparol.com must be observed. |
| Hygiene measures | : | Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas. |

acid binder, universal binder, sawdust).

7.2 Conditions for safe storage, including any incompatibilities

| Requirements for storage | : | Perishable if frozen. To maintain product quality, do not store |
|--------------------------|---|---|
| areas and containers | | in heat or direct sunlight. Store at room temperature in the |
| | | original container. Containers which are opened must be care- |
| | | fully resealed and kept upright to prevent leakage. |



DisboCRET 515 Basis 1

| Version 3.0 | Revision Date: 08.12.2022 | SDS Numbe 6007005 | er: Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
|--|------------------------------|-----------------------|---|
| Advic | e on common storage | : Keep av material | vay from oxidizing agents and strongly acid or alkaline s. |
| Stora | ge class (TRGS 510) | : 12 | |
| 7.3 Specific end use(s) Specific use(s) | | : This info | rmation is not available. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form | Control parameters | Basis |
|-----------------------|-----------------------------|------------------------|----------------------------|---------------|
| - | | of exposure) | - | |
| titanium dioxide; [in | 13463-67-7 | AGW (Inhalable | 10 mg/m3 | DE TRGS |
| powder form con- | | fraction) | (Titanium dioxide) | 900 |
| taining 1 % or | | naction | | 500 |
| more of particles | | | | |
| | | | | |
| with aerodynamic | | | | |
| diameter ≤ 10 µm] | | | | |
| | Peak-limit cat | egory: 2;(II) | | |
| | Further inform | ation: When there is | compliance with the OEL a | nd biological |
| | tolerance valu | es, there is no risk c | f harming the unborn child | °, |
| | | AGW (Alveolate | 1,25 mg/m3 | DE TRGS |
| | | fraction) | (Titanium dioxide) | 900 |
| | Peak-limit category: 2;(II) | | | |
| | Further inform | ation: When there is | compliance with the OEL ar | nd biological |
| | tolerance valu | es, there is no risk c | f harming the unborn child | |
| | | BM (Alveolar | 0,5 mg/m3 | DE TRGS |
| | | dust fraction) | - | 527 |
| kaolin | 1332-58-7 | TWA (Respirable | 0,1 mg/m3 | 2004/37/EC |
| | | dust) | - | |
| | Further inform | ation: Carcinogens | or mutagens | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Routes of expo- sure | Potential health ef- fects | Value |
|---|-----------|-------------------------|-------------------------------|------------------------|
| titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm] | Consumers | Ingestion | Long-term systemic effects | 700,00 mg/kg bw/day |
| | Workers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 |



DisboCRET 515 Basis 1

| Version | Revision Date: | SDS Number: | Date of last issue: 25.11.2020 |
|---------|----------------|-------------|---------------------------------|
| 3.0 | 08.12.2022 | 6007005 | Date of first issue: 08.12.2022 |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---|---------------------------|---------------------------------|
| titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm] | Sewage treatment plant | 100 mg/l |
| | Fresh water | 0,184 mg/l |
| | Soil | 100 mg/kg dry weight (d.w.) |
| | Sea water | 0,0184 mg/l |
| | Fresh water sediment | 1000 mg/kg dry weight (d.w.) |
| | Sea sediment | 100 mg/kg dry weight (d.w.) |
| | Intermittent use/release | 0,193 mg/l |

8.2 Exposure controls

Personal protective equipment

| Eye/face protection : | DGUV Regulation 112-192 - Use of eye and face protection |
|--|--|
| | Goggles |
| Hand protection Material : Glove thickness : Protective index : | Nitrile rubber 0,2 mm Class 3 |
| Remarks : | Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves |
| Skin and body protection : | Safety shoes Long sleeved clothing |
| | Choose body protection according to the amount and con- centration of the dangerous substance at the work place. |
| | Skin should be washed after contact. |
| | Remove and wash contaminated clothing before re-use. During spray application: impervious clothing |
| Respiratory protection : | No personal respiratory protective equipment normally re- quired. |
| | DGUV Regulation 112-190 - Use of breathing equipment |
| | During spray application: Do not breathe spray dust. Use |
| Respiratory protection : | Skin should be washed after contact. Remove and wash contaminated clothing before re-use. During spray application: impervious clothing No personal respiratory protective equipment normally required. DGUV Regulation 112-190 - Use of breathing equipment |



| DisboCRET 515 Basis 1 | | | | |
|-----------------------|----------------|-------------|---------------------------------|--|
| Version | Revision Date: | SDS Number: | Date of last issue: 25.11.2020 | |
| 3.0 | 08.12.2022 | 6007005 | Date of first issue: 08.12.2022 | |

A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : | liquid |
|--|---|--|
| Color | : | No data available |
| Odor | : | No data available |
| Melting point/freezing point | : | ca. 0 °C |
| Boiling point/boiling range | : | ca. 100 °C |
| Upper explosion limit / Upper flammability limit | : | not determined |
| Lower explosion limit / Lower flammability limit | : | not determined |
| Flash point | : | Not applicable |
| Autoignition temperature | : | not determined |
| Decomposition temperature | : | Not applicable |
| рН | : | 8 - 9 Concentration: 100 % |
| Viscosity Viscosity, dynamic | : | No data available |
| Solubility(ies) Water solubility | | |
| Water Solubility | : | completely miscible |
| Partition coefficient: n- octanol/water | : | completely miscible Not applicable |
| Partition coefficient: n- | | |
| Partition coefficient: n- octanol/water | : | Not applicable |
| Partition coefficient: n- octanol/water Vapor pressure | : | Not applicable ca. 23,4 hPa (20 °C) |
| Partition coefficient: n- octanol/water Vapor pressure Relative density | : | Not applicable ca. 23,4 hPa (20 °C) not determined |



| DisboCRET 515 Basis 1 | | | | |
|---|------------------------------|------------------------|---|--|
| Version 3.0 | Revision Date: 08.12.2022 | SDS Number: 6007005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 | |
| 9.2 Oth | er information | | | |
| Exp | olosives | : Not applicabl | e | |
| Ox | idizing properties | : Not applicabl | е | |
| Fla | mmability (liquids) | : The product | is not flammable. | |
| SECTIO | ON 10: Stability and I | reactivity | | |
| 10.1 Re | activity | | | |
| No | decomposition if stored | and applied as direct | ed. | |
| 10.2 Ch | emical stability | | | |
| No | decomposition if stored | and applied as direct | ed. | |
| 10.3 Po | ssibility of hazardous | reactions | | |
| Ha | zardous reactions | : No decompo | sition if stored and applied as directed. | |
| 10.4 Co | nditions to avoid | | | |
| Co | nditions to avoid | : Protect from | frost, heat and sunlight. | |
| 10.5 Inc | ompatible materials | | | |
| Ма | terials to avoid | | with acids and bases. with oxidizing agents. | |
| 10.6 Ha | zardous decompositio | n products | | |
| No decomposition if stored and applied as directed. | | | | |

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Not classified ba | sed on available information. |
|-------------------|-------------------------------|
| Components: | |

2-methylisothiazol-3(2H)-one:

| Acute oral toxicity | : | LD50 (Rat): 120 mg/kg |
|---------------------------|---|--|
| Acute inhalation toxicity | : | LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist |

1,2-benzisothiazol-3(2H)-one:



| Version Revision Date: SDS Number: Date of first issue: 25.11.2020 3.0 08.12.2022 6007005 Date of first issue: 08.12.2022 Acute oral toxicity : LD50 (Rat): 532 mg/kg Acute inhalation toxicity : LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1); Acute oral toxicity Acute oral toxicity : LD50 (Rat): > 1.000 mg/kg reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1); Acute oral toxicity Acute oral toxicity : LD50 (Rat): > 1.000 mg/kg Acute oral toxicity : LD50 (Rat): > 1.700 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation I Not classified based on available information. Serious eye damage/eye irritation Skin sensitization May cause an allergic skin reaction. Respiratory sensitization INot classified based on available information. Germ cell mutagen | DisboCRET 515 Basis 1 | | | | | |
|---|-----------------------|-------------------------|------------------------------|--|--|--|
| Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Acute oral toxicity : Acute inhalation toxicity : LD50 (Rat): >66 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. StOT-single exposure No | | | | | | |
| Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Acute oral toxicity : LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. | Acute | oral toxicity | : LD50 (Rat): 5 | 532 mg/kg | | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one (3:1): Acute oral toxicity E. LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity E. LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity E. LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. Reproductive toxicity Not classified based on available information. StoT-single exposure Not classified based on available information. STOT-single exposure | Acute | inhalation toxicity | Exposure tim | Exposure time: 4 h | | |
| (3:1): Acute oral toxicity :: LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity :: LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity :: LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation : Not classified based on available information. Serious eye damage/eye irritation : Not classified based on available information. Respiratory or skin sensitization Skin sensitization : Not classified based on available information. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Stort-single exposure Not classified based on available information. Stort-single exposure | Acute | e dermal toxicity | : LD50 (Rat): > | > 2.000 mg/kg | | |
| Acute oral toxicity :: LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity :: LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity :: LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Method: OECD Test Guideline 402 Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Mot classified based on available information. Germ cell mutagenicity Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. Stort-single exposure Not classified based on available information. Stort-repeated exposure | | ion mass of 5-chloro | -2-methyl-2H-isoth | iazol-3-one and 2-methyl-2H-isothiazol-3-one | | |
| Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Acute dermal toxicity : LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | . , | oral toxicity | | | | |
| Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | Acute | inhalation toxicity | Exposure tim Test atmospl | ne: 4 h nere: dust/mist | | |
| Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. | Acute | dermal toxicity | | | | |
| Not classified based on available information. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. | Not cl | assified based on avail | | | | |
| Skin sensitization May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | | | | | | |
| May cause an allergic skin reaction. Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | Resp | iratory or skin sensit | ization | | | |
| Respiratory sensitization Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | Skin | sensitization | | | | |
| Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | May o | ause an allergic skin r | eaction. | | | |
| Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | • | • | | | | |
| Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | | | ilable information. | | | |
| Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | | | ilable information | | | |
| Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | | | | | | |
| Reproductive toxicity Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | | | ilable information. | | | |
| Not classified based on available information. STOT-single exposure Not classified based on available information. STOT-repeated exposure | | | | | | |
| Not classified based on available information. STOT-repeated exposure | - | • | ilable information. | | | |
| STOT-repeated exposure | STOT | -single exposure | | | | |
| · · · | Not c | assified based on avail | ilable information. | | | |
| Not classified based on available information. | | · · | | | | |
| | Not cl | assified based on avail | lable information. | | | |



| DisboCRET 515 Basis 1 | | | | | | | |
|-----------------------|---|------------------------------|-------|---------------------|--|--|--|
| Vers 3.0 | sion | Revision Date: 08.12.2022 | - | DS Number: 07005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 | | |
| | Aspira | tion toxicity | | | | | |
| | Not cla | ssified based on avail | able | information. | | | |
| 11.2 | 2 Inform | nation on other hazar | ds | | | | |
| | Endoc | rine disrupting prop | ertie | S | | | |
| | <u>Produ</u> | <u>ct:</u> | | | | | |
| | Assessment : The substance/mixture does not contain components or ered to have endocrine disrupting properties according REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/0 levels of 0.1% or higher. | | | | locrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at | | |
| - | | | | | | | |
| SEC | SECTION 12: Ecological information | | | | | | |
| 12.1 | Toxici | ty | | | | | |
| | Components: | | | | | | |
| | 2-methylisothiazol-3(2H)-one: | | | | | | |
| | M-Facticity) | tor (Acute aquatic tox- | : | 10 | | | |
| | M-Fact toxicity | tor (Chronic aquatic ') | : | 1 | | | |

1,2-benzisothiazol-3(2H)-one:

| ., | - | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic tox- icity) | : | 1 |
| M-Factor (Chronic aquatic toxicity) | : | 1 |

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

DisboCRET 515 Basis 1



DE / EN

| Version 3.0 | Revision Date: 08.12.2022 | SDS Num 6007005 | ber: Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
|----------------|---|---------------------------|---|
| M-I icit | Factor (Acute aquatic tox- y) | : 100 | |
| | M-Factor (Chronic aquatic toxicity) | | |
| | rsistence and degradabi data available | lity | |
| 12.3 Bio | paccumulative potential | | |
| <u>Co</u> | mponents: | | |
| rea (3: | | -methyl-2H | H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one |
| | rtition coefficient: n- anol/water | | ow: <= 0,71 od: OECD Test Guideline 117 |
| | bility in soil data available | | |
| 12.5 Re | sults of PBT and vPvB a | ssessment | t |
| Pro | oduct: | | |
| As | sessment | to be e very p | ubstance/mixture contains no components considered either persistent, bioaccumulative and toxic (PBT), or persistent and very bioaccumulative (vPvB) at levels of or higher. |
| 12.6 En | docrine disrupting prope | erties | |
| Pro | oduct: | | |
| As | sessment | ered to REAC (EU) 2 | ubstance/mixture does not contain components consid- o have endocrine disrupting properties according to CH Article 57(f) or Commission Delegated regulation 2017/2100 or Commission Regulation (EU) 2018/605 at of 0.1% or higher. |
| 12.7 Ot | her adverse effects | | |
| Pro | oduct: | | |
| | ditional ecological infor- tion | | vironmental hazard cannot be excluded in the event of fessional handling or disposal. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods



DisboCRET 515 Basis 1

| Version 3.0 | Revision Date: 08.12.2022 | SDS Number: 6007005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 | |
|------------------------|------------------------------|--|---|--|
| Product | | : . | | |
| | | Waste should | d not be disposed of via wastewater. | |
| Contaminated packaging | | : Only completely emptied containers should be given for recy cling. | | |
| Waste Code | | : used product 080112, was in 08 01 11* | te paint and varnish other than those mentioned | |

SECTION 14: Transport information

14.1 UN number or ID number

| ADN | : | Not regulated as a dangerous good |
|---------------------------------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.2 UN proper shipping name | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.3 Transport hazard class(es) | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.4 Packing group | | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| | | |



DisboCRET 515 Basis 1

| Version 3.0 | Revision Date: 08.12.2022 | SDS Number: 6007005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
|----------------|---|-----------------------------|---|
| ΙΔΤΔ | (Cargo) | · Not regulate | d as a dangerous good |
| | (Passenger) | 0 | d as a dangerous good |
| | 14.5 Environmental hazards Not regulated as a dangerous | | |
| 14.6 Spec | ial precautions for u | ser | |
| Rema | arks | : Not classifie lations. | d as dangerous in the meaning of transport regu- |
| 14.7 Marit | time transport in bulk | according to IMO | instruments |

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the fol- lowing entries should be considered: Number on list 3 |
|--|-----|--|
| | | formaldehyde (Number on list 72, 28) |
| REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). | : | This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated. |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : | Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) | : | Not applicable |
| REACH - List of substances subject to authorisation (Annex XIV) | : | None |
| Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | Not | applicable |



DisboCRET 515 Basis 1

| Vers 3.0 | sion | Revision Date: 08.12.2022 | | S Number: 07005 | Date of last issue: 25.11.2020 Date of first issue: 08.12.2022 |
|-------------|---|------------------------------|---|----------------------------------|---|
| | Water h ny) | nazard class (Germa- | : | | ghtly water endangering ion according to AwSV, Annex 1 (5.2) |
| | Product code for laquers and paints / Giscode | | : | M-DF02 W | ater-based paints |
| | | | : | BSW20 Co | pating materials, water-based |
| | Volatile | organic compounds | : | Directive 2 < 3 % < 40 g/l | 004/42/EC |

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

| Full text of H-Statements | | |
|---------------------------------|----|---|
| H301 | : | Toxic if swallowed. |
| H302 | : | Harmful if swallowed. |
| H310 | : | Fatal in contact with skin. |
| H311 | : | Toxic in contact with skin. |
| H314 | : | Causes severe skin burns and eye damage. |
| H315 | : | Causes skin irritation. |
| H317 | : | May cause an allergic skin reaction. |
| H318 | : | Causes serious eye damage. |
| H330 | : | Fatal if inhaled. |
| H351 | : | Suspected of causing cancer if inhaled. |
| H400 | : | Very toxic to aquatic life. |
| H410 | : | Very toxic to aquatic life with long lasting effects. |
| H411 | : | Toxic to aquatic life with long lasting effects. |
| EUH071 | : | Corrosive to the respiratory tract. |
| Full text of other abbreviation | าร | |
| Acute Tox. | : | Acute toxicity |
| Aquatic Acute | : | Short-term (acute) aquatic hazard |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Carc. | : | Carcinogenicity |
| Eye Dam. | : | Serious eye damage |
| Skin Corr. | : | Skin corrosion |
| Skin Irrit. | : | Skin irritation |
| Skin Sens. | : | Skin sensitization |
| 2004/37/EC | : | Europe. Directive 2004/37/EC on the protection of workers |



DisboCRET 515 Basis 1

| Version | Revision Date: | SDS Number: | Date of last issue: 25.11.2020 |
|--------------------------|---|----------------------------|---------------------------------|
| 3.0 | 08.12.2022 | 6007005 | Date of first issue: 08.12.2022 |
| DE TR 2004/3 DE TR | GS 527 GS 900 7/EC / TWA GS 527 / BM GS 900 / AGW | at work : Germany. TRGS | le |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECS - Inventy and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); IMAPOL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; (ICCS - Nhilpipines Inventory of Chemicals and Chemical Substances; (Q)XAR - (Quartitative

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:

Classification procedure:

Skin Sens. 1

H317

Calculation method



DisboCRET 515 Basis 1

| Version | Revision Date: | SDS Number: | Date of last issue: 25.11.2020 |
|---------|----------------|-------------|---------------------------------|
| 3.0 | 08.12.2022 | 6007005 | Date of first issue: 08.12.2022 |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN